

Publikationen des Arbeitsbereiches Toxikologie

2009, 2008, 2007, 2006, 2005, 2004, 2003, 2002, 2001, 2000, 1999, 1998

2009

Buchbeiträge

Effenberger K, Westendorf J. Hop-derived phytoestrogens alter osteoblastic phenotype and gene expression.

In: Victor R. Preedy (Hrsg.), Beer in Health and Disease Prevention, Elsevier, 2009, 74, 735-745.

2008

Brett J. West, Claude C. Jensen and J. Westendorf: A new vegetable oil from Noni (*Morinda citrifolia*) seeds.

Intern J Food Sci Technol, 2008: 43, 1988-1992

2007

Johannes Westendorf, Katharina Effenberger, Hassan Iznaguen, Simla Bazar. Toxicological and analytical investigations of Noni (*Morinda citrifolia*) fruit juice.

J. Agric. Food Chem. 2007: 55, 529-537

2006

Ismene Jäger, Christoph Hafner, Claudia Welsch, Klaus Schneider, Hassan Iznaguen, Johannes Westendorf. The mutagenic potential of madder root in dyeing processes in the textile industry.

Mutation Research, 2006: 605, 22-29 ().

B.J. West, C.J. Jensen, J. Westendorf, and L.D. White (2006). A Safety Review of Noni Fruit Juice
J Food Science , 2006: 71, 100-106

2005

Effenberger, . K.E., Johnsen, S.A, Monroe, D.G. Spelsberg, T.C. and Westendorf, J.J.
Regulation of osteoblastic phenotype and gene expression by hop-derived phytoestrogens
Journal of Steroid Biochemistry and Molecular Biology, 2005: 96, 387-399

Kammann U, Biselli S, Reineke N, Wosniok W, Danischewski D, Hühnerfuss H, Kinder A, Sierts-Herrmann A, Theobald N, Vahl HH, Vobach M, Westendorf J, Steinhart H. Bioassay-directed fractionation of organic extracts of marine surface sediments from the North and Baltic Sea - Part II: Results of the biotest battery and development of a biotest index.
J Soils & Sediments 2005: 5 (4) 225-232

W. Gaus, J. Westendorf, R. Diebow, M. Kieser (2005). Identification of adverse drug reactions by evaluation of a prescription database, demonstrated for the "risk of bleeding".

Methods Inf Med, 2005: 44, 697 – 703

Buchbeiträge

Pfau W. Heterocyclische Aromatische Amine.

In: Wolf (Hrsg.) Lexikon der Toxikologie, Springer Verlag, Heidelberg (in press).

2004

Schaefer A, Kosa F, Bittorf T, Magocsi M, Rosche A, Ramirez-Chavez Y, Marotzki S, Marquardt H. Opposite effects of inhibitors of mitogen-activated protein kinase pathways on the egr-1 and β -globin expression in erythropoietin-responsive murine erythroleukemia cells. *Cell Signal.* 2004; 16:223-234.

Brockstedt U, Uzarowska A, Montpetit A, Pfau W, Labuda D. In vitro evolution of RNA aptamers recognizing carcinogenic aromatic amines. *Biophysical and Biochemical Research Communications* 2004; 313:1004-1008.

Knasmüller S, Murkovic M, Pfau W, Sontag G. Heterocyclic aromatic amines - a challenge for scientists *J Chromat.* 2004; B, 802:1-2.

Pfau W, Skog K. Exposure to α -carbolines norharman and harman. *J Chromat.* 2004; B 802:115-126.

Majer BJ, Kassie F, Sasaki Y, Pfau W, Glatt H, Meinel W, Darroudi F, Knasmüller S. Investigation of the genotoxic effects of 2-amino-9H-pyrido[2,3-b]indole in different organs of rodents and in human derived cells. *J Chromat.* 2004; B, 802:167-173.

Hümmerich J, Zohm C, Pfau W. Modulation of cytochrome P450 1A1 by food derived heterocyclic aromatic amines. *Toxicology* 2004; 199:231-40.

Frederiksen H, Frandsen H, Pfau W. Synthesis of DNA-adducts of two heterocyclic amines, 2-amino-3-methyl-9H-pyrido[2,3-b]indole (MeAaC) and 2-amino-9H-pyrido[2,3-b]indole (AaC) and identification of DNA-adducts in organs from rats dosed with MeAaC. *Carcinogenesis* 2004, 25, 1525-33.

Buchbeiträge

Richter E, Pfau W. Aromatische Amine.

In: Marquardt Schäfer (Hrsg.) *Lehrbuch der Toxikologie*, 2. Auflage, Wissenschaftliche Verlagsgesellschaft, 2004, 731-745.

H. Marquardt H, Pfau W. Chemische Kanzerogenese.
In: Marquardt, Schäfer (Hrsg.) *Lehrbuch* 2004, 157-193.

Pfau W. Mutagenic Agents.

Book Chapter for *Ullmann's Encyclopedia of Industrial Chemistry.*, Wiley-VCH, Weinheim 2004.

2003

Jaschke S, Neurath G, Fanke S, Pfau W. Cytotoxicity of isomeric bis(dichloropropyl)ethers. *Fresenius J. Analyt. Chem.* 2003; 12(6): 613-618.

Huehnerfuss H, Bergman A, Larsson C, Peters N, Westendorf J. Enantioselective transformation of atropisomeric PCBs or of their methylsulfonyl metabolites by rat hepatocytes? *Organohalogen compounds*, 60-65, Dioxin 2003 Boston, MA.

2002

Katzer A, Marquardt H, Westendorf J, Wening J, von Foerster G. Polyetherketone-cytotoxicity and mutagenicity in vitro. *Biomaterials* 2002; 23:1749-1759.

Dartsch DC, Schaefer A, Boldt S, Kolch W, Marquardt H. Comparison of anthracycline-induced death of human leukemia cells: programmed cell death versus necrosis. *Apoptosis* 2002; 7: 537-548.

Brockstedt U., Richter C, Pfau W, Labuda D. Analyses of bulky DNA adduct levels in human breast tissue and genetic polymorphisms of cytochromes P450 (CYPs), myeloperoxidase (MPO), quinone oxidoreductase (NQO1), and glutathione S-transferases (GSTs). *Mutation Res.* 2002; 516:41-7.

Buchbeiträge

Pfau W. ³²P-Postlabelling HPLC Analysis of DNA Adducts in human Breast Tissue
In: Angerer, J. (Hrsg.) DFG: Biological Monitoring, Wiley VCH, Weinheim, 2002.

2001

Shen J, Gutendorf B, Vahl H, Shen L, Westendorf J. Toxicological profile of pollutants in surface water from an area in Taihu lake, Yangtze delta. *Toxicology* 2001; 166:71-78.

Gutendorf B, Westendorf J. Comparison of an array of in vitro assays for the assessment of the estrogenic potential of natural and synthetic estrogens, phytoestrogens and xenoestrogens. *Toxicology* 2001, 166:79-89.

Chukhlovin A, Tokalov S, Yagunov A, Westendorf J, Reincke H, Karbe L. In vitro suppression of thymocyte apoptosis by metal-rich complex environmental mixtures: potential role of zinc and cadmium excess. *The Science of the total environment* 2001; 281:153-163.

Kolonics A, Apati A, Janossy J, Brozik A, Gati R, Schaefer A, Magocsi M. Activation of Raf/ERK1/2 MAP kinase pathway is involved in GM-CSF-induced proliferation and survival but not in erythropoietin-induced differentiation of TF-1 cells. *Cell Signal.* 2001; 13:743-754.

Pfau W, Marquardt H. Cell transformation in vitro by food-derived heterocyclic amines Trp-P-1, Trp-P-2 and N²-OH-PhIP. *Toxicology* 2001; 166:25-30.

Pfau W. Krebs und Ernährung: Welche Bedeutung haben Aufbewahrung und Zubereitung. *Aktuelle Ernährungsmedizin* 2001; 26:144-147.

Pfau W, Martin FL, Cole KJ, Marquardt H, Phillips DH, Grover LP. Morphological transformation of C3H/M2 mouse fibroblasts by, and genotoxicity of, extracts of human milk. *Mutat. Res.* 2001; 498:207-17.

Pfau W, Alexander J, Murkovic M, Sontag G, Knasmueller S, Galceran T, Frandsen H, Glatt HR, Edenharder R, Skog K. Heterocyclic Amines: Human Carcinogens in cooked food? *Nutrition, Metabolism and Cardiovascular Diseases* 2001; 11:S4, 82- 86.

Buchbeiträge

Pfau W. ³²P-Postlabelling HPLC Analyse von DNA Addukten im Brustgewebe In: Angerer, J. (Hrsg.) DFG: Biological Monitoring, Heutige und künftige Möglichkeiten in der Arbeits- und Umweltmedizin, Wiley VCH, Weinheim, 2001, pp 58 –69.

2000

Meyer F, Fiala E, Westendorf J. Induction of 8-oxo-dGTPase activity in human lymphoid cells and normal fibroblasts by oxidative stress. *Toxicology* 2000; 146:83-92.

Schehrer L, Regan J, Westendorf J. UDS-induction by an array of standard carcinogens in human and rodent hepatocytes: effect of cryopreservation. *Toxicology* 2000; 147:177-191.

Westendorf J, Regan J. Induction of DNA-strand breaks in primary rat hepatocytes by ginkgolic acids. *Pharmazie* 2000; 55:864-865.

Fahrig R, Steikamp-Zucht A and Schaefer A. Prevention of adriamycin-induced *mdr1* gene amplification and expression in mouse leukemia cells by simultaneous treatment with the anti-recombinogen bromovinyldeoxyuridine. *Anticancer Drug Des.* 2000; 15:307-312.

Pfau W. Genotoxische Umwelteinflüsse auf die Entstehung des Mammakarzinoms. *Medizinische Welt* 2000; 51:15–20. Pfau W. Re: Kidd LC et al (2000)., Urinary excretion of PhIP. *Cancer Epidemiology, Biomarkers & Prevention* 2000; 9:533–534.

Wolz E, Pfau W, Degen GH. Bioactivation of the food mutagen 2-amino-3-methyl-imidazo[4,5-f]quinoline (IQ) by prostaglandin-H synthase and by monooxygenases: DNA adduct analysis. *Food and Chemical Toxicology* 2000; 38:513–522.

Woelfle D, Marotzki S, Dartsch D, Schaefer A, Marquardt H. Induction of cyclooxygenase expression and enhancement of malignant cell transformation by 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Carcinogenesis* 2000, 21:15-21.

Buchbeiträge

Westendorf J. Komplexe Wirkungen von Xenobiotika in Gewässern-Genotoxische Wirkungen. In: R. Guderian (ed.) *Handbuch der Umweltveränderungen und Ökotoxikologie*, Springer Verlag, Berlin Heidelberg, 2000, pp. 342-350.

Westendorf J. Umwelttoxikologie. In: *Innere Medizin* Georg Thieme Verlag, Stuttgart, New York, 2000, pp. 2029-2031.

Pfau W. Heterocyclic Aromatic Amines: Genotoxicity and DNA Adduct Formation. In Eisenbrand G. et al. (Hrsg.): *DFG: Carcinogenic and Anticarcinogenic Factors in Food*, Wiley VCH, 2000, pp 138 – 168.

1999

Paneitz A, Westendorf J. Anthranoid contents of Rhubarb (*Rheum undulatum L.*) and other *Rheum* species and its toxicological relevance. *Eur Food Res Technol.* 1999; 210:97-101.

Pfau W, Martin FL, Cole KJ, Venitt S, Phillips DH, Grover PL, Marquardt H. Heterocyclic amines are potent cell transforming and DNA strand breaking agents. *Carcinogenesis* 1999; 20:545–551.

Brockstedt U, Pfau W. Separation of ³²P-labeled nucleotide adducts formed by food derived carcinogenic aminoimidazoazarenes using reversed-phase high performance liquid chromatography. *Chromatographia* 1999; 50:547–552.

Buchbeiträge

Westendorf J. Natural Compounds In: H. Marquardt, S. Schäfer, R. McClellan, F. Welsch (eds.) *Toxicology*. Academic Press, San Diego, London, New York, Sydney, Tokyo, Toronto, 1999, pp 959-1007.

Pfau W. Carcinogenic Agents. Book Chapter for Ullmann's Encyclopedia of Industrial Chemistry. Sixth edition, Electronic release, Wiley-VCH, Weinheim, 1999.

1998

Westendorf J, Pfau W, Schulte A. Carcinogenicity and DNA adduct formation observed in ACI rats after long term treatment with madder root, *Rubia tinctorum*, L. Carcinogenesis 1998; 19:2163-2168.

Schaefer A, Magocsi M, Fandrich A, Marquardt H. Stimulation of the Ca²⁺-mediated egr-1 and c-fos expression in murine erythroleukemia cells by cyclosporin A. Biochem J. 1998; 335:505-511.

Degen GH, Wolz E, Gerber M, Pfau W. Bioactivation of 2-amino-3-methylimidazo[4,5-f]-quinoline (IQ) by prostaglandin H synthase. Archives of Toxicology 1998; 72:183-186.

Degen GH, Pfau W. Food-derived carcinogens and breast cancer risk (Editorial) Nutrition 1998; 14:710-712.

Martin FL, Pfau W, Cole KJ, Venitt S, Marquardt H, Phillips DH, Grover PL. Transforming activity of human breast lipid extracts. Biophysical and Biochemical Research Communications 1998; 72:183-186.

Pfau W, Stone E, Brockstedt U, Carmichael PL, Marquardt H, Phillips DH. DNA Adducts in Human Breast Tissue: Influence of NAT 1 and NAT 2 Genotypes. Cancer Epidemiology, Biomarkers & Prevention 1998; 7:1019- 1025.

Brockstedt U, Pfau W. Formation of 2-amino- α -carbolines in pan-fried poultry and ³²P-postlabelling analysis of DNA adducts. Zeitschrift für Lebensmitteluntersuchung und Forschung 1998; A 207:472–476.

Buchbeiträge

Pfau W. Genotoxic activity of heterocyclic aromatic amines formed upon heat preparation of meat, fish and poultry. In Nau, H. et. al. (eds.) Consensus Report WHO-Consultation on current issues in risk assessment of potentially toxic substances in food of animal origin, Hannover, 1998, pp 78-79.