

## Publications by ZMH Scientists 2009 - 2014

	Page
Institute for Neuroimmunology and Multiple Sclerosis .....	1
Institute for Synaptic Physiology .....	11
Institute for Structural Neurobiology .....	12
Institute for Molecular Neurogenetics .....	15
Guest scientist group Jürgen R. Schwarz .....	16
Institute for Molecular and Cellular Cognition .....	17
Emeritus Group Biosynthesis of Neural Structures .....	20
Institute for Neural Signal Transduction .....	28
Emeritus Group Cell Biochemistry and Clinical Neurobiology .....	30
Research Unit Behavioral Biology .....	31
Research Group Neuronal Development .....	31
Research Group Neuronal Patterning and Connectivity .....	32
Research Group Neuronal Translational Control .....	32
DFG Heisenberg Team Experimental Neuropediatrics .....	32
BMBF/DFG Emmy-Noether Team Developmental Neurophysiology .....	34
Research Group Development and Maintenance of the Nervous System .....	35
Research Group Synaptic Protein Networks .....	35
Service Group Bioanalytics .....	35
Service Group Morphology .....	36
Service Group Systems Biology .....	38
Service Group Transgenic Mouse Facility .....	39

### Institute for Neuroimmunology and Multiple Sclerosis

**Director: Manuel Friese (since April 2014)**

Dietmar Kuhl (*provisional, May 2011 until March 2014*)

Roland Martin (*2006 until April 2011*)

Abramowski, P., Ogrodowczyk, C., Martin, R., and Pongs, O. (2014). A truncation variant of the cation channel P2RX5 is upregulated during T cell activation. PLoS ONE 9, e104692.

Abramowski, P., Otto, B., and Martin, R. (2014). The orally available, synthetic ether lipid edelfosine inhibits T cell proliferation and induces a type I interferon response. PLoS ONE 9, e91970.

Abramowski, P., Steinbach, K., Zander, A.R., and Martin, R. (2014). Immunomodulatory effects of the ether phospholipid edelfosine in experimental autoimmune encephalomyelitis. J. Neuroimmunol. 274, 111-124.

- Briken, S., Gold, S.M., Patra, S., Vettorazzi, E., Harbs, D., Tallner, A., Ketels, G., Schulz, K.H., and Heesen, C. (2014). Effects of exercise on fitness and cognition in progressive MS: a randomized, controlled pilot trial. *Mult. Scler.* 20, 382-390.
- Filippi, M., Rocca, M.A., Pagani, E., Stefano, N. de, Jeffery, D., Kappos, L., Montalban, X., Boyko, A.N., and Comi, G. (2014). Placebo-controlled trial of oral laquinimod in multiple sclerosis: MRI evidence of an effect on brain tissue damage. *J. Neurol. Neurosurg. Psychiatr.* 85, 851-858.
- Friese, M.A., Schattling, B., and Fugger, L. (2014). Mechanisms of neurodegeneration and axonal dysfunction in multiple sclerosis. *Nat. Rev. Neurol.* 10, 225-238.
- Gelderblom, M., Melzer, N., Schattling, B., Göb, E., Hicking, G., Arunachalam, P., Bittner, S., Ufer, F., Herrmann, A.M., Bernreuther, C., Glatzel, M., Gerloff, C., Kleinschnitz, C., Meuth, S.G., Friese, M.A., and Magnus, T. (2014). Transient receptor potential melastatin subfamily member 2 cation channel regulates detrimental immune cell invasion in ischemic stroke. *Stroke* 45, 3395-3402.
- Gold, S.M., O'Connor, M.-F., Gill, R., Kern, K.C., Shi, Y., Henry, R.G., Pelletier, D., Mohr, D.C., and Sicotte, N.L. (2014). Detection of altered hippocampal morphology in multiple sclerosis-associated depression using automated surface mesh modeling. *Hum. Brain Mapp.* 35, 30-37.
- Heesen, C., Bruce, J., Feys, P., Sastre-Garriga, J., Solari, A., Eliasson, L., Matthews, V., Hausmann, B., Ross, A.P., Asano, M., Imonen- Charalambous, K., Köpke, S., Clyne, W., and Bissell, P. (2014). Adherence in multiple sclerosis (ADAMS): classification, relevance, and research needs. A meeting report. *Mult. Scler.* 20, 1795-1798.
- Heesen, C., and Cohen, J.A. (2014). Does the patient know best? Quality of life assessment in multiple sclerosis trials. *Mult. Scler.* 20, 131-132.
- Köpke, S., Kern, S., Ziemssen, T., Berghoff, M., Kleiter, I., Marziniak, M., Paul, F., Vettorazzi, E., Pöttgen, J., Fischer, K., Kasper, J., and Heesen, C. (2014). Evidence-based patient information programme in early multiple sclerosis: a randomised controlled trial. *J. Neurol. Neurosurg. Psychiatr.* 85, 411-418.
- Köpke, S., Solari, A., Khan, F., Heesen, C., and Giordano, A. (2014). Information provision for people with multiple sclerosis. *Cochrane Database Syst Rev* 4, CD008757.
- Patas, K., Penninx, B.W.J.H., Bus, B.A.A., Vogelzangs, N., Molendijk, M.L., Elzinga, B.M., Bosker, F.J., and Oude Voshaar, R.C. (2014). Association between serum brain-derived neurotrophic factor and plasma interleukin-6 in major depressive disorder with melancholic features. *Brain Behav. Immun.* 36, 71-79.
- Schattling, B., Eggert, B., and Friese, M.A. (2014). Acquired channelopathies as contributors to development and progression of multiple sclerosis. *Exp. Neurol.* 262, 28-36.
- Schumacher, T., Bunse, L., Pusch, S., Sahm, F., Wiestler, B., Quandt, J., Menn, O., Osswald, M., Oezen, I., Ott, M., Keil, M., Balß, J., Rauschenbach, K., Grabowska, A.K., Vogler, I., Diekmann, J., Trautwein, N., Eichmüller, S.B., Okun, J., Stevanović, S., Riemer, A.B., Sahin, U., Friese, M.A., Beckhove, P., Deimling, A., von, Wick, W., and Platten, M. (2014). A vaccine targeting mutant IDH1 induces antitumour immunity. *Nature* 512, 324-327.
- Stellmann, J.-P., Neuhaus, A., Lederer, C., Daumer, M., and Heesen, C. (2014). Validating predictors of disease progression in a large cohort of a systematic literature review. *PLoS ONE* 9, e92761.
- Stellmann, J.P., Vettorazzi, E., Poettgen, J., and Heesen, C. (2014). A 3meter Timed Tandem Walk is an early marker of motor and cerebellar impairment in fully ambulatory MS patients. *J. Neurol. Sci.* 346, 99-106.
- Stürner, K.H., Borgmeyer, U., Schulze, C., Pless, O., and Martin, R. (2014). A multiple sclerosis-associated variant of CBLB links genetic risk with type I IFN function. *J. Immunol.* 193, 4439-4447.
- Stürner, K.H., Verse, N., Yousef, S., Martin, R., and Sospedra, M. (2014). Boswellic acids reduce Th17 differentiation via blockade of IL-1 $\beta$ -mediated IRAK1 signaling. *Eur. J. Immunol.* 44, 1200-1212.

Willing, A., Leach, O.A., Ufer, F., Attfield, K.E., Steinbach, K., Kursawe, N., Piedavent, M., and Friese, M.A. (2014). CD8(+) MAIT cells infiltrate into the CNS and alterations in their blood frequencies correlate with IL-18 serum levels in multiple sclerosis. *Eur. J. Immunol.* 44, 3119-3128.

Avouac, J., Elhai, M., Tomcik, M., Ruiz, B., Friese, M., Piedavent, M., Colonna, M., Bernhardt, G., Kahan, A., Chiocchia, G., Distler, J.H.W., and Allanore, Y. (2013). Critical role of the adhesion receptor DNAX accessory molecule-1 (DNAM-1) in the development of inflammation-driven dermal fibrosis in a mouse model of systemic sclerosis. *Ann. Rheum. Dis.* 72, 1089-1098.

Beecham, A.H., Patsopoulos, N.A., Xifara, D.K., Davis, M.F., Kemppinen, A., Cotsapas, C., Shah, T.S., Spencer, C., Booth, D., Goris, A., et al. (2013). Analysis of immune-related loci identifies 48 new susceptibility variants for multiple sclerosis. *Nat. Genet.* 45, 1353-1360.

Choe, C.-U., Karamatskos, E., Schattling, B., Leypoldt, F., Liuzzi, G., Gerloff, C., Friese, M.A., and Mulert, C. (2013). A clinical and neurobiological case of IgM NMDA receptor antibody associated encephalitis mimicking bipolar disorder. *Psychiatry Res.* 208, 194-196.

Galea, I., Lederer, C., Neuhaus, A., Muraro, P.A., Scalfari, A., Koch-Henriksen, N., Heesen, C., Koepke, S., Stellmann, P., Albrecht, H., Winkelmann, A., Weber, F., Bahn, E., Hauser, M., Edan, G., Ebers, G., and Daumer, M. Prediction of long-term disease course in patients with multiple sclerosis. *Eur. J. Neurol.* 20, 1107-1109.

Gelderblom, M., Daehn, T., Schattling, B., Ludewig, P., Bernreuther, C., Arunachalam, P., Matschke, J., Glatzel, M., Gerloff, C., Friese, M.A., and Magnus, T. (2013). Plasma levels of neuron specific enolase quantify the extent of neuronal injury in murine models of ischemic stroke and multiple sclerosis. *Neurobiol. Dis.* 59, 177-182.

Heesen, C., Köpke, S., Solari, A., Geiger, F., and Kasper, J. (2013). Patient autonomy in multiple sclerosis—possible goals and assessment strategies. *J. Neurol. Sci.* 331, 2-9.

Heesen, C., Gaissmaier, W., Nguyen, F., Stellmann, J.-P., Kasper, J., Köpke, S., Lederer, C., Neuhaus, A., and Daumer, M. (2013). Prognostic risk estimates of patients with multiple sclerosis and their physicians: comparison to an online analytical risk counseling tool. *PLoS ONE* 8, e59042.

Hellmann-Regen, J., Piber, D., Hinkelmann, K., Gold, S.M., Heesen, C., Spitzer, C., Endres, M., and Otte, C. (2013). Depressive syndromes in neurological disorders. *Eur Arch Psychiatry Clin Neurosci.* 263, S123-S136. Review

Hinkelmann, K., Muhtz, C., Dettenborn, L., Agorastos, A., Moritz, S., Wingenfeld, K., Spitzer, C., Gold, S.M., Wiedemann, K., and Otte, C. (2013). Association between cortisol awakening response and memory function in major depression. *Psychol. Med.* 43, 2255-2263.

Hofmann, A., Stellmann, J.P., Kasper, J., Ufer, F., Elias, W.G., Pauly, I., Repenthin, J., Rosenkranz, T., Weber, T., Köpke, S., and Heesen, C. (2013). Long-term treatment risks in multiple sclerosis: risk knowledge and risk perception in a large cohort of mitoxantrone-treated patients. *Mult. Scler.* 19, 920-925.

Jäger, J., Schulze, C., Rösner, S., and Martin, R. (2013). IL7RA haplotype-associated alterations in cellular immune function and gene expression patterns in multiple sclerosis. *Genes Immun.* 14, 453-461.

Köpke, S., Kern, S., Ziemssen, T., Berghoff, M., Kleiter, I., Marziniak, M., Paul, F., Vettorazzi, E., Pöttgen, J., Fischer, K., Kasper, J., and Heesen, C. (2013). Evidence-based patient information programme in early multiple sclerosis: a randomised controlled trial. *J. Neurol. Neurosurg. Psychiatr.* 85, 411-418..

Lutterotti, A., Yousef, S., Sputtek, A., Stürner, K.H., Stellmann, J.-P., Breiden, P., Reinhardt, S., Schulze, C., Bester, M., Heesen, C., Schippling, S., Miller, S.D., Sospedra, M., and Martin, R. (2013). Antigen-specific tolerance by autologous myelin Peptide-coupled cells: a phase 1 trial in multiple sclerosis. *Sci. Transl. Med.* 5, 188ra75.

Mohme, M., Hotz, C., Stevanovic, S., Binder, T., Lee, J.-H., Okoniewski, M., Eiermann, T., Sospedra, M., Rammensee, H.-G., and Martin, R. (2013). HLA-DR15-derived self-peptides are involved in increased autologous T cell proliferation in multiple sclerosis. *Brain* 136, 1783-1798.

- Patas, K., Engler, J.B., Friese, M.A., and Gold, S.M. (2013). Pregnancy and multiple sclerosis: feto-maternal immune cross talk and its implications for disease activity. *J. Reprod. Immunol.* 97, 140-146.
- Pietrolongo, E., Giordano, A., Kleinefeld, M., Confalonieri, P., Lugaresi, A., Tortorella, C., Pugliatti, M., Radice, D., Goss, C., Heesen, C., and Solari, A. (2013). Decision-making in multiple sclerosis consultations in Italy: third observer and patient assessments. *PLoS ONE* 8, e60721.
- Pöttgen, J., Dziobek, I., Reh, S., Heesen, C., and Gold, S.M. (2013). Impaired social cognition in multiple sclerosis. *J. Neurol. Neurosurg. Psychiatr.* 84, 523-528.
- Schäffler, N., Schönberg, P., Stephan, J., Stellmann, J.-P., Gold, S.M., and Heesen, C. (2013). Comparison of patient-reported outcome measures in multiple sclerosis. *Acta Neurol. Scand.* 128, 114-121.
- Solari, A., Giordano, A., Kasper, J., Drulovic, J., van Nunen, A., Vahter, L., Viala, F., Pietrolongo, E., Pugliatti, M., Antozzi, C., Radice, D., Köpke, S., and Heesen, C. (2013). Role Preferences of People with Multiple Sclerosis: Image- Revised, Computerized Self-Administered Version of the Control Preference Scale. *PLoS ONE* 8, e66127.
- Steinbach, K., Piedavent, M., Bauer, S., Neumann, J.T., and Friese, M.A. (2013). Neutrophils amplify autoimmune central nervous system infiltrates by maturing local APCs. *J. Immunol.* 191, 4531-4539.
- Tillack, K., Naegele, M., Haueis, C., Schippling, S., Wandinger, K.-P., Martin, R., and Sospedra, M. (2013). Gender differences in circulating levels of neutrophil extracellular traps in serum of multiple sclerosis patients. *J. Neuroimmunol.* 261, 108-119.
- Young, K.L., Brandt, A.U., Petzold, A., Reitz, L.Y., Lintze, F., Paul, F., Martin, R., and Schippling, S. (2013). Loss of retinal nerve fibre layer axons indicates white but not grey matter damage in early multiple sclerosis. *Eur. J. Neurol.* 20, 803-811.
- Zimmermann, H., Freing, A., Kaufhold, F., Gaede, G., Bohn, E., Bock, M., Oberwahrenbrock, T., Young, K.-L., Dörr, J., Wuerfel, J.T., Schippling, S., Paul, F., and Brandt, A.U. (2013). Optic neuritis interferes with optical coherence tomography and magnetic resonance imaging correlations. *Mult. Scler.* 19, 443-450.
- Comi, G., Jeffery, D., Kappos, L., Montalban, X., Boyko, A., Rocca, M. A., and Filippi, M. (2012). Placebo-controlled trial of oral laquinimod for multiple sclerosis. *N. Engl. J. Med.* 366, 1000–1009.
- Devonshire, V., Havrdova, E., Radue, E. W., O'Connor, P., Zhang-Auberson, L., Agoropoulou, C., Häring, D. A., Francis, G., and Kappos, L. (2012). Relapse and disability outcomes in patients with multiple sclerosis treated with fingolimod: subgroup analyses of the double-blind, randomised, placebo-controlled FREEDOMS study. *Lancet Neurol* 11, 420–428.
- Fischer, A., Otte, C., Krieger, T., Nicholls, R. A., Krüger, S., Ziegler, K. J., Schulz, K.-H., Heesen, C., and Gold, S. M. (2012). Decreased hydrocortisone sensitivity of T cell function in multiple sclerosis-associated major depression. *Psychoneuroendocrinology* 37, 1712–1718.
- Gelderblom, M., Weymar, A., Bernreuther, C., Velden, J., Arunachalam, P., Steinbach, K., Orthay, E., Arumugam, T.V., Leypoldt, F., and Simova, O., Thom, V., Friese, M. A., Prinz, I., Hölscher, C., Glatzel, M., Korn, T., Gerloff, C., Tolosa, E., and Magnus, T. (2012). Neutralization of the IL-17 axis diminishes neutrophil invasion and protects from ischemic stroke. *Blood* 120, 3793-3802.
- Gold, S. M., Sasidhar, M. V., Lagishetty, V., Spence, R. D., Umeda, E., Ziehn, M. O., Krieger, T., Schulz, K.-H., Heesen, C., Hewison, M., and Voskuhl, R. R. (2012). Dynamic development of glucocorticoid resistance during autoimmune neuroinflammation. *J. Clin. Endocrinol. Metab.* 97, E1402-10.
- Heesen, C., and Gold, S. M. (2012). Don't stress about it! Is stress management a disease-modifying therapy for multiple sclerosis? *Neurology* 79, 398–399.
- Heesen, C., Köpke, S., Kasper, J., Poettgen, J., Tallner, A., Mohr, D. C., and Gold, S. M. (2012) Behavioral interventions in multiple sclerosis: a biopsychosocial perspective. *Expert Rev. Neurother.* 12, 1089–1100.

- Jelcić, I., Hsu, K. C., Kakalacheva, K., Breiden, P., Dupont, B., Uhrberg, M., Martin, R., Münz, C., and Lünemann, J. D. (2012). Killer immunoglobulin-like receptor locus polymorphisms in multiple sclerosis. *Mult. Scler.* 18, 951–958.
- Kasper, J., Hoffmann, F., Heesen, C., Köpke, S., and Geiger, F. (2012). Completing the third person's perspective on patients' involvement in medical decision-making: approaching the full picture. *Z Evid Fortbild Qual. Gesundhwes.* 106, 275–283.
- Kasper, J., Hoffmann, F., Heesen, C., Köpke, S., and Geiger, F. (2012). MAPPIN'SDM--the multifocal approach to sharing in shared decision making. *PLoS ONE* 7, e34849.
- Kasper, J., Köpke, S., Fischer, K., Schäffler, N., Backhus, I., Solari, A., and Heesen, C. (2012). Applying the theory of planned behaviour to multiple sclerosis patients' decisions on disease modifying therapy--questionnaire concept and validation. *BMC Med. Inform. Decis. Mak.* 12, 60.
- Kasper, J., Légaré, F., Scheibler, F., and Geiger, F. (2012). Turning signals into meaning--shared decision making' meets communication theory. *Health Expect.* 15, 3–11.
- Köpke, S., Richter, T., Kasper, J., Mühlhauser, I., Flachenecker, P., and Heesen, C. (2012). Implementation of a patient education program on multiple sclerosis relapse management. *Patient Educ. Couns.* 86, 91–97.
- Leypoldt F., Wandinger K.P., Voltz R. (2012). New Developments in Paraneoplastic Neurological Diseases. *Aktuel. Neurol.* 39, 60–73.
- Lutterotti, A., Jelcić, I., Schulze, C., Schippling, S., Breiden, P., Mazzanti, B., Reinhardt, S., DiGioia, M., Repice, A., Massacesi, L., Sputtek, A., Salinas-Riester, G., Kroeger, N., Sospedra, M., Saccardi, R., Zander, A., and Martin, R. (2012). No proinflammatory signature in CD34+ hematopoietic progenitor cells in multiple sclerosis patients. *Mult. Scler.* 18, 1188–1192.
- MacKenzie-Graham, A., Rinek, G. A., Avedisian, A., Gold, S. M., Frew, A. J., Aguilar, C., Lin, D. R., Umeda, E., Voskuhl, R. R., and Alger, J. R. (2012) Cortical atrophy in experimental autoimmune encephalomyelitis: *in vivo* imaging. *Neuroimage* 60, 95–104.
- Metz, I., Radue, E.-W., Oterino, A., Kümpfel, T., Wiendl, H., Schippling, S., Kuhle, J., Sahraian, M.A., Gray, F., Jakl, V., Häusler, D., and Brück, W. (2012). Pathology of immune reconstitution inflammatory syndrome in multiple sclerosis with natalizumab-associated progressive multifocal leukoencephalopathy. *Acta Neuropathol.* 123, 235–245.
- Naegle, M., Tillack, K., Reinhardt, S., Schippling, S., Martin, R., and Sospedra, M. (2012). Neutrophils in multiple sclerosis are characterized by a primed phenotype. *J. Neuroimmunol.* 242, 60–71.
- Oberwahrenbrock, T., Schippling, S., Ringelstein, M., Kaufhold, F., Zimmermann, H., Keser, N., Young, K.L., Harmel, J., Hartung, H.-P., Martin, R., Paul, F., Aktas, O., and Brandt, A.U. (2012). Retinal damage in multiple sclerosis disease subtypes measured by high-resolution optical coherence tomography. *Mult. Scler. Int.* 2012, 530305.
- Piber, D., Hinkelmann, K., Gold, S. M., Heesen, C., Spitzer, C., Endres, M., and Otte, C. (2012). Depression und neurologische Erkrankungen. *Nervenarzt* 83, 1423–1433.
- Planas, R., Jelcić, I., Schippling, S., Martin, R., and Sospedra, M. (2012). Natalizumab treatment perturbs memory- and marginal zone-like B-cell homing in secondary lymphoid organs in multiple sclerosis. *Eur. J. Immunol.* 42, 790–798.
- Reitz, L. Y., Inglese, M., Fiehler, J., Finsterbusch, J., Holst, B., Heesen, C., Martin, R., and Schippling, S. (2012). Quantitative T2' imaging in patients with clinically isolated syndrome. *Acta Neurol. Scand.* 126, 357–363.
- Roesner, S., Appel, R., Gbadamosi, J., Martin, R., and Heesen, C. (2012). Treatment of steroid-unresponsive optic neuritis with plasma exchange. *Acta Neurol. Scand.* 126, 103–108.
- Sasidhar, M. V., Itoh, N., Gold, S. M., Lawson, G. W., and Voskuhl, R. R. (2012). The XX sex chromosome complement in mice is associated with increased spontaneous lupus compared with XY. *Ann. Rheum. Dis.* 71, 1418–1422.

- Schattling, B., Steinbach, K., Thies, E., Kruse, M., Menigoz, A., Ufer, F., Flockerzi, V., Brück, W., Pongs, O., Vennekens, R., Kneussel, M., Freichel, M., Merkler, D., and Friese, M. A. (2012). TRPM4 cation channel mediates axonal and neuronal degeneration in experimental autoimmune encephalomyelitis and multiple sclerosis. *Nat. Med.* 18, 1805–1811.
- Snowden, J. A., Saccardi, R., Allez, M., Ardizzone, S., Arnold, R., Cervera, R., Denton, C., Hawkey, C., Labopin, M., Mancardi, G., Martin, R., Moore, J. J., Passweg, J., Peters, C., Rabusin, M., Rovira, M., van Laar, J. M., and Farge, D. (2012). Haematopoietic SCT in severe autoimmune diseases: updated guidelines of the European Group for Blood and Marrow Transplantation. *Bone Marrow Transplant.* 47, 770–790.
- Spitzer, C., Bouchain, M., Winkler, L. Y., Wingenfeld, K., Gold, S. M., Grabe, H. J., Barnow, S., Otte, C., and Heesen, C. (2012). Childhood trauma in multiple sclerosis: a case-control study. *Psychosom. Med.* 74, 312–318.
- Stellmann, J.-P., Neuhaus, A., Herich, L., Schippling, S., Roeckel, M., Daumer, M., Martin, R., and Heesen, C. (2012). Placebo Cohorts in Phase-3 MS Treatment Trials - Predictors for On-Trial Disease Activity 1990-2010 Based on a Meta- Analysis and Individual Case Data. *PLoS ONE* 7, e50347.
- Sühs, K.-W., Hein, K., Sättler, M.B., Görlitz, A., Ciupka, C., Scholz, K., Käsmann-Kellner, B., Papanagiotou, P., Schäffler, N., Restemeyer, C., Bittersohl, D., Hassenstein, A., Seitz, B., Reith, W., Fassbender, K., Hilgers, R., Heesen, C., Bähr, M., and Diem, R. (2012). A randomized, double-blind, phase 2 study of erythropoietin in optic neuritis. *Ann. Neurol.* 72, 199-210.
- Tewarie, P., Balk, L., Costello, F., Green, A., Martin, R., Schippling, S., and Petzold, A. (2012). The OSCAR-IB consensus criteria for retinal OCT quality assessment. *PLoS ONE* 7, e34823.
- Tillack, K., Breiden, P., Martin, R., and Sospedra, M. (2012). T lymphocyte priming by neutrophil extracellular traps links innate and adaptive immune responses. *J. Immunol.* 188, 3150–3159.
- Trusch, M., Tillack, K., Kwiatkowski, M., Bertsch, A., Ahrends, R., Kohlbacher, O., Martin, R., Sospedra, M., and Schlüter, H. (2012). Displacement chromatography as first separating step in online two-dimensional liquid chromatography coupled to mass spectrometry analysis of a complex protein sample--the proteome of neutrophils. *J. Chromatogr. A* 1232, 288–294.
- Voskuhl, R. R., and Gold, S. M. (2012). Sex-related factors in multiple sclerosis susceptibility and progression. *Nat. Rev. Neurol.* 8, 255–263.
- Willing, A., and Friese, M.A. (2012). CD8-mediated inflammatory central nervous system disorders. *Curr. Opin. Neurol.* 25, 316-321.
- Yousef, S., Planas, R., Chakroun, K., Hoffmeister- Ullerich, S., Binder, T. M. C., Eiermann, T. H., Martin, R., and Sospedra, M. (2012). TCR bias and HLA cross-restriction are strategies of human brain-infiltrating JC virus-specific CD4+ T cells during viral infection. *J. Immunol.* 189, 3618–3630.
- Aly, L., Yousef, S., Schippling, S., Jelcic, I., Breiden, P., Matschke, J., Schulz, R., Bofill-Mas, S., Jones, L., and Demina, V., et al. (2011). Central role of JC virus-specific CD4+ lymphocytes in progressive multi-focal leucoencephalopathy-immune reconstitution inflammatory syndrome. *Brain* 134, 2687-2702.
- Bielekova, B., Richert, N., Herman, M.L., Ohayon, J., Waldmann, T.A., McFarland, H., Martin, R., and Blevins, G. (2011). Intrathecal effects of daclizumab treatment of multiple sclerosis. *Neurology* 77, 1877-1886.
- Bielekova, B., Richert, N., Herman, M.L., Ohayon, J., Waldmann, T.A., McFarland, H., Martin, R., and Blevins, G. (2011). Intrathecal effects of daclizumab treatment of multiple sclerosis. *Neurology* 77, 1877-1886.
- Brandt, A.U., Oberwahrenbrock, T., Ringelstein, M., Young, K.L., Tiede, M., Hartung, H.P., Martin, R., Aktas, O., Paul, F., and Schippling, S. (2011). Primary retinal pathology in multiple sclerosis as detected by optical coherence tomography. *Brain* 134, e193; author reply e194.

- Comi, G., Cohen, J.A., Arnold, D.L., Wynn, D., and Filippi, M. (2011). Phase III dose-comparison study of glatiramer acetate for multiple sclerosis. *Ann. Neurol.* 69, 75-82.
- Fischer, A., Heesen, C., and Gold, S.M. (2011). Biological outcome measurements for behavioral interventions in multiple sclerosis. *Ther. Adv. Neurol. Disord.* 4, 217-229.
- Freedman, M.S., Bar-Or, A., Oger, J., Traboulsee, A., Patry, D., Young, C., Olsson, T., Li, D., Hartung, H.-P., and Krantz, M., et al. (2011). A phase III study evaluating the efficacy and safety of MBP8298 in secondary progressive MS. *Neurology* 77, 1551-1560.
- Friese, M. A., and Magnus, T. (2011). Autoimmune synaptische Enzephalopathien. *Nervenarzt* 82, 1239-1249.
- Gold, S.M., Krüger, S., Ziegler, K.J., Krieger, T., Schulz, K.-H., Otte, C., and Heesen, C. (2011). Endocrine and immune substrates of depressive symptoms and fatigue in multiple sclerosis patients with comorbid major depression. *J. Neurol. Neurosurg. Psychiatr.* 82, 814-818.
- Heesen, C., Solari, A., Giordano, A., Kasper, J., and Köpke, S. (2011). Decisions on multiple sclerosis immunotherapy: new treatment complexities urge patient engagement. *J. Neurol. Sci.* 306, 192-197.
- Kasper, J., Heesen, C., Köpke, S., Fulcher, G., and Geiger, F. (2011). Patients' and observers' perceptions of involvement differ. Validation study on inter-relating measures for shared decision making. *PLoS ONE* 6, e26255.
- Kasper, J., Heesen, C., Köpke, S., Mühlhauser, I., and Lenz, M. (2011). Why not? - Communicating stochastic information by use of unsorted frequency pictograms - a randomised controlled trial. *Psychosoc. Med.* 8, Doc08.
- Möller, F., Poettgen, J., Broemel, F., Neuhaus, A., Daumer, M., and Heesen, C. (2011). HAGIL (Hamburg Vigil Study): a randomized placebo-controlled double-blind study with modafinil for treatment of fatigue in patients with multiple sclerosis. *Mult. Scler.* 17, 1002-1009.
- Montalban, X., Comi, G., O'Connor, P., Gold, S., Vera, A. de, Eckert, B., and Kappos, L. (2011). Oral fingolimod (FTY720) in relapsing multiple sclerosis: impact on health-related quality of life in a phase II study. *Mult. Scler.* 17, 1341-1350.
- Sawcer, S., Hellenthal, G., Pirinen, M., Spencer, C.C.A., Patsopoulos, N.A., Moutsianas, L., Dilthey, A., Su, Z., Freeman, C., and Hunt, S.E., et al. (2011). Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. *Nature* 476, 214-219.
- Schäffler, N., Köpke, S., Winkler, L., Schippling, S., Inglese, M., Fischer, K., and Heesen, C. (2011). Accuracy of diagnostic tests in multiple sclerosis--a systematic review. *Acta Neurol. Scand.* 124, 151-164.
- Steinbach, K., McDonald, C.L., Reindl, M., Schweigreiter, R., Bandtlow, C., and Martin, R. (2011). Nogo-receptors NgR1 and NgR2 do not mediate regulation of CD4 T helper responses and CNS repair in experimental autoimmune encephalomyelitis. *PLoS ONE* 6, e26341.
- Trebst, C., Berthele, A., Jarius, S., Kümpfel, T., Schippling, S., Wildemann, B., and Wilke, C. (2011). Diagnostik und Therapie der Neuromyelitis optica. Konsensusempfehlungen der Neuromyelitis optica Studiengruppe. *Nervenarzt* 82, 768-777.
- Tzartos, J. S., Craner, M. J., Friese, M. A., Jakobsen, K. B., Newcombe, J., Esiri, M. M., and Fugger, L. (2011). IL-21 and IL-21 receptor expression in lymphocytes and neurons in multiple sclerosis brain. *Am. J. Pathol.* 178, 794-802.
- Vergo, S., Craner, M. J., Etzensperger, R., Attfield, K., Friese, M. A., Newcombe, J., Esiri, M., and Fugger, L. (2011). Acid-sensing ion channel 1 is involved in both axonal injury and demyelination in multiple sclerosis and its animal model. *Brain* 134, 571-584.
- Yin, Y., Li, Y., Kerzic, M.C., Martin, R., and Mariuzza, R.A. (2011). Structure of a TCR with high affinity for self-antigen reveals basis for escape from negative selection. *EMBO J.* 30, 1137-1148.

- Camiña-Tato, M., Morcillo-Suárez, C., Bustamante, M. F., Ortega, I., Navarro, A., Muntasell, A., López-Botet, M., Sánchez, A., Carmona, P., Julià, E., Tortola, M. T., Audí, L., Oksenberg, J. R., Martin, R., Montalban, X., and Comabella, M. (2010). Gender-associated differences of perforin polymorphisms in the susceptibility to multiple sclerosis. *J. Immunol.* 185, 5392–5404.
- Comabella, M., Fernández, M., Martin, R., Rivera-Vallvé, S., Borrás, E., Chiva, C., Julià, E., Rovira, A., Cantó, E., Alvarez-Cermeño, J. C., Villar, L. M., Tintoré, M., and Montalban, X. (2010). Cerebrospinal fluid chitinase 3-like 1 levels are associated with conversion to multiple sclerosis. *Brain* 133, 1082–1093.
- Dubinsky, A. N., Burt, R. K., Martin, R., and Muraro, P. A. (2010). T-cell clones persisting in the circulation after autologous hematopoietic SCT are undetectable in the peripheral CD34+ selected graft. *Bone Marrow Transplant.* 45, 325–331.
- Freedman, M. S., Bar-Or, A., Atkins, H. L., Karussis, D., Frassoni, F., Lazarus, H., Scolding, N., Slavin, S., Le Blanc, K., and Uccelli, A. (2010). The therapeutic potential of mesenchymal stem cell transplantation as a treatment for multiple sclerosis: consensus report of the International MSCT Study Group. *Mult. Scler.* 16, 503–510.
- Giordano, A., Uccelli, M. M., Pucci, E., Martinelli, V., Borreani, C., Lugaresi, A., Trojano, M., Granella, F., Confalonieri, P., Radice, D., and Solari, A. (2010). The Multiple Sclerosis Knowledge Questionnaire: a self-administered instrument for recently diagnosed patients. *Mult. Scler.* 16, 100–111.
- Gold, S. M., Kern, K. C., O'Connor, M.-F., Montag, M. J., Kim, A., Yoo, Y. S., Giesser, B. S., and Sicotte, N. L. (2010). Smaller cornu ammonis 2-3/dentate gyrus volumes and elevated cortisol in multiple sclerosis patients with depressive symptoms. *Biol. Psychiatry* 68, 553–559.
- Gold, S. M., Schulz, H., Stein, H., Solf, K., Schulz, K.-H., and Heesen, C. (2010). Responsiveness of patient-based and external rating scales in multiple sclerosis: head-to-head comparison in three clinical settings. *J. Neurol. Sci.* 290, 102–106.
- Heesen, C. (2010). Treating multiple sclerosis with information. *Mult. Scler.* 16, 1302.
- Heesen, C., Kleiter, I., Nguyen, F., Schäffler, N., Kasper, J., Köpke, S., and Gaissmaier, W. (2010). Risk perception in natalizumab-treated multiple sclerosis patients and their neurologists. *Mult. Scler.* 16, 1507–1512.
- Heesen, C., Schulz, K. H., Fiehler, J., Mark, U. von der, Otte, C., Jung, R., Poettgen, J., Krieger, T., and Gold, S. M. (2010). Correlates of cognitive dysfunction in multiple sclerosis. *Brain Behav. Immun.* 24, 1148–1155.
- Jarius, S., Probst, C., Borowski, K., Franciotta, D., Wildemann, B., Stoecker, W., and Wandinger, K. P. (2010). Standardized method for the detection of antibodies to aquaporin-4 based on a highly sensitive immunofluorescence assay employing recombinant target antigen. *J. Neurol. Sci.* 291, 52–56.
- Jarius, S., Franciotta, D., Bergamaschi, R., Wildemann, B., and Wandinger, K.-P. (2010). Immunoglobulin M antibodies to aquaporin-4 in neuromyelitis optica and related disorders. *Clin. Chem. Lab. Med.* 48, 659–663.
- Jarius, S., Wandinger, K. P., Horn, S., Heuer, H., and Wildemann, B. (2010). A new Purkinje cell antibody (anti-Ca) associated with subacute cerebellar ataxia: immunological characterization. *J Neuroinflammation* 7, 21.
- Kappos, L., Radue, E.-W., O'Connor, P., Polman, C., Hohlfeld, R., Calabresi, P., Selmaj, K., Agoropoulou, C., Leyk, M., Zhang-Auberson, L., and Burtin, P. (2010). A placebo-controlled trial of oral fingolimod in relapsing multiple sclerosis. *N. Engl. J. Med.* 362, 387–401.
- Leypoldt, F., Friese, M. A., Böhm, J., and Bäumer, T. (2011). Multiple enlarged nerves on neurosonography: an unusual paraneoplastic case. *Muscle Nerve* 43, 756–758.
- Link, H., and Martin, R. (2010). New drugs may improve, complicate treatment for multiple sclerosis. *Nat. Med.* 16, 272.
- Martin, R. (2010). Multiple sclerosis: closing in on an oral treatment. *Nature* 464, 360–362.

- McMahon, R. M., Friis, L., Siebold, C., Friese, M. A., Fugger, L., and Jones, E. Y. (2011). Structure of HLA-A\*0301 in complex with a peptide of proteolipid protein: insights into the role of HLA-A alleles in susceptibility to multiple sclerosis. *Acta Crystallogr. D Biol. Crystallogr.* 67, 447–454.
- Pasquini, M. C., Griffith, L. M., Arnold, D. L., Atkins, H. L., Bowen, J. D., Chen, J. T., Freedman, M. S., Kraft, G. H., Mancardi, G. L., Martin, R., Muraro, P. A., Nash, R. A., Racke, M. K., Storek, J., and Saccardi, R. (2010). Hematopoietic stem cell transplantation for multiple sclerosis: collaboration of the CIBMTR and EBMT to facilitate international clinical studies. *Biol. Blood Marrow Transplant.* 16, 1076–1083.
- Petzold, A., Boer, J. F. de, Schippling, S., Vermersch, P., Kardon, R., Green, A., Calabresi, P. A., and Polman, C. (2010). Optical coherence tomography in multiple sclerosis: a systematic review and meta-analysis. *Lancet Neurol.* 9, 921–932.
- Solari, A., Mattarozzi, K., Vignatelli, L., Giordano, A., Russo, P. M., Uccelli, M. M., and D'Alessandro, R. (2010). Development and validation of a patient self-assessed questionnaire on satisfaction with communication of the multiple sclerosis diagnosis. *Mult. Scler.* 16, 1237–1247.
- Sospedra, M., Zhao, Y., Giulianotti, M., Simon, R., Pinilla, C., and Martin, R. (2010). Combining positional scanning peptide libraries, HLA-DR transfectants and bioinformatics to dissect the epitope spectrum of HLA class II cross-restricted CD4+ T cell clones. *J. Immunol. Methods* 353, 93–101.
- Stoeckle, C., and Tolosa, E. (2010). Antigen processing and presentation in multiple sclerosis. *Results Probl. Cell Differ.* 51, 149–172.
- Wynn, D., Kaufman, M., Montalban, X., Vollmer, T., Simon, J., Elkins, J., O'Neill, G., Neyer, L., Sheridan, J., Wang, C., Fong, A., and Rose, J. W. (2010). Daclizumab in active relapsing multiple sclerosis (CHOICE study): a phase 2, randomised, double-blind, placebo-controlled, add-on trial with interferon beta. *Lancet Neurol.* 9, 381–390.
- Bielekova, B., Howard, T., Packer, A.N., Richert, N., Blevins, G., Ohayon, J., Waldmann, T.A., McFarland, H.F., and Martin, R. (2009). Effect of anti-CD25 antibody daclizumab in the inhibition of inflammation and stabilization of disease progression in multiple sclerosis. *Arch. Neurol.* 66, 483–489.
- Bielekova, B., Richert, N., Howard, T., Packer, A.N., Blevins, G., Ohayon, J., McFarland, H.F., Stürzebecher, C.S., and Martin, R. (2009). Treatment with the phosphodiesterase type-4 inhibitor rolipram fails to inhibit blood-brain barrier disruption in multiple sclerosis. *Mult. Scler.* 15, 1206–1214.
- Brucklacher-Waldert, V., Steinbach, K., Lioznov, M., Kolster, M., Hölscher, C., and Tolosa, E. (2009). Phenotypical and functional characterization of human Th17 cells unambiguously identified by surface IL-17A expression. *J. Immunol.* 183, 5494–5501.
- Brucklacher-Waldert, V., Stuerner, K., Kolster, M., Wolthausen, J., and Tolosa, E. (2009). Th17 cells display high pathogenic potential and are increased in the CSF of multiple sclerosis patients during relapse. *Brain* 132, 3329–3341.
- Comabella, M., Lünemann, J.D., Rio, J., Sánchez, A., López, C., Julià, E., Fernández, M., Nonell, L., Camiña-Tato, M., Sánchez, J., Deisenhammer, F., Cabellero, E., Tortola, M.T., Prinz, M., Montalban, X., and Martin, R. (2009). A type IFN signature in monocytes is associated with lack of response to IFN-beta treatment and poor clinical outcome in multiple sclerosis. *Brain* 132, 3353–3365.
- Comabella, M., Craig, D.W., Morcillo-Suárez, C., Río, J., Navarro, A., Fernández, M., and Martin, R. (2009). Genome-wide scan of 500,000 single-nucleotide polymorphisms among responders and nonresponders to interferon beta therapy in multiple sclerosis. *Arch. Neurol.* 66, 972–978.
- Friese, M.A., and Fugger, L. (2009). Pathogenic CD8(+) T cells in multiple sclerosis. *Ann. Neurol.* 66, 132–141.
- Fugger, L., Friese, M.A., and Bell, J.I. (2009). From genes to function: the next challenge to understanding multiple sclerosis. *Nat. Rev. Immunol.* 9, 408–417.

- Gelderblom, M., Leypoldt, F., Steinbach, K., Behrens, D., Choe, C.U., Siler, D., Arumugam, T.V., Orthey, E., Gerloff, C., Tolosa, E., and Magnus, T. (2009). Temporal and spatial dynamics of cerebral immune cell accumulation in stroke. *Stroke* 40, 1849-1857.
- Gold, S.M., Sasidhar, M.V., Morales, L.B., Du, S., Sicotte, N.L., Tiwari-Woodruff, S.K., and Voskuhl, R.R. (2009). Estrogen treatment decreases matrix metalloproteinase (MMP)-9 in autoimmune demyelinating disease through estrogen receptor alpha (ERalpha). *Lab. Invest.* 89, 1076-1083.
- Harkiolaki, M., Holmes, S.L., Svendsen, P., Gregersen, J.W., Jensen, L.T., McMahon, R., Friese, M.A., van Boxel, G., Etzensperger, R., Tzartos, J.S., Kranc, K., Sainsbury, S., Harlos, K., Mellins, E.D., Palace, J., Esiri, M.M., van der Merwe P.A., Jones, E.Y., and Fugger, L. (2009). T cell-mediated autoimmune disease due to low-affinity crossreactivity to common microbial peptides. *Immunity* 30, 348-357.
- Heesen, C., Schäffler, N., Kasper, J., Mühlhauser, I., and Köpke, S. (2009). Suspected multiple sclerosis - what to do? Evaluation of a patient information leaflet. *Mult. Scler.* 15, 1103-1112.
- Holst, B., Siemonsen, S., Finsterbusch, J., Bester, M., Schippling, S., Martin, R. and Fiehler, J. (2009). T2' imaging indicates decreased tissue metabolism in frontal white matter of MS patients. *Mult. Scler.* 15, 701-707.
- Irani, S. R., Bera, K., Waters, P., Zuliani, L., Maxwell, S., Zandi, M. S., Friese, M. A., Galea, I., Kullmann, D. M., Beeson, D., Lang, B., Bien, C. G., and Vincent, A. (2010). N-methyl-D-aspartate antibody encephalitis: temporal progression of clinical and paraclinical observations in a predominantly non-paraneoplastic disorder of both sexes. *Brain* 133, 1655-1667.
- Jelcic, I., and Martin, R. (2009). Biomarkers in Multiple Sclerosis. In Blue Books of Neurology Series, Vol. 35, R. Hohlfeld, C.F. Lucchinetti, eds. (Elsevier), pp. 120-146.
- Kasper, J., Heesen, C., and Mühlhauser, I. (2009). Evidence-based patient information: the example of immunotherapy for patients with multiple sclerosis. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz* 52, 77-85.
- Köpke, S., Kasper, J., Mühlhauser, I., Nübling, M., and Heesen, C. (2009). Patient education program to enhance decision autonomy in multiple sclerosis relapse management: a randomized-controlled trial. *Mult. Scler.* 15, 96-104.
- Köberle, M., Klein-Günther, A., Schuetz, M., Fritz, M., Berchtold, S., Tolosa, E., Autenrieth I, and Bohn E. (2009). Yersinia enterocolitica targets cells of the innate and adaptive immune system by injection of Yops in a mouse infection model. *PLoS Pathog.* 5, e1000551.
- Lange, R., Volkmer, M., Heesen, C., and Liepert, J.(2009). Modafinil effects in multiple sclerosis patients with fatigue. *J. Neurol.* 256, 645-650.
- Leypoldt, F., Münchau, A., Moeller, F., Bester, M., Gerloff, C., and Heesen, C. (2009). Hemorrhaging focal encephalitis under fingolimod (FTY720) treatment: a case report. *Neurology* 72, 1022-1024.
- Luther, C., Stoeckle, C., Adamopoulou, E., Brucklacher-Waldert, V., Rosenkranz, D., Stoltze, L., Lauer, S., Poeschel, S., Melms, A., and Tolosa E. (2009). Prednisolone treatment induces tolerogenic dendritic cells and a regulatory milieu in myasthenia gravis patients. *J. Immunol.* 183, 841-848.
- Opitz, C.A., Litzenburger, U.M., Lutz, C., Lanz, T., Tritschler, I., Köppel, A., Tolosa, E., Hoberg, M., Anderl, J., Aicher, W.K., Weller, M., Wick, W., and Platten M. (2009). Toll-like receptor engagement enhances the immunosuppressive properties of human mesenchymal stem cells by inducing indoleamine-2,3-dioxygenase-1 via interferonβ and protein kinase R. *Stem Cells* 27, 909-919.
- Schippling, S., and Martin, R. (2009). Stem cell therapy in multiple sclerosis: a clinical update. *Z. Rheumatol.* 68, 214-215, 217-219.
- Souwer, Y., Chamuleau, M.E.D., van de Loosdrecht, A.A., Tolosa, E., Jorritsma, T., Muris, J.J.F., Dinnissen-van Poppel, M.J., Snel, S.N., van de Corput, L., Ossenkoppele, G.J., Meijer, C.J.L.M., Neefjes, J.J., and van Ham, S.M. (. 2009). Detection of aberrant transcription of MHC class II antigen presentation genes in chronic lymphocytic leukaemia identifies HLA-DOA mRNA as a prognostic factor for survival. *Br. J. Hematol.* 145, 334-343.

Stoeckle, C., Gouttefangeas, C., Hammer, M., Weber, E., Melms, A., and Tolosa E. (2009). Cathepsin W, expressed exclusively in CD8+ and NK cells, is secreted during target cell killing but is not essential for cytotoxicity in human CTLs. *Exp. Hematol.* 37, 266-275.

Stoeckle, C., Sommandas, V., Adamopoulou, E., Belisle, K., Schiekofer, S., Melms, A., Weber, E., Driessens, C., Boehm, B.O., Tolosa, E., and Burster, T. (2009). Cathepsin G is differentially expressed in primary human antigen presenting cells. *Cell Immunol.* 255, 41-45.

Vandenbroeck, K., Comabella, M., Tolosa, E., Goertsches, R., Brassat, D., Hintzen, R., Infante-Duarte, C., Favorov, A., Bränwall, M., Oksenberg, J., and Villoslada, P. (2009). United Europeans for development of pharmacogenomics in MS (UEPHA-MS) network. *Pharmacogenomics* 10, 885-894.

## Institute for Synaptic Physiology

### Director: Thomas Oertner (Institute established in October 2011)

Biermann, B., Sokoll, S., Klueva, J., Missler, M., Wiegert, J.S., Sibarita, J.-B., and Heine, M. (2014). Imaging of molecular surface dynamics in brain slices using single-particle tracking. *Nat. Commun.* 5, 3024.

Blumer, C., Vivien, C., Genoud, C., Perez-Alvarez, A., Wiegert, J.S., Vetter, T., and Oertner, T.G. (2014). Automated analysis of spine dynamics on live CA1 pyramidal cells. *Med. Image Anal.* 19, 87-97.

Gee, C.E., Peterlik, D., Neuhäuser, C., Bouhelal, R., Kaupmann, K., Laue, G., Uschold-Schmidt, N., Feuerbach, D., Zimmermann, K., Ofner, S., Cryan, J.F., van der Putten, H., Fendt, M., Vranesic, I., Glatthar, R., and Flor, P.J. (2014). Blocking metabotropic glutamate receptor subtype 7 (mGlu7) via the Venus flytrap domain (VFTD) inhibits amygdala plasticity, stress, and anxiety-related behavior. *J. Biol. Chem.* 289, 10975-10987.

Oertner, T.G. (2014). Active dendrites under parental supervision. *Neuron* 81, 1217-1219.

Perez-Alvarez, A., Navarrete, M., Covelo, A., Martin, E.D., and Araque, A. (2014). Structural and functional plasticity of astrocyte processes and dendritic spine interactions. *J. Neurosci.* 34, 12738-12744.

Wietek, J., Wiegert, J.S., Adeishvili, N., Schneider, F., Watanabe, H., Tsunoda, S.P., Vogt, A., Elstner, M., Oertner, T.G., and Hegemann, P. (2014). Conversion of channelrhodopsin into a light-gated chloride channel. *Science* 344, 409-412.

Betschart, C., Hintermann, S., Behnke, D., Cotesta, S., Fendt, M., Gee, C.E., Jacobson, L.H., Laue, G., Ofner, S., Chaudhari, V., Badiger, S., Pandit, C., Wagner, J., and Hoyer, D. (2013). Identification of a novel series of orexin receptor antagonists with a distinct effect on sleep architecture for the treatment of insomnia. *J. Med. Chem.* 56, 7590-7607.

Callander, G.E., Olorunda, M., Monna, D., Schuepbach, E., Langenegger, D., Betschart, C., Hintermann, S., Behnke, D., Cotesta, S., Fendt, M., Laue, G., Ofner, S., Briard, E., Gee, C.E., Jacobson, L.H., and Hoyer, D. (2013). Kinetic properties of "dual" orexin receptor antagonists at OX1R and OX2R orexin receptors. *Front. Neurosci.* 7, 230.

Fendt, M., Imobersteg, S., Peterlik, D., Chaperon, F., Mattes, C., Wittmann, C., Olpe, H.-R., Mosbacher, J., Vranesic, I., van der Putten, H., McAllister, K.H., Flor, P.J., and Gee, C.E. (2013). Differential roles of mGlu(7) and mGlu(8) in amygdala-dependent behavior and physiology. *Neuropharmacology* 72, 215-223.

Hoyer, D., Dürst, T., Fendt, M., Jacobson, L.H., Betschart, C., Hintermann, S., Behnke, D., Cotesta, S., Laue, G., Ofner, S., Legangneux, E., and Gee, C.E. (2013). Distinct effects of IPSU and suvorexant on mouse sleep architecture. *Front. Neurosci.* 7, 235.

Oertner TG, Helmchen F, de Lecea L, Beck H, Konnerth A, Kaupp B, Knöpfel T, Yawo H, Häusser M (2013). Optogenetic analysis of mammalian neural circuits. In Hegemann P & Sigrist S (Eds.), *Optogenetics* (pp. 109-126). Berlin: De Gryter. ISBN: 978-3-11-027072-3.

- Pérez-Alvarez, A., and Araque, A. (2013). Astrocyte-neuron interaction at tripartite synapses. *Curr Drug Targets* 14, 1220-1224.
- Pérez-Alvarez, A., Araque, A., and Martín, E.D. (2013). Confocal microscopy for astrocyte *in vivo* imaging: Recycle and reuse in microscopy. *Front. Cell. Neurosci.* 7, 51.
- Rose, T., Schoenenberger, P., Jezek, K., and Oertner, T.G. (2013). Developmental refinement of vesicle cycling at schaffer collateral synapses. *Neuron* 77, 1109-1121.
- Wiegert, J.S., and Oertner, T.G. (2013). Long-term depression triggers the selective elimination of weakly integrated synapses. *Proc. Natl. Acad. Sci. U.S.A.* 110, E4510-E4519.
- Bonapace, L., Wyckoff, J., Oertner, T., Rheenen, J., Junt, T., and Bentires-Alj, M. (2012). If You Don't Look, You Won't See: Intravital Multiphoton Imaging of Primary and Metastatic Breast Cancer. *J. Mammary Gland Biol. Neoplasia* 17, 125–129.
- Chaperon, F., Fendt, M., Kelly, P. H., Lingenhoehl, K., Mosbacher, J., Olpe, H.-R., Schmid, P., Sturchler, C., McAllister, K. H., van der Putten, P. H., and Gee, C. E. (2012). Gastrin-Releasing Peptide Signaling Plays a Limited and Subtle Role in Amygdala Physiology and Aversive Memory. *PLoS ONE* 7, e34963.
- Hao, J., and Oertner, T. G. (2012). Depolarization gates spine calcium transients and spike-timing-dependent potentiation. *Curr. Opin. Neurobiol.* 22, 509–515.
- Huber, D., Gutnisky, D. A., Peron, S., O'Connor, D. H., Wiegert, J. S., Tian, L., Oertner, T. G., Looger, L. L., and Svoboda, K. (2012). Multiple dynamic representations in the motor cortex during sensorimotor learning. *Nature* 484, 473–478.
- Mang, G. M., Dürst, T., Bürki, H., Imobersteg, S., Abramowski, D., Schuepbach, E., Hoyer, D., Fendt, M., and Gee, C. E. (2012). The dual orexin receptor antagonist almorexant induces sleep and decreases orexin-induced locomotion by blocking orexin 2 receptors. *Sleep* 35, 1625–1635.
- Berndt, A., Schoenenberger, P., Mattis, J., Tye, K. M., Deisseroth, K., Hegemann, P., and Oertner, T. G. (2011) High-efficiency channelrhodopsins for fast neuronal stimulation at low light levels. *Proc. Natl. Acad. Sci. U.S.A.* 108, 7595–7600.
- Holbro, N., Grunditz, A., Wiegert, J. S., and Oertner, T. G. (2010). AMPA receptors gate spine Ca(2+) transients and spike-timing-dependent potentiation. *Proc. Natl. Acad. Sci. U.S.A.* 107, 15975–15980.
- Oertner, T. G. (2011) The Lego-logic of optogenetics. *Nat. Methods* 8, 1011–1013.
- Schoenenberger, P., Schärer, Y.-P., and Oertner, T.G. (2011). Channelrhodopsin as a tool to investigate synaptic transmission and plasticity. *Exp. Physiol.* 96, 34–39.
- Stierl, M., Stumpf, P., Udwari, D., Gueta, R., Hagedorn, R., Losi, A., Gärtner, W., Petereit, L., Efetova, M., Schwarzel, M., Oertner, T. G., Nagel, G., and Hegemann, P. (2011). Light modulation of cellular cAMP by a small bacterial photoactivated adenylyl cyclase, bPAC, of the soil bacterium *Beggiatoa*. *J. Biol. Chem.* 286, 1181–1188.
- Wiegert J.S. and Oertner T.G (2011). Shapeshifting for memory: Biochemical and electrical signaling in dendritic spines. *e-Neuroforum* 2, 6–12.

## Institute for Structural Neurobiology

**Director: Michael Frotscher (Institute established in May 2011)**

Chai, X., Fan, L., Shao, H., Lu, X., Zhang, W., Li, J., Wang, J., Chen, S., Frotscher, M., and Zhao, S. (2014). Reelin Induces Branching of Neurons and Radial Glial Cells during Corticogenesis. *Cereb. Cortex*. 2014 Sep 21. pii: bhu216.

- Chai, X., Münzner, G., Zhao, S., Tinnes, S., Kowalski, J., Häussler, U., Young, C., Haas, C.A., and Frotscher, M. (2014). Epilepsy-induced motility of differentiated neurons. *Cereb. Cortex* 24, 2130-2140.
- Frotscher, M., Studer, D., Gruber, W., Chai, X., Nestel, S., and Zhao, S. (2014). Fine structure of synapses on dendritic spines. *Front. Neuroanat.* 8, 94.
- Korkotian, E., Frotscher, M., and Segal, M. (2014). Synaptopodin regulates spine plasticity: mediation by calcium stores. *J. Neurosci.* 34, 11641-11651.
- Nakajima, C., Haffner, P., Goerke, S.M., Zurhove, K., Adelmann, G., Frotscher, M., Herz, J., Bock, H.H., and May, P. (2014). The lipoprotein receptor LRP1 modulates sphingosine-1-phosphate signaling and is essential for vascular development. *Development* 141, 4513-4525.
- Nullmeier, S., Panther, P., Frotscher, M., Zhao, S., and Schwegler, H. (2014). Alterations in the hippocampal and striatal catecholaminergic fiberdensities of heterozygous reeler mice. *Neuroscience* 275, 404-419.
- Pohlkamp, T., Dávid, C., Cauli, B., Gallopin, T., Bouché, E., Karagiannis, A., May, P., Herz, J., Frotscher, M., Staiger, J.F., and Bock, H.H. (2014). Characterization and distribution of Reelin-positive interneuron subtypes in the rat barrel cortex. *Cereb. Cortex*. 24, 3046-3058.
- Pohlkamp, T., Steller, L., May, P., Günther, T., Schüle, R., Frotscher, M., Herz, J., and Bock, H.H. (2014). Generation and characterization of an Nse-CreERT2 transgenic line suitable for inducible gene manipulation in cerebellar granule cells. *PLoS ONE* 9, e100384.
- Studer, D., Zhao, S., Chai, X., Jonas, P., Gruber, W., Nestel, S., and Frotscher, M. (2014). Capture of activity-induced ultrastructural changes at synapses by high-pressure freezing of brain tissue. *Nat. Protoc.* 9, 1480-1495.
- Booker, S.A., Gross, A., Althof, D., Shigemoto, R., Bettler, B., Frotscher, M., Hearing, M., Wickman, K., Watanabe, M., Kulik, Á., and Vida, I. (2013). Differential GABAB-receptor-mediated effects in perisomatic- and dendrite-targeting parvalbumin interneurons. *J. Neurosci.* 33, 7961-7974.
- Bouché, E., Romero-Ortega, M.I., Henkemeyer, M., Catchpole, T., Leemhuis, J., Frotscher, M., May, P., Herz, J., and Bock, H.H. (2013). Reelin induces EphB activation. *Cell Res.* 23, 473-490.
- Brunne, B., Franco, S., Bouché, E., Herz, J., Howell, B.W., Pahle, J., Müller, U., May, P., Frotscher, M., and Bock, H.H. (2013). Role of the postnatal radial glial scaffold for the development of the dentate gyrus as revealed by Reelin signaling mutant mice. *Glia* 61, 1347-1363.
- Nakajima, C., Kulik, A., Frotscher, M., Herz, J., Schäfer, M., Bock, H.H., and May, P. (2013). Low density lipoprotein receptor-related protein 1 (LRP1) modulates N-methyl-D-aspartate (NMDA) receptor-dependent intracellular signaling and NMDA-induced regulation of postsynaptic protein complexes. *J. Biol. Chem.* 288, 21909-21923.
- Unger, A., Brunne, B., and Hinssen, H. (2013). Isoforms of gelsolin from lobster striated muscles differ in Calcium-dependence. *Arch. Biochem. Biophys.* 536, 38-45.
- Chen, Y., Andres, A. L., Frotscher, M., and Baram, T. Z. (2012). Tuning synaptic transmission in the hippocampus by stress: the CRH system. *Front. Cell. Neurosci.* 6, 13.
- Dieni, S., Matsumoto, T., Dekkers, M., Rauskolb, S., Ionescu, M. S., Deogracias, R., Gundelfinger, E. D., Kojima, M., Nestel, S., Frotscher, M., and Barde, Y.-A. (2012). BDNF and its pro-peptide are stored in presynaptic dense core vesicles in brain neurons. *J. Cell Biol.* 196, 775-788.
- Gross, C. M., Flubacher, A., Tinnes, S., Heyer, A., Scheller, M., Herpfer, I., Berger, M., Frotscher, M., Lieb, K., and Haas, C. A. (2012). Early life stress stimulates hippocampal reelin gene expression in a sex-specific manner: evidence for corticosterone-mediated action. *Hippocampus* 22, 409-420.
- Hellwig, S., Hack, I., Zucker, B., Brunne, B., and Junghans, D. (2012). Reelin together with ApoER2 regulates interneuron migration in the olfactory bulb. *PLoS ONE* 7, e50646.

- Loreth, D., Ozmen, L., Revel, F. G., Knoflach, F., Wetzel, P., Frotscher, M., Metzger, F., and Kretz, O. (2012). Selective degeneration of septal and hippocampal GABAergic neurons in a mouse model of amyloidosis and tauopathy. *Neurobiol. Dis.* 47, 1–12.
- Sapir, T., Frotscher, M., Levy, T., Mandelkow, E.-M., and Reiner, O. (2012). Tau's role in the developing brain: implications for intellectual disability. *Hum. Mol. Genet.* 21, 1681–1692.
- Schäfer, M. K. E., and Frotscher, M. (2012). Role of L1CAM for axon sprouting and branching. *Cell. Tissue Res.* 349, 39–48.
- Sibbe, M., Häussler, U., Dieni, S., Althof, D., Haas, C. A., and Frotscher, M. (2012). Experimental epilepsy affects Notch1 signalling and the stem cell pool in the dentate gyrus. *Europ. J. Neurosci.* 36, 3643–3652.
- Zhao, S., Studer, D., Chai, X., Gruber, W., Brose, N., Nestel, S., Young, C., Rodriguez, E. P., Saetzler, K., and Frotscher, M. (2012). Structural plasticity of hippocampal mossy fiber synapses as revealed by high-pressure freezing. *J. Comp. Neurol.* 520, 2340–2351.
- Zhao, S., Studer, D., Chai, X., Gruber, W., Brose, N., Nestel, S., Young, C., Rodriguez, E. P., Saetzler, K., and Frotscher, M. (2012). Structural plasticity of spines at giant mossy fiber synapses. *Front. Neural Circuits* 6, 103.
- Zhao, S., Studer, D., Gruber, W., Nestel, S., and Frotscher, M. (2012). Fine structure of hippocampalmossy fiber synapses following rapid high-pressure freezing. *Epilepsia* 53 Suppl 1, 4–8.
- Bähner, F., Weiss, E. K., Birke, G., Maier, N., Schmitz, D., Rudolph, U., Frotscher, M., Traub, R. D., Both, M., and Draguhn, A. (2011). Cellular correlate of assembly formation in oscillating hippocampal networks *in vitro*. *Proc. Natl. Acad. Sci. U.S.A.* 108, E607–16.
- Freiman, T. M., Eismann-Schweimler, J., and Frotscher, M. (2011). Granule cell dispersion in temporal lobe epilepsy is associated with changes in dendritic orientation and spine distribution. *Exp. Neurol.* 229, 332–338.
- Haberlandt, C., Derouiche, A., Wyczynski, A., Haseleu, J., Pohle, J., Karram, K., Trotter, J., Seifert, G., Frotscher, M., Steinhäuser, C., and Jabs, R. (2011). Gray matter NG2 cells display multiple Ca<sup>2+</sup>-signaling pathways and highly motile processes. *PLoS ONE* 6, e17575.
- Hellwig, S., Hack, I., Kowalski, J., Brunne, B., Jarowyj, J., Unger, A., Bock, H. H., Junghans, D., and Frotscher, M. (2011). Role for Reelin in neurotransmitter release. *J. Neurosci.* 31, 2352–2360.
- Long, H., Bock, H. H., Lei, T., Chai, X., Yuan, J., Herz, J., Frotscher, M., and Yang, Z. (2011). Identification of alternatively spliced Dab1 and Fyn isoforms in pig. *BMC Neurosci* 12, 17.
- Nullmeier, S., Panther, P., Dobrowolny, H., Frotscher, M., Zhao, S., Schwegler, H., and Wolf, R. (2011). Region-specific alteration of GABAergic markers in the brain of heterozygous reeler mice. *Eur. J. Neurosci.* 33, 689–698.
- Tinnes, S., Schäfer, M. K. E., Flubacher, A., Münzner, G., Frotscher, M., and Haas, C. A. (2011). Epileptiform activity interferes with proteolytic processing of Reelin required for dentate granule cell positioning. *FASEB J.* 25, 1002–1013.

#### Book Chapter:

- Sloviter, R.S., Bumanglag, A.V., Schwarcz, R., and Frotscher, M. (2011). Abnormal dentate gyrus network circuitry in temporal lobe epilepsy. In *Jasper's Basic Mechanisms of the Epilepsies*, J.L. Noebels, M. Avoli, M.A. Rogawski, R.W. Olsen, A.V. Delgado-Escueta, eds (Oxford University Press), 4th Edition. pp. 354–369.

## Institute for Molecular Neurogenetics

### Director: Matthias Kneussel (Institute established in February 2010)

(2002 - 2010 Head of the ZMNH Research Group Protein Trafficking and Synapse Formation)

Heisler, F.F., Lee, H.K., Gromova, K.V., Pechmann, Y., Schurek, B., Ruschkies, L., Schroeder, M., Schweizer, M., and Kneussel, M. (2014). GRIP1 interlinks N-cadherin and AMPA receptors at vesicles to promote combined cargo transport into dendrites. *Proc. Natl. Acad. Sci. U.S.A.* 111, 5030-5035.

Kneussel, M., Triller, A. and Choquet, D. (2014) SnapShot: receptor dynamics at plastic synapses. *Cell* 157, 1738-1739.

Labonté, D., Thies, E., and Kneussel, M. (2014). The kinesin KIF21B participates in the cell surface delivery of 2 subunit-containing GABA<sub>A</sub> receptors. *Eur. J. Cell Biol.* 93, 338-346.

Maric, H.M., Kasaragod, V.B., Hausrat, T.J., Kneussel, M., Tretter, V., Strømgaard, K., and Schindelin, H. (2014). Molecular basis of the alternative recruitment of GABA<sub>A</sub> versus glycine receptors through gephyrin. *Nat Commun* 5, 5767.

Petrini, E.M., Ravasenga, T., Hausrat, T.J., Iurilli, G., Olcese, U., Racine, V., Sibarita, J.-B., Jacob, T.C., Moss, S.J., Benfenati, F., Medini, P., Kneussel, M., and Barberis, A. (2014). Synaptic recruitment of gephyrin regulates surface GABA<sub>A</sub> receptor dynamics for the expression of inhibitory LTP. *Nat Commun.* 5, 3921.

Hammer, J.A. 3rd. and Wagner, W. (2013). Functions of class V myosins in neurons. *J. Biol. Chem.* 288, 28428-28434.

Kneussel, M., and Wagner, W. (2013). Myosin motors at neuronal synapses: drivers of membrane transport and actin dynamics. *Nat. Rev. Neurosci.* 14, 233-247.

Labonté, D., Thies, E., Pechmann, Y., Groffen, A.J., Verhage, M., Smit, A.B., van Kesteren, R.E., and Kneussel, M. (2013). TRIM3 Regulates the Motility of the Kinesin Motor Protein KIF21B. *PLoS ONE* 8, e75603.

Schattling, B., Steinbach, K., Thies, E., Kruse, M., Menigoz, A., Ufer, F., Flockerzi, V., Brück, W., Pongs, O., Vennekens, R., Kneussel, M., Freichel, M., Merkler, D., and Friese, M. A. (2012). TRPM4 cation channel mediates axonal and neuronal degeneration in experimental autoimmune encephalomyelitis and multiple sclerosis. *Nat. Med.* 18, 1805–1811.

Vasiljevic, M., Heisler, F. F., Hausrat, T. J., Fehr, S., Milenkovic, I., Kneussel, M., and Sieghart, W. (2012). Spatio-temporal expression analysis of the calcium-binding protein calumenin in the rodent brain. *Neuroscience* 202, 29–41.

Heisler, F. F., Loerbrich, S., Pechmann, Y., Maier, N., Zivkovic, A. R., Tokito, M., Hausrat, T. J., Schweizer, M., Bähring, R., Holzbaur, E. L. F., Schmitz, D., and Kneussel, M. (2011). Muskelin regulates actin filament- and microtubule-based GABA(A) receptor transport in neurons. *Neuron* 70, 66–81.

Varley, Z. K., Pizzarelli, R., Antonelli, R., Stancheva, S. H., Kneussel, M., Cherubini, E., and Zacchi, P. (2011). Gephyrin regulates GABAergic and glutamatergic synaptic transmission in hippocampal cell cultures. *J. Biol. Chem.* 286, 20942–20951.

Wagner, W., Brenowitz, S.D., and Hammer, J.A. 3rd. (2011). Myosin-Va transports the endoplasmic reticulum into the dendritic spines of Purkinje neurons. *Nat. Cell Biol* 13, 40-48.

Wagner, W., McCroskery, S., and Hammer, J.A. 3rd. (2011). An efficient method for the long-term and specific expression of exogenous cDNAs in cultured Purkinje neurons. *J. Neurosci. Methods* 200, 95-105.

- Dumoulin, A., Triller, A., and Kneussel, M. (2010). Cellular transport and membrane dynamics of the glycine receptor. *Front. Mol. Neurosci.* 2, 28..
- Janke, C., and Kneussel, M. (2010). Tubulin post-translational modifications: encoding functions on the neuronal microtubule cytoskeleton. *Trends Neurosci.* 33, 362–372.
- Kneussel, M. (2010). Extracellular neurotransmitter receptor clustering: think outside the box. *J. Mol. Cell. Biol.* 2, 107–109.
- Melzer, N., Villmann, C., Becker, K., Harvey, K., Harvey, R. J., Vogel, N., Kluck, C. J., Kneussel, M., and Becker, C.-M. (2010). Multifunctional basic motif in the glycine receptor intracellular domain induces subunit-specific sorting. *J. Biol. Chem.* 285, 3730–3739.
- Schapitz, I. U., Behrend, B., Pechmann, Y., Lappe-Siefke, C., Kneussel, S. J., Wallace, K. E., Stempel, A. V., Buck, F., Grant, S. G. N., Schweizer, M., Schmitz, D., Schwarz, J. R., Holzbaur, E. L. F., and Kneussel, M. (2010). Neuroligin 1 is dynamically exchanged at postsynaptic sites. *J. Neurosci.* 30, 12733–12744.

Chen, P.E., Errington, M.L., Kneussel, M., Chen, G., Annala, A.J., Rudhard, Y.H., Rast, G.F., Specht, C.G., Tigaret, C.M., Nassar, M.A., Morris, R.G., Bliss, T.Y. and, Schoepfer, R. (2009). Behavioral deficits and subregion-specific suppression of LTP in mice expressing a population of mutant NMDA receptors throughout the hippocampus. *Learn. Mem.* 16, 635–644.

Falley, K., Schutt, J., Iglauer, P., Menke, K., Maas, C., Kneussel, M., Kindler, S., Wouters, F.S., Richter, D., and Kreienkamp, H.J. (2009). Shank1 mRNA: dendritic transport by kinesin and translational control by the 5' untranslated region. *Traffic* 10, 844–857.

Lappe-Siefke, C., Loebrich, S., Hevers, W., Waidmann, O.B., Schweizer, M., Fehr, S., Fritschy, J.M., Dikic, I., Eilers, J., Wilson, S.M., and Kneussel, M. (2009). The ataxia (axJ) mutation causes abnormal GABA<sub>A</sub> receptor turnover in mice. *PLoS Genet.* 5, e1000631.

Lardong, K., Maas, C., and Kneussel, M. (2009). Neuronal depolarization modifies motor protein mobility. *Neuroscience* 160, 1–5.

Maas, C., Belgardt, D., Lee, H.K., Heisler, F.F., Lappe-Siefke, C., Magiera, M.M., van Dijk, J., Hausrat, T.J., Janke, C., and Kneussel, M. (2009). Synaptic activation modifies microtubules underlying transport of postsynaptic cargo. *Proc. Natl. Acad. Sci. U.S.A.* 106, 8731–8736.

## **Guest scientist group Jürgen R. Schwarz (Group established in 2006)**

Niculescu, D., Hirdes, W., Hornig, S., Pongs, O., and Schwarz, J.R. (2013). Erg Potassium Currents of Neonatal Mouse Purkinje Cells Exhibit Fast Gating Kinetics and Are Inhibited by mGluR1 Activation. *J. Neurosci.* 33, 16729–16740.

Glassmeier, G., Hempel, K., Wulfsen, I., Bauer, C. K., Schumacher, U., and Schwarz, J. R. (2012). Inhibition of HERG1 K<sup>+</sup> channel protein expression decreases cell proliferation of human small cell lung cancer cells. *Pflugers Arch.* 463, 365–376.

Vierk, R., Glassmeier, G., Zhou, L., Brandt, N., Fester, L., Dudzinski, D., Wilkars, W., Bender, R.A., Lewerenz, M., Gloger, S., Graser, L., Schwarz, J., and Rune, G.M. (2012). Aromatase inhibition abolishes LTP generation in female but not in male mice. *J. Neurosci.* 32, 8116–8126.

Lange, A., Gustke, H., Glassmeier, G., Heine, M., Zangemeister-Wittke, U., Schwarz, J. R., Schumacher, U., and Lange, T. (2011). Neuronal differentiation by indomethacin and IBMX inhibits proliferation of small cell lung cancer cells *in vitro*. *Lung Cancer* 74, 178–187.

Hirdes, W., Dinu, C., Bauer, C. K., Boehm, U., and Schwarz, J. R. (2010). Gonadotropin-releasing hormone inhibits ether-à-go-go-related gene K<sup>+</sup> currents in mouse gonadotropes. *Endocrinology* 151, 1079–1088.

- Mewe, M., Mauerhofer, M., Wulfsen, I., Szlachta, K., Zhou, X.B., Schwarz, J.R., and Bauer, C.K. (2010). Modulation of cardiac ERG1 K<sup>+</sup> channels by cGMP signaling. *J. Mol. Cell. Cardiol.* 49, 48-57.
- Pongs, O., and Schwarz, J. R. (2010). Ancillary subunits associated with voltage-dependent K<sup>+</sup> channels. *Physiol. Rev.* 90, 755–796.
- Schapitz, I. U., Behrend, B., Pechmann, Y., Lappe- Siefke, C., Kneussel, S. J., Wallace, K. E., Stempel, A. V., Buck, F., Grant, S. G. N., Schweizer, M., Schmitz, D., Schwarz, J. R., Holzbaur, E. L. F., and Kneussel, M. (2010). Neuroligin 1 is dynamically exchanged at postsynaptic sites. *J. Neurosci.* 30, 12733–12744.
- Sittl, R., Carr, R. W., Schwarz, J. R., and Grafe, P. (2010). The Kv7 potassium channel activator flupirtine affects clinical excitability parameters of myelinated axons in isolated rat sural nerve. *J. Peripher. Nerv. Syst.* 15, 63–72.
- Hirdes, W., Napp, N., Wulfsen, I., Schweizer, M., Schwarz, J.R., and Bauer, C.K. (2009). Erg K<sup>+</sup> currents modulate excitability in mouse mitral/ tufted neurons. *Pflugers Arch.* 459, 55-70.

## Institute for Molecular and Cellular Cognition

### **Director: Dietmar Kuhl (Institute established in October 2008)**

Glerup, S., Olsen, D., Vaegter, C.B., Gustafsen, C., Sjoegaard, S.S., Hermey, G., Kjolby, M., Molgaard, S., Ulrichsen, M., Boggild, S., Skeldal, S., Fjorback, A.N., Nyengaard, J.R., Jacobsen, J., Bender, D., Bjarkam, C.R., Sørensen, E.S., Füchtbauer, E.M., Eichele, G., Madsen, P., Willnow, T.E., Petersen, C.M., and Nykjaer, A. (2014). SorCS2 regulares dopaminergic wiring and is processed into an apoptotic two-chain receptor in peropheral glia. *Neuron* 82, 1074-87.

Larsen, J.V., Hermey, G., Sørensen, E.S., Prabakaran, T., Christensen, E.I., Gliemann, J., Madsen, P., and Petersen, C.M. (2014). Human sorCS1 binds sortilin and hampers its cellular functions. *Biochem. J.* 457, 277-288.

Oetjen, S., Mahlke, C., Hermans-Borgmeyer, I., and Hermey, G. (2014). Spatiotemporal expression analysis of the growth factor receptor SorCS3. *J. Comp. Neurol.* 522, 3386-402.

Sotoud, H., Borgmeyer, U., Schulze, C., El-Armouche, A., and Eschenhagen, T. (2014). Development of phosphatase inhibitor-1 peptides acting as indirect activators of phosphatase 1. *Naunyn Schmiedebergs Arch. Pharmacol.* 2014 Nov 23 [Epub ahead of print]

Stürner, K.H., Borgmeyer, U., Schulze, C., Pless, O., and Martin, R. (2014). A multiple sclerosis-associated variant of CBLB links genetic risk with type I IFN function. *J. Immunol.* 193, 4439-4447.

Andres-Mateos, E., Brinkmeier, H., Burks, T.N., Mejias, R., Files, D.C., Steinberger, M., Soleimani, A., Marx, R., Simmers, J.L., Lin, B., Finanger Hedderick, E., Marr, T.G., Lin, B.M., Hourdé, C., Leinwand, L.A., Kuhl, D., Föller, M., Vogelsang, S., Hernandez-Diaz, I., Vaughan, D.K., La Alvarez de Rosa, D., Lang, F., and Cohn, R.D. (2013). Activation of serum/ glucocorticoid-induced kinase 1 (SGK1) is important to maintain skeletal muscle homeostasis and prevent atrophy. *EMBO Mol. Med.* 5, 80-91.

Elmallah, M.I.Y., Borgmeyer, U., Betzel, C., and Redecke, L. (2013). Impact of methionine oxidation as an initial event on the pathway of human prion protein conversion. *Prion* 7, 404-411.

Hermey, G., Mahlke, C., Gutzmann, J.J., Schreiber, J., Blüthgen, N., and Kuhl, D. (2013). Genome-wide profiling of the activity-dependent hippocampal transcriptome. *PLoS ONE* 8, e76903.

Larsen, J.V., Hermey, G., Sørensen, E.S., Prabakaran, T., Christensen. E-I., Gliemann, J., Madsen, P., and Petersen, C.M. (2013). Human sorCS1 binds sortilin and hampers its cellular functions. *Biochem. J.* 457, 277-288.

- Borst, O., Schmidt, E.-M., Munzer, P., Schonberger, T., Towhid, S. T., Elvers, M., Leibrock, C., Schmid, E., Eylenstein, A., Kuhl, D., May, A. E., Gawaz, M., and Lang, F. (2012). The serum- and glucocorticoid-inducible kinase 1 (SGK1) influences platelet calcium signaling and function by regulation of Orai1 expression in megakaryocytes. *Blood* 119, 251–261.
- Ohana, O., Portner, H., and Martin, K. A. C. (2012). Fast recruitment of recurrent inhibition in the cat visual cortex. *PLoS ONE* 7, e40601.
- Schmidt, E.-M., Kraemer, B. F., Borst, O., Münzer, P., Schönberger, T., Schmidt, C., Leibrock, C., Towhid, S. T., Seizer, P., Kuhl, D., Stournaras, C., Lindemann, S., Gawaz, M., and Lang, F. (2012). SGK1 sensitivity of platelet migration. *Cell. Physiol. Biochem.* 30, 259–268.
- Voelkl, J., Lin, Y., Alesutan, I., Ahmed, M. S. E., Pasham, V., Mia, S., Gu, S., Feger, M., Saxena, A., Metzler, B., Kuhl, D., Pichler, B. J., and Lang, F. (2012). Sgk1 sensitivity of Na<sup>+</sup>/ H<sup>+</sup> exchanger activity and cardiac remodeling following pressure overload. *Basic Res. Cardiol.* 107, 236.
- Alberi, L., Liu, S., Wang, Y., Badie, R., Smith- Hicks, C., Wu, J., Pierfelice, T. J., Abazyan, B., Mattson, M. P., Kuhl, D., Pletnikov, M., Worley, P. F., and Gaiano, N. (2011). Activity-induced Notch signaling in neurons requires Arc/Arg3.1 and is essential for synaptic plasticity in hippocampal networks. *Neuron* 69, 437–444.
- Béïque, J.-C., Na, Y., Kuhl, D., Worley, P. F., and Huganir, R. L. (2011). Arc-dependent synapse-specific homeostatic plasticity. *Proc. Natl. Acad. Sci. U.S.A.* 108, 816–821.
- Eylenstein, A., Gehring, E.-M., Heise, N., Shumilina, E., Schmidt, S., Szteyn, K., Münzer, P., Nurbaeva, M. K., Eichenmüller, M., Tyan, L., Regel, I., Föller, M., Kuhl, D., Soboloff, J., Penner, R., and Lang, F. (2011). Stimulation of Ca<sup>2+</sup>-channel Orai1/STIM1 by serum- and glucocorticoid-inducible kinase 1 (SGK1). *FASEB J.* 25, 2012–2021.
- Hermey, G. (2011). Targeting amyloid precursor protein. *Ann. Neurol.* 69, 8–10.
- Lavinia, A., Liu, S., Wang, Y., Badie, R., Smith- Hicks, C., Wu, J., Pierfelice, T.J., Abazyam, B., Mattson, M.P., Kuhl, D., Pletnikov, M., Worley, P.F., and Gajano, N. (2011). Activity- Induced Notch Signaling in Neurons Requires Arc/Arg3.1 and Is Essential for Synaptic Plasticity in Hippocampal Networks. *Neuron* 69, 437-444.
- Rexhepaj, R., Alesutan, I., Gu, S., Pelzl, L., Eichenmüller, M., Pathare, G., Föller, M., Kuhl, D., and Lang, F. (2011). SGK1-dependent stimulation of intestinal SGLT1 activity by vitamin D. *Pflugers Archiv – Eur. J. Physiol.* 462, 489-494.
- Wu, J., Petralia, R. S., Kurushima, H., Patel, H., Jung, M.-y., Volk, L., Chowdhury, S., Shepherd, J. D., Dehoff, M., Li, Y., Kuhl, D., Huganir, R. L., Price, D. L., Scannevin, R., Troncoso, J. C., Wong, P. C., and Worley, P. F. (2011). Arc/ Arg3.1 regulates an endosomal pathway essential for activity-dependent β-amyloid generation. *Cell* 147, 615–628.
- Cheng, J., Truong, L. D., Wu, X., Kuhl, D., Lang, F., and Du, J. (2010). Serum- and glucocorticoid-regulated kinase 1 is upregulated following unilateral ureteral obstruction causing epithelial-mesenchymal transition. *Kidney Int.* 78, 668–678.
- Gao, M., Sossa, K., Song, L., Errington, L., Cummings, L., Hwang, H., Kuhl, D., Worley, P., and Lee, H.-K. (2010). A specific requirement of Arc/ Arg3.1 for visual experience-induced homeostatic synaptic plasticity in mouse primary visual cortex. *J. Neurosci.* 30, 7168–7178.
- Hermey, G., Mahlke, C., Schwake. M., and Sommer, T. (2010). *Der Experimentator: Neurowissenschaften.* Spektrum Akademischer Verlag Heidelberg.
- Hossaini, M., Jongen, J. L. M., Biesheuvel, K., Kuhl, D., and Holstege, J. C. (2010). Nociceptive stimulation induces expression of Arc/Arg3.1 in the spinal cord with a preference for neurons containing enkephalin. *Mol. Pain* 6, 43.
- Kim, T.-K., Hemberg, M., Gray, J. M., Costa, A. M., Bear, D. M., Wu, J., Harmin, D. A., Laptevitch, M., Barbara-Haley, K., Kuersten, S., Markenscoff-Papadimitriou, E., Kuhl, D., Bito, H., Worley, P. F., Kreiman,

- G., and Greenberg, M. E. (2010). Widespread transcription at neuronal activity-regulated enhancers. *Nature* 465, 182–187.
- Smith-Hicks, C., Xiao, B., Deng, R., Ji, Y., Zhao, X., Shepherd, J. D., Posern, G., Kuhl, D., Huganir, R. L., Ginty, D. D., Worley, P. F., and Linden, D. J. (2010). SRF binding to SRE 6.9 in the Arc promoter is essential for LTD in cultured Purkinje cells. *Nat. Neurosci.* 13, 1082–1089.
- Wang, K., Gu, S., Nasir, O., Föller, M., Ackermann, T. F., Klingel, K., Kandolf, R., Kuhl, D., Stournaras, C., and Lang, F. (2010). SGK1-dependent intestinal tumor growth in APC-deficient mice. *Cell. Physiol. Biochem.* 25, 271–278.
- Ackermann, T.F., Boini, K.M., Volkl, H., Bhandaru, M., Bareiss, P.M., Just, L., Vallon, V., Amann, K., Kuhl, D., Feng, Y.X., Hammes, H.P., and Lang, F. (2009). SGK1-sensitive renal tubular glucose reabsorption in diabetes. *Am. J. Physiol. Renal Physiol.* 296, F859-F866.
- Bhandaru, M., Kempe, D.S., Rotte, A., Rexhepaj, R., Kuhl, D., and Lang, F. (2009). Hyperaldosteronism, hypervolemia, and increased blood pressure in mice expressing defective APC. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 297, R571-575.
- Boini, K., Graf, D., Kuhl, D., Haussinger, D., and Lang, F. (2009). SGK1 dependence of insulin induced hypokalemia. *Pflugers Arch.* 457, 955-961.
- Grinevich, V., Kolleker, A., Eliava, M., Takada, N., Takuma, H., Fukazawa, Y., Shigemoto, R., Kuhl, D., Waters, J., Seeburg, P.H., and Osten, P. (2009). Fluorescent Arc/Arg3.1 indicator mice: A versatile tool to study brain activity changes *in vitro* and *in vivo*. *J. Neurosci. Methods* 184, 25-36.
- Hentschke, M., Hentschke, S., Borgmeyer, U., Hübner, C.A., and Kurth, I. (2009). The murin AE4 promoter predominantly drives type B intercalated cell specific transcription. *Histochem. Cell. Biol.* 132, 405-412.
- Hentschke, M., Süsens, U., and Borgmeyer, U. (2009). Transcriptional ERRgamma2-mediated activation is regulated by sentrin-specific proteases. *Biochem. J.* 419, 167-175.
- Hermey, G. (2009). The Vps10p-Domain Receptor Family. *Cell. Mol. Life Sci.* 66, 2677-2689.
- Nasir, O., Wang, K., Föller, M., Gu, S., Bhandaru, M., Ackermann, T.F., Boini, K.M., Mack, A., Klingel, K., Amato, R., Perrotti, N., Kuhl, D., Behrens, J., Stournaras, C., and Lang, F. (2009). Relative resistance of SGK1 knockout mice against chemical carcinogenesis. *IUBMB Life* 61, 768-776.
- Rexhepaj, R., Rotte, A., Kempe, D.S., Sopjani, M., Föller, M., Gehring, E.M., Bhandaru, M., Gruner, I., Mack, A.F., Rubio-Aliaga, I., Nassl, A.M., Daniel, H., Kuhl, D., and Lang, F. (2009). Stimulation of electrogenic intestinal dipeptide transport by the glucocorticoid dexamethasone. *Pflugers Arch.* 459, 191-202.
- Rotte, A., Mack, A.F., Bhandaru, M., Kempe, D.S., Beier, N., Scholz, W., Dicks, E., Potzschi, S., Kuhl, D., and Lang, F. (2009). Pioglitazone Induced Gastric Acid Secretion. *Cell. Physiol. Biochem.* 24, 193-200.
- Rusai, K., Wagner, B., Roos, M., Schmaderer, C., Strobl, M., Boini, K.M., Grenz, A., Kuhl, D., Heemann, U., Lang, F., and Lutz, J. (2009). The serum and glucocorticoid-regulated kinase 1 in hypoxic renal injury. *Cell. Physiol. Biochem.* 24, 577-584.
- Sobiesiak, M., Shumilina, E., Lam, R.S., Wolbing, F., Matzner, N., Kaesler, S., Zemtsova, I.M., Lupescu, A., Zahir, N., Kuhl, D., Schaller, M., Biedermann, T., and Lang, F. (2009). Impaired mast cell activation in gene-targeted mice lacking the serum- and glucocorticoid-inducible kinase SGK1. *J. Immunol.* 183, 4395- 4402.
- Vallon, V., Schroth, J., Lang, F., Kuhl, D., and Uchida, S. (2009). Expression and phosphorylation of the Na<sup>+</sup>-Cl<sup>-</sup> cotransporter NCC *in vivo* is regulated by dietary salt, potassium, and SGK1. *Am. J. Physiol. Renal Physiol.* 297, F704-712.

## Emeritus Group Biosynthesis of Neural Structures

### Head: Melitta Schachner Camartin

(Institute established in 1995, since 2011 Emeritus Group)

Brandewiede, J., Stork, O., and Schachner, M. (2014). NCAM deficiency in the mouse forebrain impairs innate and learned avoidance behaviours. *Genes Brain Behav.* 2014 Apr 22. doi: 10.1111/gbb.12138.

Bushman, J., Mishra, B., Ezra, M., Gul, S., Schulze, C., Chaudhury, S., Ripoll, D., Wallqvist, A., Kohn, J., Schachner, M., and Loers, G. (2014). Tegaserod mimics the neurostimulatory glycan polysialic acid and promotes nervous system repair. *Neuropharmacology* 79, 456-466.

Chipman, P.H., Schachner, M., and Rafuse, V.F. (2014). Presynaptic NCAM Is Required for Motor Neurons to Functionally Expand Their Peripheral Field of Innervation in Partially Denervated Muscles. *J. Neurosci.* 34, 10497- 10510.

Gallistel, C.R., Tucci, V., Nolan, P.M., Schachner, M., Jakovcevski, I., Kheifets, A., and Barboza, L. (2014). Cognitive assessment of mice strains heterozygous for cell-adhesion genes reveals strain-specific alterations in timing. *Philos. Trans. R. Soc. Lond., B, Biol. Sci.* 369, 20120464.

Guseva, D., Loers, G., and Schachner, M. (2014). Function-triggering antibodies to the adhesion molecule L1 enhance recovery after injury of the adult mouse femoral nerve. *PLoS One* 9, e112984.

Katic, J., Loers, G., Kleene, R., Karl, N., Schmidt, C., Buck, F., Zmijewski, J.W., Jakovcevski, I., Preissner, K.T., and Schachner M. (2014). Interaction of the cell adhesion molecule CHL1 with vitronectin, integrins, and the plasminogen activator inhibitor-2 promotes CHL1- induced neurite outgrowth and neuronal migration. *J- Neurosci.* 34, 14606-14623

Loers, G., Cui, Y.-F., Neumaier, I., Schachner, M., and Skerra, A. (2014). A Fab fragment directed against the neural cell adhesion molecule L1 enhances functional recovery after injury of the adult mouse spinal cord. *Biochem. J.* 460, 437-446.

Loers, G., Saini, V., Mishra, B., Papastefanaki, F., Lutz, D., Chaudhury, S., Ripoll, D.R., Wallqvist, A., Gul, S., Schachner, M.,and Kaur, G. (2014). Nonyloxytryptamine mimics polysialic acid and modulates neuronal and glial functions in cell culture. *J. Neurochem.* 128, 88-100.

Loers, G., Yashunsky, D.V., Nifantiev, N.E., and Schachner, M. (2014). Neural Cell Activation by Phenolic Compounds from the Siberian Larch (*Larix sibirica*). *J. Nat. Prod.* 77, 1554-1561.

Lutz, D., Loers, G., Kleene, R., Oezen, I., Kataria, H., Katagihallimath, N., Braren, I., Harauz, G., and Schachner, M. (2014). Myelin basic protein cleaves cell adhesion molecule L1 and promotes neuritogenesis and cell survival. *J. Biol. Chem.* 289, 13503-13518.

Lutz, D., Wolters-Eisfeld, G., Schachner, M., and Kleene, R. (2014). Cathepsin E generates a sumoylated intracellular fragment of the cell adhesion molecule L1 to promote neuronal and Schwann cell migration as well as myelination. *J. Neurochem.* 128, 713-724.

Mehanna, A., Szpotowicz, E., Schachner, M., and Jakovcevski, I. (2014). Improved regeneration after femoral nerve injury in mice lacking functional T- and B-lymphocytes. *Exp. Neurol.* 261, 147-155.

Morawski, M., Dityatev, A., Hartlage-Rübsamen, M., Blosa, M., Holzer, M., Flach, K., Pavlica, S., Dityateva, G., Grosche, J., Brückner, G., and Schachner, M. (2014). Tenascin-R promotes assembly of the extracellular matrix of perineuronal nets via clustering of aggrecan. *Phil. Trans. R. Soc. B.* 2014 Oct 19;369(1654). pii: 20140046. doi: 10.1098/rstb.2014.0046.

Pan, H.-C., Shen, Y.-Q., Loers, G., Jakovcevski, I., and Schachner, M. (2014). Tegaserod, a small compound mimetic of polysialic acid, promotes functional recovery after spinal cord injury in mice. *Neuroscience* 277, 356-366.

Xu, J.-C., Xiao, M.-F., Jakovcevski, I., Sivukhina, E., Hargus, G., Cui, Y.-F., Irintchev, A., Schachner, M., and Bernreuther, C. (2014). The extracellular matrix glycoprotein tenascin-R regulates neurogenesis during development and in the adult dentate gyrus of mice. *J. Cell. Sci.* 127, 641-652.

- Akyüz, N., Rost, S., Mehanna, A., Bian, S., Loers, G., Oezen, I., Mishra, B., Hoffmann, K., Guseva, D., Laczynska, E., Irintchev, A., Jakovcevski, I., and Schachner, M. (2013). Dermatan 4-O-sulfotransferase1 ablation accelerates peripheral nerve regeneration. *Exp. Neurol.* 247, 517-530.
- Brandewiede, J., Jakovcevski, M., Stork, O., and Schachner, M. (2013). Role of stress system disturbance and enhanced novelty response in spatial learning of NCAM-deficient mice. *Stress* 16, 638-646.
- Chattopadhyaya, B., Bahi, E., Huang, Z.J., Schachner, M., and Di Cristo, G. (2013). Neural cell adhesion molecule-mediated Fyn activation promotes GABAergic synapse maturation in postnatal mouse cortex. *J. Neurosci.* 33, 5957-5968.
- David, L.S., Schachner, M., and Saghatelian, A. (2013). The extracellular matrix glycoprotein tenascin-R affects adult but not developmental neurogenesis in the olfactory bulb. *J. Neurosci.* 33, 10324-10339.
- Djogo, N., Jakovcevski, I., Müller, C., Lee, H.J., Xu, J.-C., Jakovcevski, M., Kügler, S., Loers, G., and Schachner, M. (2013). Adhesion molecule L1 binds to amyloid beta and reduces Alzheimer's disease pathology in mice. *Neurobiol. Dis.* 56, 104-115.
- Euteneuer, S., Yang, K.H., Chavez, E., Leichtle, A., Loers, G., Olshansky, A., Pak, K., Schachner, M., and Ryan, A.F. (2013). Glial cell line-derived neurotrophic factor (GDNF) induces neuritogenesis in the cochlear spiral ganglion via neural cell adhesion molecule (NCAM). *Mol. Cell. Neurosci.* 54, 30-43.
- Jakovcevski, I., Djogo, N., Hölters, L.S., Szpotowicz, E., and Schachner, M. (2013). Transgenic over-expression of the cell adhesion molecule L1 in neurons facilitates recovery after mouse spinal cord injury. *Neuroscience* 252, 1-12.
- Jakovcevski, I., Miljkovic, D., Schachner, M., and Andjus, P.R. (2013). Tenascins and inflammation in disorders of the nervous system. *Amino Acids* 44, 1115-1127.
- Li, S., Leshchyns'ka, I., Chernyshova, Y., Schachner, M., and Sytnyk, V. (2013). The Neural Cell Adhesion Molecule (NCAM) Associates with and Signals through p21-Activated Kinase 1 (Pak1). *J. Neurosci.* 33, 790-803.
- Liu, Y., Yu, Y., Schachner, M., and Zhao, W. (2013). Neuregulin 1-β regulates cell adhesion molecule L1 expression in the cortex and hippocampus of mice. *Biochem. Biophys. Res. Commun.* 441, 7-12.
- Pan, H.-C., Lin, J.-F., Ma, L.-P., Shen, Y.-Q., and Schachner, M. (2013). Major vault protein promotes locomotor recovery and regeneration after spinal cord injury in adult zebrafish. *Eur. J. Neurosci.* 37, 203-211.
- Schmid, J.S., Bernreuther, C., Nikonenko, A.G., Ling, Z., Mies, G., Hossmann, K.-A., Jakovcevski, I., and Schachner, M. (2013). Heterozygosity for the mutated X-chromosome-linked L1 cell adhesion molecule gene leads to increased numbers of neurons and enhanced metabolism in the forebrain of female carrier mice. *Brain Struct. Funct.* 218, 1375-1390.
- Schreiber, J., Schachner, M., Schumacher, U., and Lorke, D.E. (2013). Extracellular matrix alterations, accelerated leukocyte infiltration and enhanced axonal sprouting after spinal cord hemisection in tenascin-C-deficient mice. *Acta Histochem.* 115, 865-878.
- Schulz, F., Lutz, D., Rusche, N., Bastús, N.G., Stieben, M., Höltig, M., Grüner, F., Weller, H., Schachner, M., Vossmeyer, T., and Loers, G. (2013). Gold nanoparticles functionalized with a fragment of the neural cell adhesion molecule L1 stimulate L1-mediated functions. *Nanoscale* 5, 10605-10617.
- Shetty, A., Sytnyk, V., Leshchyns'ka, I., Puchkov, D., Haucke, V., and Schachner, M. (2013). The Neural Cell Adhesion Molecule Promotes Maturation of the Presynaptic Endocytotic Machinery by Switching Synaptic Vesicle Recycling from Adaptor Protein 3 (AP-3)- to AP-2-Dependent Mechanisms. *J. Neurosci.* 33, 16828-16845.
- Stemmer, N., Strekalova, E., Djogo, N., Plöger, F., Loers, G., Lutz, D., Buck, F., Michalak, M., Schachner, M., and Kleene, R. (2013). Generation of Amyloid-β Is Reduced by the Interaction of Calreticulin with Amyloid Precursor Protein, Presenilin and Nicastin. *PLoS ONE* 8, e61299.

- Theis, T., Mishra, B., Ohe, M. von der, Loers, G., Prondzynski, M., Pless, O., Blackshear, P.J., Schachner, M., and Kleene, R. (2013). Functional role of the interaction between polysialic acid and Myristoylated Alanine Rich C Kinase Substrate at the plasma membrane. *J. Biol. Chem.* 288, 6726–6742.
- Yoo, M., Khaled, M., Gibbs, K. M., Kim, J., Kowalewski, B., Dierks, T., and Schachner, M. (2013). Arylsulfatase B improves locomotor function after mouse spinal cord injury. *PLoS ONE* 8, e57415.
- Yu, Y., and Schachner, M. (2013). Syntenin-a promotes spinal cord regeneration following injury in adult zebrafish. *Eur. J. Neurosci.* 38, 2280–2289.
- Zhao, W.-J., and Schachner, M. (2013) Neuregulin 1 enhances cell adhesion molecule L1 expression in human glioma cells and promotes their migration as a function of malignancy. *J. Neuropathol. Exp. Neurol.* 72, 244–255.
- Blessmann, M., Gröbe, A., Quaas, A., Kaifi, J. T., Mistakidis, G., Bernreuther, C., Sauter, G., Gros, S., Rawnaq, T., Friedrich, R., Mautner, V. F., Smeets, R., Heiland, M., Schachner, M., and Izbicki, J. R. (2012). Adhesion molecule L1 is down-regulated in malignant peripheral nerve sheath tumors versus benign neurofibromatosis type 1-associated tumors. *Oral Surg. Oral Med. Oral Pathol. Oral Radiol.* 113, 239–244.
- Cherry, J. F., Carlson, A. L., Benarba, F. L., Sommerfeld, S. D., Verma, D., Loers, G., Kohn, J., Schachner, M., and Moghe, P. V. (2012). Oriented, multimeric biointerfaces of the L1 cell adhesion molecule: an approach to enhance neuronal and neural stem cell functions on 2-D and 3-D polymer substrates. *Biointerphases* 7, 22.
- Figge, C., Loers, G., Schachner, M., and Tilling, T. (2012). Neurite outgrowth triggered by the cell adhesion molecule L1 requires activation and inactivation of the cytoskeletal protein cofilin. *Mol. Cell. Neurosci.* 49, 196–204.
- Gouveia, R., Schaffer, L., Papp, S., Grammel, N., Kandzia, S., Head, S. R., Kleene, R., Schachner, M., Conradt, H. S., and Costa, J. (2012). Expression of glycogenes in differentiating human NT2N neurons. Downregulation of fucosyltransferase 9 leads to decreased Lewisx levels and impaired neurite outgrowth. *Biochimica et Biophysica Acta (BBA) - General Subjects* 1820, 2007–2019.
- Gustke, H., Kleene, R., Loers, G., Nehmann, N., Jaehne, M., Bartels, K.-M., Jaeger, K.-E., Schachner, M., and Schumacher, U. (2012). Inhibition of the bacterial lectins of *Pseudomonas aeruginosa* with monosaccharides and peptides. *Eur. J. Clin. Microbiol. Infect. Dis.* 31, 207–215.
- Hargus, G., Cui, Y.-F., Dihné, M., Bernreuther, C., and Schachner, M. (2012). *In vitro* generation of three-dimensional substrate-adherent embryonic stem cell-derived neural aggregates for application in animal models of neurological disorders. *Curr. Protoc. Stem Cell Biol.* 2, Unit 2D.11.
- He, X., Knepper, M., Ding, C., Li, J., Castro, S., Siddiqui, M., Schachner, M., and Callaerts, P. (2012). Promotion of Spinal Cord Regeneration by Neural Stem Cell-Secreted Trimerized Cell Adhesion Molecule L1. *PLoS ONE* 7, e46223.
- Irintchev, A., and Schachner, M. (2012). The injured and regenerating nervous system: immunoglobulin superfamily members as key players. *Neuroscientist* 18, 452–466.
- Kochlamazashvili, G., Bukalo, O., Senkov, O., Salmen, B., Gerardy-Schahn, R., Engel, A. K., Schachner, M., and Dityatev, A. (2012). Restoration of synaptic plasticity and learning in young and aged NCAM-deficient mice by enhancing neurotransmission mediated by GluN2A-containing NMDA receptors. *J. Neurosci.* 32, 2263–2275.
- Lee, H. J., Bian, S., Jakovcevski, I., Wu, B., Irintchev, A., and Schachner, M. (2012). Delayed applications of L1 and chondroitinase ABC promote recovery after spinal cord injury. *J. Neurotrauma* 29, 1850–1863.
- Loers, G., Makhina, T., Bork, U., Dörner, A., Schachner, M., and Kleene, R. (2012). The interaction between cell adhesion molecule L1, matrix metalloproteinase 14, and adenine nucleotide translocator at the plasma membrane regulates L1-mediated neurite outgrowth of murine cerebellar neurons. *J. Neurosci.* 32, 3917–3930.

- Lutz, D., Wolters-Eisfeld, G., Joshi, G., Djogo, N., Jakovcevski, I., Schachner, M., and Kleene, R. (2012). Generation and nuclear translocation of sumoylated transmembrane fragment of cell adhesion molecule L1. *J. Biol. Chem.* 287, 17161–17175.
- Masand, S. N., Chen, J., Perron, I. J., Hammerling, B. C., Loers, G., Schachner, M., and Shreiber, D. I. (2012). The effect of glycomimetic functionalized collagen on peripheral nerve repair. *Biomaterials* 33, 8353–8362.
- Padler-Karavani, V., Song, X., Yu, H., Hurtado-Ziola, N., Huang, S., Muthana, S., Chokhawala, H. A., Cheng, J., Verhagen, A., Langereis, M. A., Kleene, R., Schachner, M., Groot, R. J. de, Lasanajak, Y., Matsuda, H., Schwab, R., Chen, X., Smith, D. F., Cummings, R. D., and Varki, A. (2012). Cross-comparison of protein recognition of sialic acid diversity on two novel sialoglycan microarrays. *J. Biol. Chem.* 287, 22593–22608.
- Poplawski, G. H. D., Tranziska, A.-K., Leshchyns'ka, I., Meier, I. D., Streichert, T., Sytnyk, V., and Schachner, M. (2012). L1CAM increases MAP2 expression via the MAPK pathway to promote neurite outgrowth. *Mol. Cell. Neurosci.* 50, 169–178.
- Rawnaq, T., Quaas, A., Zander, H., Gros, S. J., Reichelt, U., Blessmann, M., Wilczak, W., Schachner, M., Sauter, G., Izicki, J. R., and Kaifi, J. T. (2012). L1 is highly expressed in tumors of the nervous system: a study of over 8000 human tissues. *J. Surg. Res.* 173, 314–319.
- Schmid J.S., Bernreuther C., Nikonenko A.G., Ling Z., Mies G., Hossmann K.A., Jakovcevski I., and Schachner M. (2012). Heterozygosity for the mutated X-chromosome-linked L1 cell adhesion molecule gene leads to increased numbers of neurons and enhanced metabolism in the forebrain of female carrier mice. *Brain Struct. Funct.* 218, 1375–1390.
- Schwerdtfeger, K., Mautes, A. E. M., Bernreuther, C., Cui, Y., Manville, J., Dihné, M., Blank, S., and Schachner, M. (2012). Stress-resistant neural stem cells positively influence regional energy metabolism after spinal cord injury in mice. *J. Mol. Neurosci.* 46, 401–409.
- Tian, N., Leshchyns'ka, I., Welch, J. H., Diakowski, W., Yang, H., Schachner, M., and Sytnyk, V. (2012). Lipid raft-dependent endocytosis of close homologue of adhesion molecule L1 (CHL1) promotes neuritogenesis. *J. Biol. Chem.* 287, 44447–44463.
- Tsvetkov, Y. E., Burg-Roderfeld, M., Loers, G., Ardá, A., Sukhova, E. V., Khatuntseva, E. A., Grachev, A. A., Chizhov, A. O., Siebert, H.-C., Schachner, M., Jiménez-Barbero, J., and Nifantiev, N. E. (2012). Synthesis and molecular recognition studies of the HNK-1 trisaccharide and related oligosaccharides. The specificity of monoclonal anti-HNK-1 antibodies as assessed by surface plasmon resonance and STD NMR. *J. Am. Chem. Soc.* 134, 426–435.
- Wang, Y., Loers, G., Pan, H.-C., Gouveia, R., Zhao, W.-J., Shen, Y.-Q., Kleene, R., Costa, J., and Schachner, M. (2012). Antibody Fragments Directed against Different Portions of the Human Neural Cell Adhesion Molecule L1 Act as Inhibitors or Activators of L1 Function. *PLoS ONE* 7, e52404.
- Wu, B., Matic, D., Djogo, N., Szpotowicz, E., Schachner, M., and Jakovcevski, I. (2012). Improved regeneration after spinal cord injury in mice lacking functional T- and B-lymphocytes. *Exp. Neurol.* 237, 274–285.
- Bian, S., Akyüz, N., Bernreuther, C., Loers, G., Laczynska, E., Jakovcevski, I., and Schachner, M. (2011). Dermatan sulfotransferase Chst14/ D4st1, but not chondroitin sulfotransferase Chst11/C4st1, regulates proliferation and neurogenesis of neural progenitor cells. *J. Cell. Sci.* 124, 4051–4063.
- Bisaz, R., Schachner, M., and Sandi, C. (2011). Causal evidence for the involvement of the neural cell adhesion molecule, NCAM, in chronic stress-induced cognitive impairments. *Hippocampus* 21, 56–71.
- Brennaman, L.H., Kochlamazashvili, G., Stoenica, L., Nonneman, R.J., Moy, S.S., Schachner, M., Dityatev, A., and Maness, P.F. (2011). Transgenic mice overexpressing the extracellular domain of NCAM are impaired in working memory and cortical plasticity. *Neurobiol. Dis.* 43, 372–378.

- Chernyshova, Y., Leshchyns'ka, I., Hsu, S.-C., Schachner, M., and Sytnyk, V. (2011). The neural cell adhesion molecule promotes FGFR-dependent phosphorylation and membrane targeting of the exocyst complex to induce exocytosis in growth cones. *J. Neurosci.* 31, 3522-3535.
- Cui, X., Weng, Y.-Q., Frappé, I., Burgess, A., Girão da Cruz, M.T., Schachner, M., and Aubert, I. (2011). The cell adhesion molecule L1 regulates the expression of choline acetyltransferase and the development of septal cholinergic neurons. *Brain Behav.* 1, 73-86.
- Cui, Y.-F., Xu, J.-C., Hargas, G., Jakovcevski, I., Schachner, M., and Bernreuther, C. (2011). Embryonic stem cell-derived L1 overexpressing neural aggregates enhance recovery after spinal cord injury in mice. *PLoS ONE* 6, e17126.
- Friedrich, U., Stöhr, H., Hilfinger, D., Loenhardt, T., Schachner, M., Langmann, T., and Weber, B.H.F. (2011). The Na/K-ATPase is obligatory for membrane anchorage of retinoschisin, the protein involved in the pathogenesis of X-linked juvenile retinoschisis. *Hum. Mol. Genet.* 20, 1132-1142.
- Gómez-Climent, M. Á., Guirado, R., Castillo-Gómez, E., Varea, E., Gutierrez-Mecinas, M., Gilabert-Juan, J., García-Mompó, C., Vidueira, S., Sanchez-Mataredona, D., Hernández, S., Blasco-Ibáñez, J. M., Crespo, C., Rutishauser, U., Schachner, M., and Nacher, J. (2011). The polysialylated form of the neural cell adhesion molecule (PSA-NCAM) is expressed in a subpopulation of mature cortical interneurons characterized by reduced structural features and connectivity. *Cereb. Cortex* 21, 1028– 1041.
- Guseva, D., Zerwas, M., Xiao, M.-F., Jakovcevski, I., Irinchev, A., and Schachner, M. (2011). Adhesion molecule L1 overexpressed under the control of the neuronal Thy-1 promoter improves myelination after peripheral nerve injury in adult mice. *Exp. Neurol.* 229, 339-352.
- Huang, X., Zhu, L.L., Zhao, T., Wu, L.Y., Wu, K.W., Schachner, M., Xiao, Z.C., and Fan, M. (2011). CHL1 negatively regulates the proliferation and neuronal differentiation of neural progenitor cells through activation of the ERK1/2 MAPK pathway. *Mol. Cell. Neurosci.* 46, 296-307.
- Irinchev, A., Wu, M.-M., Lee, H.J., Zhu, H., Feng, Y.-P., Liu, Y.-S., Bernreuther, C., Loers, G., You, S.-W., and Schachner, M. (2011). Glycomimetic improves recovery after femoral injury in a non-human primate. *J. Neurotrauma* 28, 1295-1306.
- Jakovcevski, M., Schachner, M., and Morellini, F. (2011). Susceptibility to the long-term anxiogenic effects of an acute stressor is mediated by the activation of the glucocorticoid receptors. *Neuropharmacology* 61, 1297-1305.
- Leshchyns'ka, I., Tanaka, M.M., Schachner, M., and Sytnyk, V. (2011). Immobilized pool of NCAM180 in the postsynaptic membrane is homeostatically replenished by the flux of NCAM180 from extrasynaptic regions. *J. Biol. Chem.* 286, 23397-23406.
- Puchkov, D., Leshchyns'ka, I., Nikonenko, A.G., Schachner, M., and Sytnyk, V. (2011). NCAM/ spectrin complex disassembly results in PSD perforation and postsynaptic endocytic zone formation. *Cereb. Cortex* 21, 2217-2232.
- Tereshchenko, Y., Morellini, F., Dityatev, A., Schachner, M., and Irinchev, A. (2011). Neural cell adhesion molecule ablation in mice causes hippocampal dysplasia and loss of septal cholinergic neurons. *J. Comp. Neurol.* 519, 2475-2492.
- Wallace, A.S., Tan, M.X., Schachner, M., and Anderson, R.B. (2011). L1cam acts as a modifier gene for members of the endothelin signalling pathway during enteric nervous system development. *Neurogastroenterol. Motil.* 23, e510-22.
- Wang, S., Cesca, F., Loers, G., Schweizer, M., Buck, F., Benfenati, F., Schachner, M., and Kleene, R. (2011). Synapsin I is an oligomannose-carrying glycoprotein, acts as an oligomannose-binding lectin, and promotes neurite outgrowth and neuronal survival when released via glia-derived exosomes. *J. Neurosci.* 31, 7275-7290.
- Xu, J.-C., Bernreuther, C., Cui, Y.-F., Jakovcevski, I., Hargas, G., Xiao, M.-F., and Schachner, M. (2011). Transplanted L1 expressing radial glia and astrocytes enhance recovery after spinal cord injury. *J. Neurotrauma* 28, 1921-1937.

Yu, Y.-M., Cristofanilli, M., Valiveti, A., Ma, L., Yoo, M., Morellini, F., and Schachner, M. (2011). The extracellular matrix glycoprotein tenascin-C promotes locomotor recovery after spinal cord injury in adult zebrafish. *Neuroscience* 183, 238-250.

Yu, Y.-M., Gibbs, K.M., Davila, J., Campbell, N., Sung, S., Todorova, T.I., Otsuka, S., Sabaawy, H.E., Hart, R.P., and Schachner, M. (2011). MicroRNA miR-133b is essential for functional recovery after spinal cord injury in adult zebrafish. *Eur. J. Neurosci.* 33, 1587-1597.

Zander, H., Rawnaq, T., Wedemeyer, M. von, Tachezy, M., Kunkel, M., Wolters, G., Bockhorn, M., Schachner, M., Izbicke, J.R., and Kaifi, J. (2011). Circulating levels of cell adhesion molecule L1 as a prognostic marker in gastrointestinal stromal tumor patients. *BMC Cancer* 11, 189:1-7.

Book Chapter: Hargus G., Bernreuther C. (2011). Embryonic Stem Cells Overexpressing the Recognition Molecules L1 and Tenascin-R Enhance Regeneration in Mouse Models of Acute and Chronic Neurological Disorders. *Embryonic Stem Cells - Recent Advances in Pluripotent Stem Cell-Based Regenerative Medicine*. InTech, 8, 149-170.

Andreyeva, A., Leshchyns'ka, I., Knepper, M., Betzel, C., Redecke, L., Sytnyk, V., and Schachner, M. (2010). CHL1 is a selective organizer of the presynaptic machinery chaperoning the SNARE complex. *PLoS ONE* 5, e12018.

Bhunia, A., Vivekanandan, S., Eckert, T., Burg- Roderfeld, M., Wechselberger, R., Romanuka, J., Bächle, D., Kornilov, A. V., Lieth, C.-W. von der, Jiménez-Barbero, J., Nifantiev, N. E., Schachner, M., Sewald, N., Lütteke, T., Hans-Joachim, G., and Siebert, H.-C. (2010). Why structurally different cyclic peptides can be glycomimetics of the HNK-1 carbohydrate antigen. *J. Am. Chem. Soc.* 132, 96–105.

Cassens, C., Kleene, R., Xiao, M.-F., Friedrich, C., Dityateva, G., Schafer-Nielsen, C., and Schachner, M. (2010). Binding of the receptor tyrosine kinase TrkB to the neural cell adhesion molecule (NCAM) regulates phosphorylation of NCAM and NCAM-dependent neurite outgrowth. *J. Biol. Chem.* 285, 28959–28967.

Chen, J., Joon Lee, H., Jakovcevski, I., Shah, R., Bhagat, N., Loers, G., Liu, H.-Y., Meiners, S., Taschenberger, G., Kügler, S., Irintchev, A., and Schachner, M. (2010). The extracellular matrix glycoprotein tenascin-C is beneficial for spinal cord regeneration. *Mol. Ther.* 18, 1769–1777.

Chipman, P. H., Franz, C. K., Nelson, A., Schachner, M., and Rafuse, V. F. (2010). Neural cell adhesion molecule is required for stability of reinnervated neuromuscular junctions. *Eur. J. Neurosci.* 31, 238–249.

Cui, Y.-F., Hargus, G., Xu, J.-C., Schmid, J. S., Shen, Y.-Q., Glatzel, M., Schachner, M., and Bernreuther, C. (2010). Embryonic stem cell-derived L1 overexpressing neural aggregates enhance recovery in Parkinsonian mice. *Brain* 133, 189–204.

Demyanenko, G.P., Siesser, P.F., Wright, A.G., Brennaman, L.H., Bartsch, U., Schachner, M., and Maness, P.F. (2010) L1 and CHL1 cooperate in thalamocortical axon targeting. *Cereb. Cortex* 21, 401-412.

Devanathan, V., Jakovcevski, I., Santuccione, A., Li, S., Lee, H. J., Peles, E., Leshchyns'ka, I., Sytnyk, V., and Schachner, M. (2010). Cellular form of prion protein inhibits Reelin-mediated shedding of Caspr from the neuronal cell surface to potentiate Caspr-mediated inhibition of neurite outgrowth. *J. Neurosci.* 30, 9292–9305.

Dityatev, A., Schachner, M., and Sonderegger, P. (2010). The dual role of the extracellular matrix in synaptic plasticity and homeostasis. *Nat. Rev. Neurosci.* 11, 735–746.

Dityatev, A., Seidenbecher, C. I., and Schachner, M. (2010). Compartmentalization from the outside: the extracellular matrix and functional microdomains in the brain. *Trends Neurosci.* 33, 503–512.

Fey, A., Schachner, M., and Irintchev, A. (2010). A novel motion analysis approach reveals late recovery in C57BL/6 mice and deficits in NCAM-deficient mice after sciatic nerve crush. *J. Neurotrauma* 27, 815–828.

Katagihallimath, N., Mehanna, A., Guseva, D., Kleene, R., and Schachner, M. (2010). Identification and validation of a Lewis x glycomimetic peptide. *Eur. J. Cell Biol.* 89, 77–86.

- Kleene, R., Cassens, C., Bähring, R., Theis, T., Xiao, M.-F., Dityatev, A., Schafer-Nielsen, C., Döring, F., Wischmeyer, E., and Schachner, M. (2010). Functional consequences of the interactions among the neural cell adhesion molecule NCAM, the receptor tyrosine kinase TrkB, and the inwardly rectifying K<sup>+</sup> channel KIR3.3. *J. Biol. Chem.* 285, 28968–28979.
- Kleene, R., Mzoughi, M., Joshi, G., Kalus, I., Bormann, U., Schulze, C., Xiao, M.-F., Dityatev, A., and Schachner, M. (2010). NCAM-induced neurite outgrowth depends on binding of calmodulin to NCAM and on nuclear import of NCAM and fak fragments. *J. Neurosci.* 30, 10784–10798.
- Kochlamazashvili, G., Henneberger, C., Bukalo, O., Dvoretskova, E., Senkov, O., Lievens, P. M.-J., Westenbroek, R., Engel, A. K., Catterall, W. A., Rusakov, D. A., Schachner, M., and Dityatev, A. (2010). The extracellular matrix molecule hyaluronic acid regulates hippocampal synaptic plasticity by modulating postsynaptic L-type Ca(2+) channels. *Neuron* 67, 116–128.
- Kochlamazashvili, G., Senkov, O., Grebenyuk, S., Robinson, C., Xiao, M.-F., Stummeyer, K., Gerardy-Schahn, R., Engel, A. K., Feig, L., Semyanov, A., Suppiramaniam, V., Schachner, M., and Dityatev, A. (2010). Neural cell adhesion molecule-associated polysialic acid regulates synaptic plasticity and learning by restraining the signaling through GluN2B-containing NMDA receptors. *J. Neurosci.* 30, 4171–4183.
- Lavdas, A. A., Chen, J., Papastefanaki, F., Chen, S., Schachner, M., Matsas, R., and Thomaidou, D. (2010). Schwann cells engineered to express the cell adhesion molecule L1 accelerate myelination and motor recovery after spinal cord injury. *Exp. Neurol.* 221, 206–216.
- Mehanna, A., Jakovcevski, I., Acar, A., Xiao, M., Loers, G., Rougon, G., Irinchev, A., and Schachner, M. (2010). Polysialic acid glycomimetic promotes functional recovery and plasticity after spinal cord injury in mice. *Mol. Ther.* 18, 34–43.
- Meier, I. D., Bernreuther, C., Tilling, T., Neidhardt, J., Wong, Y. W., Schulze, C., Streichert, T., and Schachner, M. (2010). Short DNA sequences inserted for gene targeting can accidentally interfere with off-target gene expression. *FASEB J.* 24, 1714–1724.
- Meier, I., Fellini, L., Jakovcevski, M., Schachner, M., and Morellini, F. (2010). Expression of the snoRNA host gene gas5 in the hippocampus is upregulated by age and psychogenic stress and correlates with reduced novelty-induced behavior in C57BL/6 mice. *Hippocampus* 20, 1027–1036.
- Mishra, B., Ohe, M. von der, Schulze, C., Bian, S., Makhina, T., Loers, G., Kleene, R., and Schachner, M. (2010). Functional role of the interaction between polysialic acid and extracellular histone H1. *J. Neurosci.* 30, 12400–12413.
- Morellini, F., Sivukhina, E., Stoenica, L., Oulianova, E., Bukalo, O., Jakovcevski, I., Dityatev, A., Irinchev, A., and Schachner, M. (2010). Improved reversal learning and working memory and enhanced reactivity to novelty in mice with enhanced GABAergic innervation in the dentate gyrus. *Cereb. Cortex* 20, 2712–2727.
- Ramser, E. M., Buck, F., Schachner, M., and Tilling, T. (2010). Binding of alphall spectrin to 14-3-3beta is involved in NCAM-dependent neurite outgrowth. *Mol. Cell. Neurosci.* 45, 66–74.
- Ramser, E. M., Wolters, G., Dityateva, G., Dityatev, A., Schachner, M., and Tilling, T. (2010). The 14-3-3 $\zeta$  protein binds to the cell adhesion molecule L1, promotes L1 phosphorylation by CKII and influences L1-dependent neurite outgrowth. *PLoS ONE* 5, e13462.
- Wallace, A. S., Schmidt, C., Schachner, M., Wegner, M., and Anderson, R. B. (2010). L1cam acts as a modifier gene during enteric nervous system development. *Neurobiol. Dis.* 40, 622–633.
- Westphal, D., Sytnyk, V., Schachner, M., and Leshchyns'ka, I. (2010). Clustering of the neural cell adhesion molecule (NCAM) at the neuronal cell surface induces caspase-8- and -3-dependent changes of the spectrin meshwork required for NCAM-mediated neurite outgrowth. *J. Biol. Chem.* 285, 42046–42057.
- Wu, J., Wrathall, J.R., and Schachner, M. (2010). Phosphatidylinositol 3-kinase/protein kinase C $\delta$  activation induces close homolog of adhesion molecule L1 (CHL1) expression in cultured astrocytes. *Glia* 58, 315–328.

- Bleckmann, C., Geyer, H., Lieberoth, A., Splittstoesser, F., Liu, Y., Feizi, T., Schachner, M., Kleene, R., Reinhold, V., and Geyer, R. (2009). O-glycosylation pattern of CD24 from mouse brain. *Biol. Chem.* 390, 627-645.
- Bleckmann, C., Geyer, H., Reinhold, V., Lieberoth, A., Schachner, M., Kleene, R., and Geyer, R. (2009). Glycomic analysis of N-linked carbohydrate epitopes from CD24 of mouse brain. *J. Proteome Res.* 8, 567-582.
- Dityatev, A., Bukalo, O., and Schachner, M. (2009). Modulation of synaptic transmission and plasticity by cell adhesion and repulsion molecules. *Neuron Glia Biol.* 13, 1-13.
- Gurevicius, K., Kuang, F., Stoenica, L., Irinchev, A., Gureviciene, I., Dityatev, A., Schachner, M., and Tanila, H. (2009). Genetic ablation of tenascin-C expression leads to abnormal hippocampal CA1 structure and electrical activity *in vivo*. *Hippocampus* 19, 1232-1246.
- Guseva, D., Angelov, D.N., Irinchev, A., and Schachner, M. (2009). Ablation of adhesion molecule L1 in mice favours Schwann cell proliferation and functional recovery after peripheral nerve injury. *Brain* 132, 2180-2195.
- Hoffmann, K., Sivukhina, E., Potschka, H., Schachner, M., Löscher, W., and Dityatev, A. (2009). Retarded kindling progression in mice deficient in the extracellular matrix glycoprotein tenascin-R. *Epilepsia* 50, 859-869.
- Jakovcevski, I., Siering, J., Hargus, G., Karl, N., Hoelters, L., Djogo, N., Yin, S., Zecevic, N., Schachner, M., and Irinchev, A. (2009). Close homologue of adhesion molecule L1 promotes survival of Purkinje and granule cells and granule cell migration during murine cerebellar development. *J. Comp. Neurol.* 513, 496-510.
- Lee, H.J., Jakovcevski, I., Radonjic, N., Hoelters, L., Schachner, M., and Irinchev, A. (2009). Better functional outcome of compression spinal cord injury in mice is associated with enhanced H-reflex responses. *Exp. Neurol.* 216, 365-374.
- Li, Y.L., Wu, G.Z., Zeng, L., Dawe, G.S., Sun, L., Loers, G., Tilling, T., Cui, S.S., Schachner, M., and Xiao, Z.C. (2009). Cell surface sialylation and fucosylation are regulated by the cell recognition molecule L1 via PLCgamma and cooperate to modulate embryonic stem cell survival and proliferation. *FEBS Lett.* 583, 703-710.
- Lieberoth, A., Splittstoesser, F., Katagihallimath, N., Jakovcevski, I., Loers, G., Ranscht, B., Karagogeos, D., Schachner, M., and Kleene, R. (2009). Lewis(x) and alpha2,3-sialyl glycans and their receptors TAG-1, Contactin, and L1 mediate CD24-dependent neurite outgrowth. *J. Neurosci.* 29, 6677-6690.
- Makhina, T., Loers, G., Schulze, C., Ueberle, B., Schachner, M., and Kleene, R. (2009). Extracellular GAPDH binds to L1 and enhances neurite outgrowth. *Mol. Cell. Neurosci.* 41, 206-218.
- Marino, P., Norreel, J.C., Schachner, M., Rougon, G., and Amoureaux, M.C. (2009). A polysialic acid mimetic peptide promotes functional recovery in a mouse model of spinal cord injury. *Exp. Neurol.* 219, 163-174.
- Mehanna, A., Mishra, B., Kurschat, N., Schulze, C., Bian, S., Loers, G., Irinchev, A., and Schachner, M. (2009). Polysialic acid glycomimetics promote myelination and functional recovery after peripheral nerve injury in mice. *Brain* 132, 1449-1462.
- Nehmann, N., Schade, U.M., Pfuller, U., Schachner, M., and Schumacher, U. (2009). Mistletoe lectin binds to multidrug resistance-associated protein MRP5. *Anticancer Res.* 29, 4941-4948.
- Ourednik, V., Ourednik, J., Xu, Y., Zhang, Y., Lynch, W.P., Snyder, E.Y., and Schachner M. (2009). Cross-Talk between stem cells and the dysfunctional brain is facilitated by manipulating the niche: Evidence from an adhesion molecule. *Stem Cells* 27, 2846-2856.
- Rawnaq, T., Kleinhans, H., Uto, M., Schurr, P.G., Reichelt, U., Cataldegirmen, G., Gawad, K.A., Yekebas, E.F., Schachner, M., Izicki, J.R., and Kaifi, J.T. (2009). Subset of esophageal adenocarcinoma expresses adhesion molecule L1 in contrast to squamous cell carcinoma. *Anticancer Res.* 29, 1195-1199.

- Schneegans, T., Borgmeyer, U., Hentschke, M., Gronostajski, R.M., Schachner, M., and Tilling, T. (2009). Nuclear factor I-A represses expression of the cell adhesion molecule L1. *BMC Mol. Biol.* 10, 107.
- Treloar, H.B., Ray, A., Dinglasan, L.A., Schachner, M., and Greer, C.A. (2009). Tenascin-C is an inhibitory boundary molecule in the developing olfactory bulb. *J. Neurosci.* 29, 9405-9416.
- Turner, K.N., Schachner, M., and Anderson, R.B. (2009). Cell adhesion molecule L1 affects the rate of differentiation of enteric neurons in the developing gut. *Dev. Dyn.* 238, 708-715.
- Vrbova, G., Mehra, N., Shanmuganathan, H., Tyreman, N., Schachner, M., and Gordon, T. 2009). Chemical communication between regenerating motor axons and Schwann cells in the growth pathway. *Eur. J. Neurosci.* 30, 366-375.
- Xiao, M.F., Xu, J.C., Tereshchenko, Y., Novak, D., Schachner, M., and Kleene, R. (2009). Neural cell adhesion molecule modulates dopaminergic signaling and behavior by regulating dopamine D2 receptor internalization. *J. Neurosci.* 29, 14752-14763.

## Institute for Neural Signal Transduction

**Director: Olaf Pongs (1991 until September 2011)**

**Provisional Director: Dietmar Kuhl (October 2011 until December 2014)**

- Kumar, D., Freese, M., Drexler, D., Hermans-Borgmeyer, I., Marquardt, A., and Boehm, U. (2014). Murine Arcuate Nucleus Kisspeptin Neurons Communicate with GnRH Neurons *In Utero*. *J. Neurosci.* 34, 3756-3766.
- Sachse, G., Faulhaber, J., Seniuk, A., Ehmke, H., and Pongs, O. (2014). Smooth muscle BK channel activity influences blood pressure independent of vascular tone in mice. *J. Physiol. (Lond.)* 592, 2563-2574.
- Foster, S.R., Porrello, E.R., Purdue, B., Chan, H.-W., Voigt, A., Frenzel, S., Hannan, R.D., Moritz, K.M., Simmons, D.G., Molenaar, P., Roura, E., Boehm, U., Meyerhof, W., and Thomas, W.G. (2013). Expression, regulation and putative nutrient-sensing function of taste GPCRs in the heart. *PLoS ONE* 8, e64579.
- Haid, D., Widmayer, P., Voigt, A., Chaudhari, N., Boehm, U., and Breer, H. (2013). Gustatory sensory cells express a receptor responsive to protein breakdown products (GPR92). *Histochem. Cell Biol.* 140, 137-145.
- Kusuhara, Y., Yoshida, R., Ohkuri, T., Yasumatsu, K., Voigt, A., Hübner, S., Maeda, K., Boehm, U., Meyerhof, W., and Ninomiya, Y. (2013). Taste responses in mice lacking taste receptor subunit T1R1. *J. Physiol. (Lond.)* 591, 1967-1985.
- Niculescu, D., Hirdes, W., Hornig, S., Pongs, O., and Schwarz, J.R. (2013). Erg Potassium Currents of Neonatal Mouse Purkinje Cells Exhibit Fast Gating Kinetics and Are Inhibited by mGluR1 Activation. *J. Neurosci.* 33, 16729-16740.
- van der Cruijsen, E.A.W., Nand, D., Weingarth, M., Prokofyev, A., Hornig, S., Cukkemane, A.A., Bonvin, A.M.J.J., Becker, S., Hulse, R.E., Perozo, E., Pongs, O., and Baldus, M. (2013). Importance of lipid-pore loop interface for potassium channel structure and function. *Proc. Natl. Acad. Sci. U.S.A.* 110, 13008-13013.

Alim, Z., Hartshorn, C., Mai, O., Stitt, I., Clay, C., Tobet, S., and Boehm, U. (2012). Gonadotrope plasticity at cellular and population levels. *Endocrinology* 153, 4729-4739.

Eberhard, N., Mayer, C., Santic, R., Navio, R. P., Wagner, A., Bauer, H. C., Sperk, G., Boehm, U., and Kofler, B. (2012). Distribution of alarin immunoreactivity in the mouse brain. *J. Mol. Neurosci.* 46, 18-32.

Heidarsson, P. O., Bjerrum-Bohr, I. J., Jensen, G. A., Pongs, O., Finn, B. E., Poulsen, F. M., and Kragelund, B. B. (2012). The C-terminal tail of human neuronal calcium sensor 1 regulates the conformational stability of the Ca<sup>2+</sup>-activated state. *J. Mol. Biol.* 417, 51-64.

- Köpfer, D. A., Hahn, U., Ohmert, I., Vriend, G., Pongs, O., Groot, B. L. de, and Zachariae, U. (2012). A molecular switch driving inactivation in the cardiac K<sup>+</sup> channel HERG. *PLoS ONE* 7, e41023.
- Meyer, D., Voigt, A., Widmayer, P., Borth, H., Huebner, S., Breit, A., Marschall, S., Angelis, M. H. de, Boehm, U., Meyerhof, W., Gudermann, T., Boekhoff, I., and Matsunami, H. (2012). Expression of Tas1 Taste Receptors in Mammalian Spermatozoa: Functional Role of Tas1r1 in Regulating Basal Ca<sup>2+</sup> and cAMP Concentrations in Spermatozoa. *PLoS ONE* 7, e32354.
- Schattling, B., Steinbach, K., Thies, E., Kruse, M., Menigoz, A., Ufer, F., Flockerzi, V., Brück, W., Pongs, O., Vennekens, R., Kneussel, M., Freichel, M., Merkler, D., and Friese, M. A. (2012). TRPM4 cation channel mediates axonal and neuronal degeneration in experimental autoimmune encephalomyelitis and multiple sclerosis. *Nat. Med.* 18, 1805–1811.
- Vardanyan, V., and Pongs, O. (2012). Coupling of voltage-sensors to the channel pore: a comparative view. *Front. Pharmacol.* 3, 145.
- Voigt, A., Hübner, S., Lossow, K., Hermans-Borgmeyer, I., Boehm, U., and Meyerhof, W. (2012) Genetic labeling of Tas1r1 and Tas2r131 taste receptor cells in mice. *Chem. Senses* 37, 897–911.
- Weingarth, M., Ader, C., Melquiond, A. S. J., Nand, D., Pongs, O., Becker, S., Bonvin, A. M. J. J., and Baldus, M. (2012). Supramolecular structure of membrane-associated polypeptides by combining solid-state NMR and molecular dynamics simulations. *Biophys. J.* 103, 29–37.
- Hoivik, E. A., Bjanesoy, T. E., Mai, O., Okamoto, S., Minokoshi, Y., Shima, Y., Morohashi, K.-I., Boehm, U., and Bakke, M. (2011). DNA methylation of intronic enhancers directs tissue-specific expression of steroidogenic factor 1/adrenal 4 binding protein (SF-1/Ad4BP). *Endocrinology* 152, 2100–2112.
- Klaiber, M., Dankworth, B., Kruse, M., Hartmann, M., Nikolaev, V. O., Yang, R.-B., Völker, K., Gassner, B., Oberwinkler, H., Feil, R., Freichel, M., Groschner, K., Skryabin, B. V., Frantz, S., Birnbaumer, L., Pongs, O., and Kuhn, M. (2011). A cardiac pathway of cyclic GMP-independent signaling of guanylyl cyclase A, the receptor for atrial natriuretic peptide. *Proc. Natl. Acad. Sci. U.S.A.* 108, 18500–18505.
- Ma, L.-J., Ohmert, I., and Vardanyan, V. (2011). Allosteric features of KCNQ1 gating revealed by alanine scanning mutagenesis. *Biophys. J.* 100, 885–894.
- Mayer, C., and Boehm, U. (2011). Female reproductive maturation in the absence of kisspeptin/ GPR54 signaling. *Nat. Neurosci.* 14, 704–710.
- Wen, S., Götze, I. N., Mai, O., Schauer, C., Leinders-Zufall, T., and Boehm, U. (2011). Genetic identification of GnRH receptor neurons: a new model for studying neural circuits underlying reproductive physiology in the mouse brain. *Endocrinology* 152, 1515–1526.
- Book Chapter: Sachse, G., Kruse, M., and Pongs, O. (2011) Genetically modified mice: useful models to study cause and effect of cardiac arrhythmias? In *Heart rate and rhythm. Part V*. O.N. Tripathi, U. Ravens, and M.C. Sanguinetti, eds. (Heidelberg, Berlin, Germany: Springer-Verlag), pp. 473–484.
- Ader, C., Pongs, O., Becker, S., and Baldus, M. (2010). Protein dynamics detected in a membrane-embedded potassium channel using two-dimensional solid-state NMR spectroscopy. *Biochim. Biophys. Acta* 1798, 286–290.
- Klaiber, M., Kruse, M., Völker, K., Schröter, J., Feil, R., Freichel, M., Gerling, A., Feil, S., Dietrich, A., Londoño, J. E. C., Baba, H. A., Abramowitz, J., Birnbaumer, L., Penninger, J. M., Pongs, O., and Kuhn, M. (2010). Novel insights into the mechanisms mediating the local antihypertrophic effects of cardiac atrial natriuretic peptide: role of cGMP-dependent protein kinase and RGS2. *Basic Res. Cardiol.* 105, 583–595.
- Liu, H., El Zein, L., Kruse, M., Guinamard, R., Beckmann, A., Bozio, A., Kurtbay, G., Mégarbané, A., Ohmert, I., Blaysat, G., Villain, E., Pongs, O., and Bouvagnet, P. (2010). Gain-of-function mutations in TRPM4 cause autosomal dominant isolated cardiac conduction disease. *Circ. Cardiovasc. Genet.* 3, 374–385.

- Mayer, C., Acosta-Martinez, M., Dubois, S. L., Wolfe, A., Radovick, S., Boehm, U., and Levine, J. E. (2010). Timing and completion of puberty in female mice depend on estrogen receptor alpha-signaling in kisspeptin neurons. *Proc. Natl. Acad. Sci. U.S.A.* 107, 22693–22698.
- Pongs, O., and Schwarz, J. R. (2010). Ancillary subunits associated with voltage-dependent K<sup>+</sup> channels. *Physiol. Rev.* 90, 755–796.
- Wen, S., Ai, W., Alim, Z., and Boehm, U. (2010). Embryonic gonadotropin-releasing hormone signaling is necessary for maturation of the male reproductive axis. *Proc. Natl. Acad. Sci. U.S.A.* 107, 16372–16377.
- Ader, C., Schneider, R., Hornig, S., Velisetty, P., Vardanyan, V., Giller, K., Ohmert, I., Becker, S., Pongs, O., and Baldus, M. (2009). Coupling of activation and inactivation gate in a K(+) channel: potassium and ligand sensitivity. *EMBO J.* 28, 2825–34.
- Haitin, Y., Wiener, R., Shaham, D., Peretz, A., Cohen, E.B., Shamgar, L., Pongs, O., Hirsch, J.A., and Attali, B. (2009). Intracellular domains interactions and gated motions of I(KS) potassium channel subunits. *EMBO J.* 28, 1994–2005.
- Kruse, M., Schulze-Bahr, E., Corfield, V., Beckmann, A., Stallmeyer, B., Kurtbay, G., Ohmert, I., Schulze-Bahr, E., Brink, P., and Pongs O. (2009). Impaired endocytosis of the ion channel TRPM4 is associated with human progressive familial heart block type I. *J. Clin. Invest.* 119, 2737–2744.
- Pongs, O. (2009). Ins and outs of cardiac voltage-gated potassium channels. *Curr. Opin. Pharmacol.* 9, 311–315.
- Pongs, O. (2009). TREKing noxious thermosensation. *EMBO J.* 28, 1195–1196.
- Rodriguez, I., and Boehm, U. (2009). Pheromone sensing in mice. *Results Probl. Cell. Differ.* 47, 77–96.

## **Emeritus Group Cell Biochemistry and Clinical Neurobiology**

**Head: Dietmar Richter, Founding Director of the ZMNH**

**(1985–2005 Institute for Cell Biochemistry and Clinical Neurobiology, since 2005 Emeritus Group)**

Studtmann, K., Ölschläger-Schütt, J., Buck, F., Richter, D., Sala, C., Bockmann, J., Kindler, S., and Kreienkamp, H.-J. (2014). A non-canonical initiation site is required for efficient translation of the dendritically localized shank1 mRNA. *Plos One* 9, e88518.

Meyerhof, W., and Richter, D. (2013). Neurodegeneration - from multiple sclerosis to Alzheimer's disease. *FEBS J.* 280: 4337.

Zivraj, K.H., Rehbein, M., Ölschläger-Schütt, J., Schob, C., Falley, K., Buck, F., Schweizer, M., Schepis, A., Kremmer, E., Richter, D., Kreienkamp, H.-J., and Kindler, S. (2013). The RNA-binding protein MARTA2 regulates dendritic targeting of MAP2 mRNAs in rat neurons. *J. Neurochem.* 124, 670–684.

Chua, J.J.E., Schob, C., Rehbein, M., Gkogkas, C.G., Richter, D., and Kindler, S. (2012). Synthesis of two SAPAP3 isoforms from a single mRNA is mediated via alternative translational initiation. *Sci. Rep.* 2, 484.

Editorship: Richter, D., and Tiedge, H., eds. (2012). *Results and Problems in Cell Differentiation*. vol. 54. (Heidelberg, Germany: Springer- Verlag).

Editorship: Richter, D., and Tiedge H., eds. (2011). *Results and Problems in Cell Differentiation*. vol. 53. (Heidelberg, Germany: Springer- Verlag).

Editorship: Richter, D. and Tiedge, H. eds. (2010) *Results and Problems in Cell Differentiation*. vol. 52. (Heidelberg, Germany: Springer- Verlag).

Editorship: Richter, D. and Tiedge, H. eds. (2010) Results and Problems in Cell Differentiation. vol. 51. (Heidelberg, Germany: Springer- Verlag).

Editorship: Richter, D. and Tiedge, H. eds. (2010) Results and Problems in Cell Differentiation. vol. 50. (Heidelberg, Germany: Springer- Verlag).

Mayoral, J.G., Nouzova, M., Brockhoff, A., Goodwin, M., Hernandez-Martinez, S., Richter, D., Meyerhof, W. and Noriega, F.G. (2010). Allatostatin-C receptors in mosquitoes. Peptides 31, 442–450.

Falley, K., Schütt, J., Iglauer, P., Menke, K., Maas, C., Kneussel, M., Kindler, S., Wouters, F.S., Richter, D., and Kreienkamp, H.J. (2009). Shank1 mRNA: dendritic transport by kinesin and translational control by the 5' untranslated region. Traffic 10, 844-857.

Liew, C.W., Vockel, M., Glassmeier, G., Brandner, J.M., Fernandez-Ballester, G.J., Schwarz, J.R., Schulz, S., Buck, F., Serrano, L., Richter, D., and Kreienkamp, H.J. (2009). Interaction of the human somatostatin receptor 3 with the multiple PDZ domain protein MUPP1 enables somatostatin to control permeability of epithelial tight junctions. FEBS Lett. 583, 49-54.

Schütt, J., Falley, K., Richter, D., Kreienkamp, H.J., and Kindler, S. (2009). Fragile X mental retardation protein regulates the levels of scaffold proteins and glutamate receptors in postsynaptic densities. J. Biol. Chem. 284, 25479- 25487.

## Research Unit Behavioral Biology

### Head: Fabio Morellini (Group established in October 2013)

Morellini, F. (2013). Spatial memory tasks in rodents: what do they model? Cell Tissue Res. 354, 273-286.

Haaker, J., Gaburro, S., Sah, A., Gartmann, N., Lonsdorf, T.B., Meier, K., Singewald, N., Pape, H.-C., Morellini, F.\* , and Kalisch, R.\* (2013). Single dose of L-dopa makes extinction memories context-independent and prevents the return of fear. Proc. Natl. Acad. Sci. U.S.A. 110, E2428-2436. \*equal contribution

Choe, C.-u., Nabuurs, C., Stockebrand, M.C., Neu, A., Nunes, P., Morellini, F., Sauter, K., Schillemeyer, S., Hermans-Borgmeyer, I., Marescau, B., Heerschap, A., and Isbrandt, D. (2013). L-arginine:glycine amidinotransferase deficiency protects from metabolic syndrome. Hum. Mol. Genet. 22, 110-123.

Fellini, L., and Morellini, F. (2013). Mice create what-where-when hippocampus-dependent memories of unique experiences. J. Neurosci. 33, 1038-1043.

## Research Group Neuronal Development

### Head: Froylan Calderon de Anda (established in July 2012)

Durak, O.\* , Calderon de Anda, F.\* , Singh, K.K., Leussis, M.P., Petryshen, T.L., Sklar, P., Tsai, L.H. (2014). Ankyrin-G regulates neurogenesis and Wnt signaling by altering the subcellular localization of  $\beta$ -catenin. Mol. Psychiatry, 13 May 2014 \*equal contribution

Calderon de Anda, F., Rosario, A.L., Durak, O., Tran, T., Gräff, J., Meletis, K., Rei, D., Soda, T., Madabhushi, R., Ginty, D.D., Kolodkin, A.L., and Tsai, L.-H. (2012). Autism spectrum disorder susceptibility gene TAOK2 affects basal dendrite formation in the neocortex. Nat. Neurosci. 15, 1022-1031.

Book chapter: Dotti, G.C., Calderon de Anda, F., and Gärtner, A. (2014). Control of axon identity and structure. In New Encyclopedia of Neuroscience, L. Squire, ed. (Amsterdam, The Netherlands: Elsevier Press), pp. 1093-1100.

## **Research Group Neuronal Patterning and Connectivity**

### **Head: Peter Soba (established in February 2011)**

Jiang, N., Soba, P., Parker, E., Kim, C.C., Parrish, J.Z. (2014). The microRNA bantam regulates a developmental transition in epithelial cells that restricts sensory dendrite growth. *Development* 141, 2657-2668.

Han, C., Wang, D., Soba, P., Zhu, S., Lin, X., Jan, L. Y., and Jan, Y.-N. (2012). Integrins regulate repulsion-mediated dendritic patterning of drosophila sensory neurons by restricting dendrites in a 2D space. *Neuron* 73, 64–78.

## **Research Group Neuronal Translational Control**

### **Head: Kent Duncan (established in May 2010)**

Schleich, S., Strassburger, K., Janiesch, P.C., Koledachkina, T., Miller, K.K., Haneke, K., Cheng, Y.-S., Küchler, K., Stoecklin, G., Duncan, K.E., and Teleman, A.A. (2014). DENR-MCT-1 promotes translation re-initiation downstream of uORFs to control tissue growth. *Nature* 512, 208-212.

Sievert, H., Pällmann, N., Miller, K.K., Hermans- Borgmeyer, I., Venz, S., Sendoel, A., Preukschas, M., Schweizer, M., Böttcher, S., Janiesch, P.C., Streichert, T., Walther, R., Hengartner, M.O., Manz, M.G., Brümmendorf, T.H., Bokemeyer, C., Braig, M., Hauber, J., Duncan, K.E., and Balabanov, S. (2014). A novel mouse model for inhibition of DOHH mediated hypusine modification reveals crucial function for embryonic development, proliferation and oncogenic transformation. *Dis. Model Mech.* 7, 963-976.

Casanova, C. M., Sehr, P., Putzker, K., Hentze, M. W., Neumann, B., Duncan, K. E., and Thoma, C. (2012). Automated high-throughput RNAi screening in human cells combined with reporter mRNA transfection to identify novel regulators of translation. *PLoS ONE* 7, e45943.

Sievert, H., Venz, S., Platas-Barradas, O., Dhople, V. M., Schaletzky, M., Nagel, C.-H., Braig, M., Preukschas, M., Pällmann, N., Bokemeyer, C., Brümmendorf, T. H., Pörtner, R., Walther, R., Duncan, K. E., Hauber, J., and Balabanov, S. (2012). Protein-protein-interaction network organization of the hypusine modification system. *Mol. Cell Proteomics* 11, 1289–1305.

Duncan, K.E., Strein, C., and Hentze, M.W. (2009). The SXL-UNR corepressor complex uses a PABP-mediated mechanism to inhibit ribosome recruitment to msl-2 mRNA. *Mol. Cell* 36, 571-582.

Zdanowicz, A., Thermann, R., Kowalska, J., Jemielity, J., Duncan, K., Preiss, T., Darzynkiewicz, E., and Hentze, M.W. (2009) Drosophila miR2 primarily targets the m7GpppN cap structure for translational repression. *Mol. Cell.* 35, 881-888.

## **DFG Heisenberg Team Experimental Neuropediatrics**

### **Head: Dirk Isbrandt (2009-2013), Axel Neu (since 2014)**

(Group established in 2009, since 2014 guest group)

Mesirca, P., Alig, J., Torrente, A.G., Müller, J.C., Marger, L., Rollin, A., Marquilly, C., Vincent, A., Dubel, S., Bidaud, I., Fernandez, A., Seniuk, A., Engeland, B., Singh, J., Miquerol, L., Ehmke, H., Eschenhagen, T., Nargeot, J., Wickman, K., Isbrandt, D., and Mangoni, M.E. (2014). Cardiac arrhythmia induced by genetic silencing of ‘funny’ (f) channels is rescued by GIRK4 inactivation. *Nat Commun* 5, 4664.

- Choe, C.-u., Nabuurs, C., Stockebrand, M.C., Neu, A., Nunes, P., Morellini, F., Sauter, K., Schillemoit, S., Hermans-Borgmeyer, I., Marescau, B., Heerschap, A., and Isbrandt, D. (2013). L-arginine:glycine amidinotransferase deficiency protects from metabolic syndrome. *Hum. Mol. Genet.* 22, 110-123.
- Choe, C.-u., Atzler, D., Wild, P.S., Carter, A.M., Böger, R.H., Ojeda, F., Simova, O., Stockebrand, M., Lackner, K., Nabuurs, C., Marescau, B., Streichert, T., Müller, C., Lüneburg, N., Deyn, P.P. de, Benndorf, R.A., Baldus, S., Gerloff, C., Blankenberg, S., Heerschap, A., Grant, P.J., Magnus, T., Zeller, T., Isbrandt, D., and Schwedhelm, E. (2013). Homoarginine levels are regulated by L-arginine:glycine amidinotransferase and affect stroke outcome: results from human and murine studies. *Circulation* 128, 1451-1461.
- Fellini, L., and Morellini, F. (2013). Mice create What-Where-When hippocampus-dependent memories of unique experiences. *J. Neurosci.* 33, 1038-1043.
- Haaker, J., Gaburro, S., Sah, A., Gartmann, N., Lonsdorf, T.B., Meier, K., Singewald, N., Pape, H.-C., Morellini, F., and Kalisch, R. (2013). Single dose of L-dopa makes extinction memories context-independent and prevents the return of fear. *Proc. Natl. Acad. Sci. U. S. A.* 110, E2428-E2436.
- Nabuurs, C.I., Choe, C.-U.U., Veltien, A., Kan, H.E., van Loon, L.J., Rodenburg, R.J., Matschke, J., Wieringa, B., Kemp, G.J., Isbrandt, D., and Heerschap, A. (2013). Disturbed energy metabolism and muscular dystrophy caused by pure creatine deficiency are reversible by creatine intake. *J. Physiol. (Lond.)* 591, 571-592.
- Prox, J., Bernreuther, C., Altmeppen, H., Grendel, J., Glatzel, M., D'Hooge, R., Stroobants, S., Ahmed, T., Balschun, D., Willem, M., Lammich, S., Isbrandt, D., Schweizer, M., Horré, K., Strooper, B. de, and Saftig, P. (2013). Postnatal disruption of the disintegrin/ metalloproteinase ADAM10 in brain causes epileptic seizures, learning deficits, altered spine morphology, and defective synaptic functions. *J. Neurosci.* 33, 12915-28, 12928a.
- Silva, C.G., Métin, C., Fazeli, W., Machado, N.J., Darmopil, S., Launay, P.-S., Ghestem, A., Nesa, M.-P., Bassot, E., Szabó, E., Baqi, Y., Müller, C.E., Tomé, A.R., Ivanov, A., Isbrandt, D., Zilberter, Y., Cunha, R.A., Esclapez, M., and Bernard, C. (2013). Adenosine receptor antagonists including caffeine alter fetal brain development in mice. *Sci. Transl. Med.* 5, 197ra104.
- Stockebrand, M., Sauter, K., Neu, A., Isbrandt, D., and Choe, C.-u. (2013). Differential regulation of AMPK activation in leptin- and creatine-deficient mice. *FASEB J.* 27, 4147-4156.
- Fellini, L., and Morellini, F. (2011). Geometric information is required for allocentric navigation in mice. *Behav. Brain Res.* 222, 380-384.
- Marger, L., Mesirca, P., Alig, J., Torrente, A., Dubel, S., Engeland, B., Kanani, S., Fontanaud, P., Striessnig, J., Shin, H.-S., Isbrandt, D., Ehmke, H., Nargeot, J., and Mangoni, M. E. (2011). Functional roles of Ca(v)1.3, Ca(v)3.1 and HCN channels in automaticity of mouse atrioventricular cells: insights into the atrioventricular pacemaker mechanism. *Channels (Austin)* 5, 251-261.
- Marger, L., Mesirca, P., Alig, J., Torrente, A., Dubel, S., Engeland, B., Kanani, S., Fontanaud, P., Striessnig, J., Shin, H.-S., Isbrandt, D., Ehmke, H., Nargeot, J., and Mangoni, M. E. (2011). Pacemaker activity and ionic currents in mouse atrioventricular node cells. *Channels (Austin)* 5, 241-250.
- Marguet, S.L. and Harris, K.D. (2011). State-dependent representation of amplitude-modulated noise stimuli in rat auditory cortex. *J Neurosci.* 31, 6414-6420.
- Neu, A., Eiselt, M., Paul, M., Sauter, K., Stallmeyer, B., Isbrandt, D., Schulze-Bahr, E. (2010). A homozygous SCN5A mutation in a severe, recessive type of cardiac conduction disease. *Hum. Mutat.* 31, E1609-1621.
- Alig, J., Marger, L., Mesirca, P., Ehmke, H., Mangoni, M.E., and Isbrandt, D. (2009). Control of heartrate by cAMP sensitivity of HCN channels. *Proc. Natl. Acad. Sci. USA* 106, 12189-12194.
- Sawallisch, C., Berhorster, K., Disanza, A., Mantoani, S., Kintscher, M., Stoenica, L., Dityatev, A., Sieber, S., Kindler, S., Morellini, F., Schweizer, M., Boeckers, T.M., Korte, M., Scita, G., and Kreienkamp, H.J. (2009). The insulin receptor substrate of 53 kDa (IRS<sub>p53</sub>) limits hippocampal synaptic plasticity. *J. Biol. Chem.* 284, 9225-9236.

## BMBF/DFG Emmy-Noether Team Developmental Neurophysiology

### Head: Ileana Hanganu-Opatz

(Group established in October 2008, since October 2013 guest group)

Andreou, C., Faber, P.L., Leicht, G., Schoettle, D., Polomac, N., Hanganu-Opatz, I.L., Lehmann, D., and Mulert, C. (2014). Resting-state connectivity in the prodromal phase of schizophrenia: Insights from EEG microstates. *Schizophr. Res.* 152, 513-520.

Bitzenhofer, S.H., and Hanganu-Opatz, I.L. (2014). Oscillatory coupling within neonatal prefrontal-hippocampal networks is independent of selective removal of GABAergic neurons in the hippocampus. *Neuropharmacology* 77, 57-67.

Chen, R., Okabe, A., Sun, H., Sharopov, S., Hanganu- Opatz, I.L., Kolbaev, S.N., Fukuda, A., Luhmann, H.J., and Kilb, W. (2014). Activation of glycine receptors modulates spontaneous epileptiform activity in the immature rat hippocampus. *J. Physiol.* 592, 2153-68

Cichon, N.B., Denker, M., Grün, S., Hanganu-Opatz, I.L. (2014). Unsupervised classification of neocortical activity patterns in neonatal and pre-juvenile rodents. *Front. Neural Circuits* 8, 50.

Brockmann, M.D., Kukovic, M., Schönfeld, M., Sedlacik, J., and Hanganu-Opatz, I.L. (2013). Hypoxia-Ischemia Disrupts Directed Interactions within Neonatal Prefrontal-Hippocampal Networks. *PLoS ONE* 8, e83074.

Krüger, H.-S., and Hanganu-Opatz, I.L. (2013). Neonatal cholinergic lesion alters the acoustic structure of infant rat vocalization but not the early cognitive development. *Dev. Psychobiol.* 55, 294-308.

Sieben, K., Röder, B., and Hanganu-Opatz, I.L. (2013). Oscillatory entrainment of primary somatosensory cortex encodes visual control of tactile processing. *J. Neurosci.* 33, 5736- 5749.

Tan, S.K.H., Hartung, H., Schievink, S., Sharp, T., and Temel, Y. (2013). High-frequency stimulation of the substantia nigra induces serotonin-dependent depression-like behavior in animal models. *Biol. Psychiatry* 73, e1-3.

Krüger, H.-S., Brockmann, M. D., Salamon, J., Ittrich, H., and Hanganu-Opatz, I.L. (2012). Neonatal hippocampal lesion alters the functional maturation of the prefrontal cortex and the early cognitive development in pre-juvenile rats. *Neurobiol. Learn. Mem.* 97, 470–481.

Brockmann, M. D., Pöschel, B., Cichon, N., and Hanganu-Opatz, I. L. (2011). Coupled oscillations mediate directed interactions between prefrontal cortex and hippocampus of the neonatal rat. *Neuron* 71, 332–347.

Janiesch, P. C., Krüger, H.-S., Pöschel, B., and Hanganu-Opatz, I. L. (2011). Cholinergic control in developing prefrontal-hippocampal networks. *J. Neurosci.* 31, 17955–17970.

Kuhlbrodt, K., Janiesch, P. C., Kevei, É., Segref, A., Barikbin, R., and Hoppe, T. (2011). The Machado-Joseph disease deubiquitylase ATX-3 couples longevity and proteostasis. *Nat. Cell Biol.* 13, 273–281.

Hanganu-Opatz, I.L. (2010). Between molecules and experience: role of early patterns of coordinated activity for the development of cortical maps and sensory abilities. *Brain Res. Rev.* 64, 160-176.

Luhmann, H.J., Kilb, W., and Hanganu-Opatz, I.L. (2009). Subplate cells: amplifiers of neuronal activity in the developing cerebral cortex. *Front. Neuroanat.* 3, 19.

Yang, J.W., Hanganu-Opatz, I.L., Sun, J.J., and Luhmann, H.J. (2009). Three patterns of oscillatory activity differentially synchronize developing neocortical networks *in vivo*. *J. Neurosci.* 29, 9011-9025.

Hanganu, I.L., Okabe, A., Lessmann, V., and Luhmann, H.J. (2009). Cellular mechanisms of subplate-driven and cholinergic-input dependent network activity in the neonatal rat somatosensory cortex. *Cerebral Cortex* 19, 89-105.

## **Research Group Development and Maintenance of the Nervous System**

### **Head: Edgar Kramer (Group established in March 2008)**

Ertürk, A., Mauch, C.P., Hellal, F., Förstner, F., Keck, T., Becker, K., Jährling, N., Steffens, H., Richter, M., Hübener, M., Kramer, E., Kirchhoff, F., Dodt, H.U., and Bradke, F. (2012). Three-dimensional imaging of the unsectioned adult spinal cord to assess axon regeneration and glial responses after injury. *Nat. Med.* 18, 166-171.

Gonzalez-Reyes, L. E., Verbitsky, M., Blesa, J., Jackson-Lewis, V., Paredes, D., Tillack, K., Phani, S., Kramer, E. R., Przedborski, S., and Kottmann, A. H. (2012). Sonic hedgehog maintains cellular and neurochemical homeostasis in the adult nigrostriatal circuit. *Neuron* 75, 306–319.

Aron, L., Klein, P., Pham, T.-T., Kramer, E.R., Wurst, W., and Klein, R. (2010). Pro-survival role for Parkinson's associated gene DJ-1 revealed in trophically impaired dopaminergic neurons. *PLoS Biol.* 8, e1000349.

Lucking, C.B., Lichtner, P., Kramer, E.R., Gieger, C., Illig, T., Dichgans, M., Berg, D., and Gasser, T. (2010). Polymorphisms in the receptor for GDNF (RET) are not associated with Parkinson's disease in Southern Germany. *Neurobiol Aging* 31, 167-168.

Saghafi, S., Becker, K., Jährling, N., Richter, M., Kramer, E.R., and Dodt, H.-U. (2010). Image enhancement in ultramicroscopy by improved laser light sheets. *J Biophotonics* 3, 686-695.

## **Research Group Synaptic Protein Networks (2001 - 2011)**

### **Head: Hans-Christian Kornau**

Bartoi, T., Rigbolt, K. T. G., Du, D., Köhr, G., Blagoev, B., and Kornau, H.-C. (2010). GABAB receptor constituents revealed by tandem affinity purification from transgenic mice. *J. Biol. Chem.* 285, 20625–20633.

Scholz, R., Berberich, S., Rathgeber, L., Kolleker, A., Köhr, G., and Kornau, H.-C. (2010). AMPA receptor signaling through BRAG2 and Arf6 critical for long-term synaptic depression. *Neuron* 66, 768–780.

Zunner, D., Deschermeier, C., and Kornau, H.-C. (2010). GABAB receptor subunit 1 binds to proteins affected in 22q11 deletion syndrome. *Biochem. Biophys. Res. Commun.* 393, 185–189.

Kornau, H.-C. (2009). Postsynaptic density/architecture at excitatory synapses. In *Encyclopedia of Neuroscience*, L.R. Squire, ed. (Oxford: Academic Press), pp. 809-815.

## **Service Group Bioanalytics**

### **Head: Sabine Hoffmeister-Ullerich**

Elakkary, S., Hoffmeister-Ullerich, S., Schulze, C., Seif, E., Sheta, A., Hering, S., Edelmann, J., and Augustin, C. (2014). Genetic polymorphism of twelve X-STRs of the investigator Argus X-12 kit and additional six X-STR centromere region loci in an Egyptian population sample. *Forensic Sci. Int. Genet.* 11, 26-30.

Yousef, S., Planas, R., Chakroun, K., Hoffmeister- Ullerich, S., Binder, T. M. C., Eiermann, T. H., Martin, R., and Sospedra, M. (2012). TCR bias and HLA cross-restriction are strategies of human brain-infiltrating JC virus-specific CD4+ T cells during viral infection. *J. Immunol.* 189, 3618–3630.

## Service Group Morphology

### Head: Michaela Schweizer

Damme, M., Brandenstein, L., Fehr, S., Jankowiak, W., Bartsch, U., Schweizer, M., Hermans- Borgmeyer, I., and Storch, S. (2014). Gene disruption of Mfsd8 in mice provides the first animal model for CLN7 disease. *Neurobiol. Dis.* 65, 12-24.

Heisler, F.F., Lee, H.K., Gromova, K.V., Pechmann, Y., Schurek, B., Ruschkies, L., Schroeder, M., Schweizer, M., and Kneussel, M. (2014). GRIP1 interlinks N-cadherin and AMPA receptors at vesicles to promote combined cargo transport into dendrites. *Proc. Natl. Acad. Sci. U.S.A.* 111, 5030-5035.

Pirone, A., Kurt, S., Zuccotti, A., Rüttiger, L., Pilz, P., Brown, D.H., Franz, C., Schweizer, M., Rust, M.B., Rübsamen, R., Friauf, E., Knipper, M., and Engel, J. (2014).  $\alpha 2\delta 3$  is essential for normal structure and function of auditory nerve synapses and is a novel candidate for auditory processing disorders. *J. Neurosci.* 34, 434-445.

Sievert, H., Pällmann, N., Miller, K.K., Hermans- Borgmeyer, I., Venz, S., Sendoel, A., Preukschas, M., Schweizer, M., Boettcher, S., Janiesch, P.C., Streichert, T., Walther, R., Hengartner, M.O., Manz, M.G., Brümmendorf, T.H., Bokemeyer, C., Braig, M., Hauber, J., Duncan, K.E., and Balabanov, S. (2014). A novel mouse model for inhibition of DOHH-mediated hypusine modification reveals a crucial function in embryonic development, proliferation and oncogenic transformation. *Dis. Model Mech.* 7, 963-976.

Rothaug, M., Zunke, F., Mazzulli, J.R., Schweizer, M., Altmeppen, H., Lüllmann-Rauch, R., Kallemeijn, W.W., Gaspar, P., Aerts, J.M., Glatzel, M., Saftig, P., Krainc, D., Schwake, M., and Blanz, J. (2014). LIMP-2 expression is critical for  $\beta$ -glucocerebrosidase activity and  $\alpha$ -synuclein clearance. *Proc. Natl. Acad. Sci. U.S.A.* 111, 15573-15578.

Beetz, C., Koch, N., Khundadze, M., Zimmer, G., Nietzsche, S., Hertel, N., Huebner, A.-K., Mumtaz, R., Schweizer, M., Dirren, E., Karle, K.N., Irintchev, A., Alvarez, V., Redies, C., Westermann, M., Kurth, I., Deufel, T., Kessels, M.M., Qualmann, B., and Hübner, C.A. (2013). A spastic paraplegia mouse model reveals REEP1-dependent ER shaping. *J. Clin. Invest.* 123, 4273-4282.

Grapp, M., Wrede, A., Schweizer, M., Hüwel, S., Galla, H.-J., Snaidero, N., Simons, M., Bückers, J., Low, P.S., Urlaub, H., Gärtner, J., and Steinfeld, R. (2013). Choroid plexus transcytosis and exosome shuttling deliver folate into brain parenchyma. *Nat. Commun.* 4, 2123.

Helmis, C., Blechner, C., Lin, H., Schweizer, M., Mayr, G.W., Nielsen, P., and Windhorst, S. (2013). Malignant H1299 tumor cells preferentially internalize iron-bound inositol hexakisphosphate. *Biosci. Rep.* 2013 Oct 22;33(5). pii: e00075. doi: 10.1042/BSR20130079.

Prox, J., Bernreuther, C., Altmeppen, H., Grendel, J., Glatzel, M., D'Hooge, R., Stroobants, S., Ahmed, T., Balschun, D., Willem, M., Lammich, S., Isbrandt, D., Schweizer, M., Horré, K., Strooper, B. de, and Saftig, P. (2013). Postnatal disruption of the disintegrin/ metalloproteinase ADAM10 in brain causes epileptic seizures, learning deficits, altered spine morphology, and defective synaptic functions. *J. Neurosci.* 33, 12915-28, 12928a.

Schipanski, A., Lange, S., Segref, A., Gutschmidt, A., Lomas, D.A., Miranda, E., Schweizer, M., Hoppe, T., and Glatzel, M. (2013). A novel interaction between aging and ER overload in a protein conformational dementia. *Genetics* 193, 865-876.

Schweizer, M., Markmann, S., Braulke, T., and Kollmann, K. (2013). Ultrastructural analysis of neuronal and non-neuronal lysosomal storage in mucolipidosis type II knock-in mice. *Ultrastruct. Pathol.* 37, 366-372.

Thies, B., Meyer-Schwesinger, C., Lamp, J., Schweizer, M., Koeller, D.M., Ullrich, K., Braulke, T., and Mühlhausen, C. (2013). Acute renal proximal tubule alterations during induced metabolic crises in a mouse model of glutaric aciduria type 1. *Biochim. Biophys. Acta* 1832, 1463-1472.

- Wintges, K., Beil, F.T., Albers, J., Jeschke, A., Schweizer, M., Claass, B., Tiegs, G., Amling, M., and Schinke, T. (2013). Impaired bone formation and increased osteoclastogenesis in mice lacking chemokine (C-C motif) ligand 5 (Ccl5). *J. Bone Miner. Res.* 28, 2070-2080.
- Zivraj, K.H., Rehbein, M., Ölschläger-Schütt, J., Schob, C., Falley, K., Buck, F., Schweizer, M., Schepis, A., Kremmer, E., Richter, D., Kreienkamp, H.-J., and Kindler, S. (2013). The RNA-binding protein MARTA2 regulates dendritic targeting of MAP2 mRNAs in rat neurons. *J. Neurochem.* 124, 670-684.
- Kollmann, K., Damme, M., Markmann, S., Morelle, W., Schweizer, M., Hermans-Borgmeyer, I., Röchert, A. K., Pohl, S., Lübke, T., Michalski, J.-C., Käkelä, R., Walkley, S. U., and Braulke, T. (2012). Lysosomal dysfunction causes neurodegeneration in mucolipidosis II 'knock-in' mice. *Brain* 135, 2661–2675.
- Miroci, H., Schob, C., Kindler, S., Ölschläger-Schütt, J., Fehr, S., Jungenitz, T., Schwarzacher, S. W., Bagni, C., and Mohr, E. (2012). Makorin ring zinc finger protein 1 (MKRN1), a novel poly(A)-binding protein-interacting protein, stimulates translation in nerve cells. *J. Biol. Chem.* 287, 1322–1334.
- Siegel, S., Wirth, S., Schweizer, M., Schmitz, N., and Zeis, M. (2012). M-phase phosphoprotein 11 is a highly immunogenic tumor antigen in patients with acute myeloid leukemia. *Acta Haematol.* 127, 193–197.
- Thelen, M., Damme, M., Schweizer, M., Hagel, C., Wong, A. M. S., Cooper, J. D., Braulke, T., and Galliciotti, G. (2012). Disruption of the autophagy-lysosome pathway is involved in neuropathology of the nclf mouse model of neuronal ceroid lipofuscinosis. *PLoS ONE* 7, e35493.
- Thelen, M., Fehr, S., Schweizer, M., Braulke, T., and Galliciotti, G. (2012). High expression of disease-related Cln6 in the cerebral cortex, purkinje cells, dentate gyrus, and hippocampal ca1 neurons. *J. Neurosci. Res.* 90, 568–574.
- Vasiljevic, M., Heisler, F. F., Hausrat, T. J., Fehr, S., Milenovic, I., Kneussel, M., and Sieghart, W. (2012). Spatio-temporal expression analysis of the calcium-binding protein calumenin in the rodent brain. *Neuroscience* 202, 29–41.
- Gal, A., Rau, I., El Matri, L., Kreienkamp, H.-J., Fehr, S., Baklouti, K., Chouchane, I., Li, Y., Rehbein, M., Fuchs, J., Fledelius, H. C., Vilhelmsen, K., Schorderet, D. F., Munier, F. L., Ostergaard, E., Thompson, D. A., and Rosenberg, T. (2011). Autosomal-recessive posterior microphthalmos is caused by mutations in PRSS56, a gene encoding a trypsin-like serine protease. *Am. J. Hum. Genet.* 88, 382–390.
- Hein, S., Müller, V., Köhler, N., Wikman, H., Krenkel, S., Streichert, T., Schweizer, M., Riethdorf, S., Assmann, V., Ihnen, M., Beck, K., Issa, R., Jänicke, F., Pantel, K., and Milde-Langosch, K. (2011). Biologic role of activated leukocyte cell adhesion molecule overexpression in breast cancer cell lines and clinical tumor tissue. *Breast Cancer Res. Treat.* 129, 347–360.
- Heisler, F. F., Loebrich, S., Pechmann, Y., Maier, N., Zivkovic, A. R., Tokito, M., Hausrat, T. J., Schweizer, M., Bähring, R., Holzbaur, E. L. F., Schmitz, D., and Kneussel, M. (2011). Muskelin regulates actin filament- and microtubule-based GABA(A) receptor transport in neurons. *Neuron* 70, 66–81.
- Marschner, K., Kollmann, K., Schweizer, M., Braulke, T., and Pohl, S. (2011). A key enzyme in the biogenesis of lysosomes is a protease that regulates cholesterol metabolism. *Science* 333, 87–90.
- Trowe, M. O., Maier, H., Petry, M., Schweizer, M., Schuster-Gossler, K., and Kispert, A. (2011). Impaired stria vascularis integrity upon loss of E-cadherin in basal cells. *Dev. Biol.* 359, 95–107.
- Wang, S., Cesca, F., Loers, G., Schweizer, M., Buck, F., Benfenati, F., Schachner, M., and Kleene, R. (2011). Synapsin I is an oligomannose-carrying glycoprotein, acts as an oligomannose-binding lectin, and promotes neurite outgrowth and neuronal survival when released via glia-derived exosomes. *J. Neurosci.* 31, 7275–7290.
- Airik, R., Trowe, M.O., Foik, A., Farin, H.F., Petry, M., Schuster-Gossler, K., Schweizer, M., Scherer, G., Kist, R., and Kispert, A. (2010). Hydroureteronephrosis due to loss of Sox9- regulated smooth muscle cell differentiation of the ureteric mesenchyme. *Hum. Mol. Genet.* 19, 4918-4929.

Weinert, S., Jabs, S., Supanchart, C., Schweizer, M., Gimber, N., Richter, M., Rademann, J., Stauber, T., Kornak, U., and Jentsch, T.J. (2010). Lysosomal Pathology and Osteopetrosis upon Loss of H+-Driven Lysosomal Cl- Accumulation. *Science* 328, 1401-1403.

Benndorf, R., Krebs, C., Hirsch-Hoffmann, B., Schwedhelm, E., Cieslar, G., Schmidt-Haupt, R., Steinmetz, O.M., Meyer-Schwesinger, C., Thaiss, F., Haddad, M., Fehr, S., Heilmann, A., Helmchen, U., Hein, L., Ehmke, H., Stahl, R.A., Böger, R.H., and Wenzel, U.O. (2009). Angiotensin II type 2 receptor deficiency aggravates renal injury and reduces survival in chronic kidney disease in mice. *Kidney Int.* 75, 1039-1049.

Hirdes, W., Napp, N., Wulfsen, I., Schweizer, M., Schwarz, J.R., and Bauer, C.K. (2009). Erg K(+) currents modulate excitability in mouse mitral/tufted neurons. *Pflugers Arch.* 459, 55-70.

Lappe-Siefke, C., Loebrich, S., Hevers, W., Waidmann, O.B., Schweizer, M., Fehr, S., Fritschy, J.M., Dikic, I., Eilers, J., Wilson, S.M., and Kneussel, M. (2009). The ataxia (axJ) mutation causes abnormal GABA<sub>A</sub> receptor turnover in mice. *PLoS Genet.* 5(9), e1000631.

Sawallisch, C., Berhöster, K., Disanza, A., Mantoani, S., Kintscher, M., Stoenica, L., Dityatev, A., Sieber, S., Kindler, S., Morellini, F., Schweizer, M., Boeckers, T.M., Korte, M., Scita, G., and Kreienkamp, H.J. (2009). The insulin receptor substrate of 53 kDa (IRSp53) limits hippocampal synaptic plasticity. *J. Biol. Chem.* 284, 9225-9236.

Steinmetz, O.M., Turner, J.E., Paust, H.J., Lindner, M., Peters, A., Heiss, K., Velden, J., Hopfer, H., Fehr, S., Krieger, T., Meyer-Schwesinger, C., Meyer, T.N., Helmchen, U., Mitträcker, H.W., Stahl, R.A., and Panzer, U. (2009). CXCR3 mediates renal Th1 and Th17 immune response in murine lupus nephritis. *J. Immunol.* 183, 4693-4704.

Wartosch, L., Fuhrmann, J.C., Schweizer, M., Stauber, T., and Jentsch, T.J. (2009). Lysosomal degradation of endocytosed proteins depends on the chloride transport protein ClC-7. *FASEB J.* 23, 4056-4068.

## Service Group Systems Biology

### Head: Christian Schulze

Bushman, J., Mishra, B., Ezra, M., Gul, S., Schulze, C., Chaudhury, S., Ripoll, D., Wallqvist, A., Kohn, J., Schachner, M., and Loers, G. (2014). Tegaserod mimics the neurostimulatory glycan polysialic acid and promotes nervous system repair. *Neuropharmacology* 79, 456-466.

Elakkary, S., Hoffmeister-Ullerich, S., Schulze, C., Seif, E., Sheta, A., Hering, S., Edelmann, J., and Augustin, C. (2014). Genetic polymorphisms of twelve X-STRs of the investigator Argus X-12 kit and additional six X-STR centromere region loci in an Egyptian population sample. *Forensic Sci Int Genet* 11, 26-30.

Rissiek, A., Schulze, C., Bacher, U., Schieferdecker, A., Thiele, B., Jacholkowski, A., Flammiger, A., Horn, C., Haag, F., Tiegs, G., Zirlik, K., Trepel, M., Tolosa, E., and Binder, M. (2014). Multidimensional scaling analysis identifies pathological and prognostically relevant profiles of circulating T-cells in chronic lymphocytic leukemia. *Int. J. Cancer* 135, 2370-2379.

Sotoud, H., Borgmeyer, U., Schulze, C., El-Armouche, A., and Eschenhagen, T. (2014). Development of phosphatase inhibitor-1 peptides acting as indirect activators of phosphatase 1. *Naunyn Schmiedebergs Arch. Pharmacol.* 2014 Nov 23

Stürner, K.H., Borgmeyer, U., Schulze, C., Pless, O., and Martin, R. (2014). A multiple sclerosis-associated variant of CBLB links genetic risk with type I IFN function. *J. Immunol.* 193, 4439-4447.

Jäger, J., Schulze, C., Rösner, S., and Martin, R. (2013). IL7RA haplotype-associated alterations in cellular immune function and gene expression patterns in multiple sclerosis. *Genes Immun.* 14, 453-461.

Lutterotti, A., Yousef, S., Sputtek, A., Stürner, K.H., Stellmann, J.-P., Breiden, P., Reinhardt, S., Schulze, C., Bester, M., Heesen, C., Schippling, S., Miller, S.D., Sospedra, M., and Martin, R. (2013). Antigen-specific tolerance by autologous myelin Peptide-coupled cells: a phase 1 trial in multiple sclerosis. *Sci. Transl. Med.* 5, 188ra75.

Werner, S., Frey, S., Riethdorf, S., Schulze, C., Alawi, M., Kling, L., Vafaizadeh, V., Sauter, G., Terracciano, L., Schumacher, U., Pantel, K., and Assmann, V. (2013). Dual roles of the transcription factor grainyhead-like 2 (GRHL2) in breast cancer. *J. Biol. Chem.* 288, 22993- 23008.

Lutterotti, A., Jelcić, I., Schulze, C., Schippling, S., Breiden, P., Mazzanti, B., Reinhardt, S., DiGioia, M., Repice, A., Massacesi, L., Sputtek, A., Salinas-Riester, G., Kroeger, N., Sospedra, M., Saccardi, R., Zander, A., and Martin, R. (2012). No proinflammatory signature in CD34+ hematopoietic progenitor cells in multiple sclerosis patients. *Mult. Scler.* 18, 1188–1192.

Sawcer, S., Hellenthal, G., Pirinen, M., Spencer, C.C.A., Patsopoulos, N.A., et al . (2011). Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. *Nature* 476, 214-219.

Christner, M., Franke, G.C., Schommer, N.N., Wendt, U., Wegert, K., Pehle, P., Kroll, G., Schulze, C., Buck, F., Mack, D., et al. (2010). The giant extracellular matrix-binding protein of *Staphylococcus epidermidis* mediates biofilm accumulation and attachment to fibronectin. *Mol Microbiol* 75, 187-207

Mishra, B., von der Ohe, M., Schulze, C., Bian, S., Makhina, T., Loers, G., Kleene, R., and Schachner, M. (2010). Functional role of the interaction between polysialic acid and extracellular histone H1. *J. Neurosci.* 30, 12400- 12413.

Makhina, T., Loers, G., Schulze, C., Ueberle, B., Schachner, M., and Kleene, R. (2009). Extracellular GAPDH binds to L1 and enhances neurite outgrowth. *Mol. Cell. Neurosci.* 41, 206-218.

Mehanna, A., Mishra, B., Kurschat, N., Schulze, C., Bian, S., Loers, G., Irintchev, A., and Schachner, M. (2009). Polysialic acid glycomimetics promote myelination and functional recovery after peripheral nerve injury in mice. *Brain* 132, 1449-1462.

## Service Group Transgenic Mouse Facility

### Head: Irm Hermans-Borgmeyer

Damme, M., Brandenstein, L., Fehr, S., Jankowiak, W., Bartsch, U., Schweizer, M., Hermans- Borgmeyer, I., and Storch, S. (2014). Gene disruption of Mfsd8 in mice provides the first animal model for CLN7 disease. *Neurobiol. Dis.* 65, 12-24

Keller, J., Catala-Lehnen, P., Huebner, A.K., Jeschke, A., Heckt, T., Lueth, A., Krause, M., Koehne, T., Albers, J., Schulze, J., Schilling, S., Haberland, M., Denninger, H., Neven, M., Hermans- Borgmeyer, I., Streichert, T., Breer, S., Barvencik, F., Levkau, B., Rathkolb, B., Wolf, E., Calzada-Wack, J., Neff, F., Gailus-Durner, V., Fuchs, H., Angelis, M.H. de, Klutmann, S., Tsourdi, E., Hofbauer, L.C., Kleuser, B., Chun, J., Schinke, T., and Amling, M. (2014). Calcitonin controls bone formation by inhibiting the release of sphingosine 1-phosphate from osteoclasts. *Nat. Commun.* 5, 5215.

Kumar, D., Freese, M., Drexler, D., Hermans-Borgmeyer, I., Marquardt, A., and Boehm, U. (2014). Murine Arcuate Nucleus Kisspeptin Neurons Communicate with GnRH Neurons *In Utero*. *J. Neurosci.* 34, 3756-3766.

Oetjen, S., Mahlke, C., Hermans-Borgmeyer, I., and Hermey, G. (2014). Spatiotemporal expression analysis of the growth factor receptor SorCS3. *J. Comp. Neurol.* 522, 3386-402.

Sievert, H., Pällmann, N., Miller, K.K., Hermans- Borgmeyer, I., Venz, S., Sendoel, A., Preukschas, M., Schweizer, M., Boettcher, S., Janiesch, P.C., Streichert, T., Walther, R., Hengartner, M.O., Manz, M.G., Brümmendorf, T.H., Bokemeyer, C., Braig, M., Hauber, J., Duncan, K.E., and Balabanov, S. (2014). A novel mouse model for inhibition of DOHH-mediated hypusine modification reveals a crucial function in embryonic development, proliferation and oncogenic transformation. *Dis. Model Mech.* 7, 963-976.

Choe, C.-u., Nabuurs, C., Stockebrand, M.C., Neu, A., Nunes, P., Morellini, F., Sauter, K., Schillemoit, S., Hermans-Borgmeyer, I., Marescau, B., Heerschap, A., and Isbrandt, D. (2013). L-arginine:glycine amidinotransferase deficiency protects from metabolic syndrome. *Hum. Mol. Genet.* 22, 110-123.

Hornig, J., Fröb, F., Vogl, M.R., Hermans-Borgmeyer, I., Tamm, E.R., and Wegner, M. (2013). The transcription factors Sox10 and Myrf define an essential regulatory network module in differentiating oligodendrocytes. *PLoS Genet.* 9, e1003907.

Nolan, L.S., Maier, H., Hermans-Borgmeyer, I., Girotto, G., Ecob, R., Pirastu, N., Cadge, B.A., Hübner, C., Gasparini, P., Strachan, D.P., Davis, A., and Dawson, S.J. (2013). Estrogen-related receptor gamma and hearing function: evidence of a role in humans and mice. *Neurobiol. Aging* 34, 2077.e1-9.

D'Orlando, O., Zhao, F., Kasper, B., Orinska, Z., Müller, J., Hermans-Borgmeyer, I., Griffiths, G. M., Zur Stadt, U., and Bulfone-Paus, S. (2012). Syntaxin 11 is required for NK and CD8(+) T-cell cytotoxicity and neutrophil degranulation. *Eur. J. Immunol.* 43, 1–15.

Kollmann, K., Damme, M., Markmann, S., Morelle, W., Schweizer, M., Hermans-Borgmeyer, I., Röchert, A. K., Pohl, S., Lübke, T., Michalski, J.-C., Käkelä, R., Walkley, S. U., and Bräulke, T. (2012). Lysosomal dysfunction causes neurodegeneration in mucolipidosis II 'knock-in' mice. *Brain* 135, 2661–2675.

Küspert, M., Weider, M., Müller, J., Hermans-Borgmeyer, I., Meijer, D., and Wegner, M. (2012). Desert hedgehog links transcription factor Sox10 to perineurial development. *J. Neurosci.* 32, 5472–5480.

Schneppenheim, J., Dressel, R., Hüttl, S., Lüllmann-Rauch, R., Engelke, M., Dittmann, K., Wienands, J., Eskelinen, E.-L., Hermans-Borgmeyer, I., Flührer, R., Saftig, P., and Schröder, B. (2012). The intramembrane protease SPPL2a promotes B cell development and controls endosomal traffic by cleavage of the invariant chain. *J. Exp. Med.* 210, 41–58.

Voigt, A., Hübner, S., Lossow, K., Hermans-Borgmeyer, I., Boehm, U., and Meyerhof, W. (2012). Genetic labeling of Tas1r1 and Tas2r131 taste receptor cells in mice. *Chem. Senses* 37, 897–911.

Bannas, P., Scheuplein, F., Well, L., Hermans-Borgmeyer, I., Haag, F., and Koch-Nolte, F. (2011). Transgenic overexpression of toxin-related ecto-ADP-ribosyltransferase ART2.2 sensitizes T cells but not B cells to NAD-induced cell death. *Mol. Immunol.* 48, 1762–1770.

Shin, J.D., Bossenz, M., Chung, Y., Ma, H., Byron, M., Taniguchi-Ishagaki, N., Zhu, X., Jiao, B., Hall, L.L., Green, M.R., Jones, S.N., Hermans-Borgmeyer, I., Lawrence, J.B., and Bach, I. (2010). Maternal Rnf12/RLIM is required for imprinted X-chromosome inactivation in mice. *Nature* 467, 977–981.