

Publikationen 2013

Klinik und Poliklinik für diagnostische Radiologie
Univiersitätsklinikum Hamburg-Eppendorf

Originalien

Avanesov M, Karul M, Lund G. The penumbra of the heart in MRI. *Radiologe*. 2013, 53, 300-301

Avanesov M, Karul M. Non-invasive cardiac diagnostics prior to minimally invasive therapy. *Radiologe*. 2013, 53, 492-493

Avanesov M, Karul M. Importance of multiparametric MRI with respect to seminal vesicle infiltration in prostate cancer. *Radiologe*. 2013, 53, 664-666

Bannas P, Jung C, Blanke P, Treszl A, Derlin T, Adam G, Bley TA. Severe aortic arch calcification depicted on chest radiography strongly suggests coronary artery calcification. *Eur Radiol*. 2013 Oct;23(10):2652-7.

Bannas P, Adam G, Bley TA. Instructions for original radiological research manuscripts. *Rofo*. 2013 Jun;185(6):533-8.

Bannas P, Fraedrich K, Treszl A, Bley TA, Herrmann J, Habermann CR, Derlin T, Henes FO, Wenzel U, Adam G, Yamamura J. Shiga toxin-producing *E. coli* O104:H4 outbreak 2011 in Germany: radiological features of enterohemorrhagic colitis. *Rofo*. 2013 May;185(5):434-9.

Buhk JH, Laqmani A, von Schultendorff HC, Hammerle D, Sehner S, Adam G, Fiehler J, Nagel HD, Regier M. Intraindividual evaluation of the influence of iterative reconstruction and filter kernel on subjective and objective image quality in computed tomography of the brain. *Rofo*. 2013 Aug;185(8):741-8. doi: 10.1055/s-0033-1335937. Epub 2013 Jul 30.

Derlin T, Tornquist K, Münster S, Apostolova I, Hagel C, Friedrich RE, Wedegärtner U, Mautner VF. Comparative effectiveness of F-18 FDG PET/CT versus whole-body MRI for detection of malignant peripheral nerve sheath tumors in neurofibromatosis type 1. *Clin Nucl Med*. 38 (2013):e19-25

Derlin T, Busch JD, Habermann CR. Tc-99m MDP SPECT/CT for assessment of condylar hyperplasia. *Clin Nucl Med*. 38 (2013):e48-49

Derlin T, Clauditz TS, Bannas P. Glioblastoma multiforme metastatic to the bone: diagnosis by F 18 sodium fluoride PET/CT. *Clin Nucl Med*. (2013): [Epub ahead of print]

Derlin T, Clauditz TS, Bannas P. F-18 FDG PET/CT for staging and detection of extramedullary organ involvement in chronic myelomonocytic leukemia. *Clin Nucl Med*. (2013): [Epub ahead of print]

Ernst TM, Schwinge D, Raabe N, Daubmann A, Kaul MG, Adam G, Schramm C, Ittrich H. Imaging of the murine biliopancreatic tract at 7 tesla: Technique and results in a model of primary sclerosing cholangitis. *J Magn Reson Imaging*. 2013 Nov 13. doi: 10.1002/jmri.24475.

Groth M, Bannas P, Regier M, Buhk JH, Müllerleile K, Adam G, Henes FO. Precision of pulmonary vein diameter measurements assessed by CE-MRA and steady-state-free precession imaging. *Eur Radiol* (2013) 1546-1552

Groth M, Much C, Fiehler J. Manifestation of acute Leriche syndrome as cauda equina syndrome. *Fortschr Röntgenstr* (2013) 375-376

Henes FO, Groth M, Kramer H, Schaefer C, Regier M, Derlin T, Adam G, Bannas P. Detection of occult vertebral fractures by quantitative assessment of bone marrow attenuation values at MDCT. *Eur J Radiol*. 2013 Sep 25. pii: S0720-048X(13)00513-5. doi: 10.1016/j.ejrad.2013.09.015. [Epub ahead of print]

Henes FO, Arndt F. Case Report: Pseudomalignant proliferating inflammation in granulomatosis with polyangiitis (Wegener's granulomatosis). *Z Rheumatol*. 2013 May; 72(4):398-9. doi: 10.1007/s00393-013-1175-0.

Herrmann J, Herden U, Ganschow R, Petersen KU, Schmid F, Derlin T, Koops A, Peine S, Sterneck M, Fischer L, Helmke K. Transcapsular arterial neovascularization of liver transplants increases the risk of intraoperative bleeding during retransplantation. *Transpl Int*. 2013 Apr;26(4):419-27. doi: 10.1111/tri.12062. Epub 2013 Jan 25.

Herrmann J, Schoennagel BP, Roesch M, Busch JD, Derlin T, Doh LK, Petersen KU, Graessner J, Adam G, Habermann CR. Diffusion-weighted imaging of the healthy pancreas: ADC values are age and gender dependent. *J Magn Reson Imaging*. 2013 Apr;37(4):886-91. doi: 10.1002/jmri.23871. Epub 2012 Oct 19.

Ittrich H, Klutmann S, Adam G. [Intrapancreatic accessory spleen - an important differential diagnosis of primary pancreatic tail neoplasia]. *Rofo* (2013) 185: 269-272.

Ittrich H, Peldschus K, Raabe N, Kaul M, Adam G. Superparamagnetic Iron Oxide Nanoparticles in Biomedicine: Applications and Developments in Diagnostics and Therapy. *Rofo* (2013) 185: 1149-1166.

Jung C, Kaul MG, Bruns OT, Ducic T, Freund B, Heine M, Reimer R, Meents A, Salmen SC, Weller H, Nielsen P, Adam G, Heeren J, Ittrich H. Intraperitoneal Injection Improves the Uptake of Nanoparticle Labeled HDL to Atherosclerotic Plaques Compared to Intravenous Injection: A Multimodal Imaging Study in ApoE^{-/-} Mice. *Circ Cardiovasc Imaging* 2013 Dec 19. [Epub ahead of print]

Karul M, Bannas P, Schoennagel BP, Hoffmann A, Wedegaertner U, Adam G, Yamamura J. Fractures of the thoracic spine in patients with minor trauma: comparison of diagnostic accuracy and dose of biplane radiography and MDCT. *Eur J Radiol* 8 (2013): 1273 - 1277

Karul M, Avanesov M, Schoennagel BP, Heumann A, Keller S, Veldhoen S, Hessler C, Adam G, Yamamura J. Computed tomography in adults with atypical clinical presentation of acute appendicitis: comparison of findings with inflammatory serum markers. *Gastroenterol Intest Syst* 1 (2013): 1 <http://dx.doi.org/10.7243/2054-4154-1-1>

Klink T, Simon P, Knopp C, Ittrich H, Fischer L, Adam G, Koops A. Liver Remnant Regeneration in Donors After Living Donor Liver Transplantation: Long-Term Follow-Up Using CT and MR Imaging. *Rofo*. 2013 Dec 17. [Epub ahead of print]

Klink T, Holle J, Laudien M, Henes FO, Moosig F, Platzek C, Adam G, Gross WL, Bley TA. Magnetic resonance imaging in patients with granulomatosis with polyangiitis (Wegener's) and subglottic stenosis. *MAGMA*. 2013 Jun;26(3):281-90. doi: 10.1007/s10334-012-0351-6. Epub 2012 Oct 20.

Laqmani A, Buhk JH, Henes FO, Klink T, Sehner S, von Schultendorff HC, Hemmerle D, Nagel HD, Adam G, Regier M. Impact of a 4th generation iterative reconstruction technique on image quality in low-dose computed tomography of the chest in immunocompromised patients. *Fortschr. Röntgenstr.* (2013). Epub 2013 Jun 7

Much CC, Schoennagel BP, Yamamura J, Buchert R, Kooijman H, Schätzle AK, Adam G, Wedegaertner U. Diffusion-weighted MR imaging of fetal lung maturation in sheep: effect of prenatal cortisone administration on ADC values. *Eur Radiol*. 2013 Jul;23(7):1766-72.

Peldschus K, Salamon J, Wicklein D, Lange C, Ittrich H, Adam G, Schumacher U. Interaction of magnetically labeled multipotent mesenchymal stem cells and E- and P-selectins monitored by magnetic imaging in mice. *Mol Imaging*. 2013 Mar-Apr;12(2):100-10.

Remus CC, Sedlacik J, Wedegaertner U, Arck P, Hecher K, Adam G, Forkert ND. Application of the steepest slope model reveals different perfusion territories within the mouse placenta. *Placenta*. 2013 Oct;34(10):899-906.

Salamon J, Veldhoen S, Apostolova I, Bannas P, Yamamura J, Herrmann J, Friedrich RE, Adam G, Mautner VF, Derlin T; 18F-FDG PET/CT for detection of malignant peripheral nerve sheath tumours in neurofibromatosis type 1: tumour-to-liver ratio is superior to an SUVmax cut-off. *Eur Radiol*. 2013 Oct 5.

Schoennagel BP, Remus CC, Yamamura J, Kording F, Tavares de Sousa M, Hecher K, Fischer R, Ueberle F, Boehme M, Adam G, Kooijman H, Wedegaertner U. Fetal blood flow velocimetry by phase-contrast MRI using a new triggering method and comparison with Doppler ultrasound in a sheep model: a pilot study. *MAGMA* (2013) DOI 10.1007/s10334-013-0397-0

Schönnagel BP, Fischer R, Nielsen P, Grosse R, Adam G, Yamamura J. Iron quantification in iron overload disease using MRI. *RöFo* 185(7) (2013):621-627

Schönnagel BP, Adam G, Ittrich H. Spontaneous pneumomediastinum after cocaine abuse. *RöFo*185(4) (2013): 371-373

Veldhoen S, Stark V, Mueller GC, Derlin T, Bley TA, Weil J, Mir TS. Pediatric Patients with Marfan Syndrome: Frequency of Dural Ectasia and its Correlation with Common Cardiovascular manifestations. *Rofo*. (2013): [Epub ahead of print]

in Kooperation mit anderen Kliniken

Bandi P, Zsoter N, Wirth A, Luetzen U, Derlin T, Papp L. New workflows and algorithms of bone scintigraphy based on SPECT-CT. *Conf Proc IEEE Eng Med Biol Soc*. 2012 (2012):5971-5974

Diepenbruck I, Much CC, Krumbholz A, Kolster M, Thieme R, Thieme D, Diepenbruck S, Solano ME, Arck PC, Tolosa E. Effect of prenatal steroid treatment on the developing immune system. *J Mol Med (Berl)*. 2013 Nov;91(11):1293-302. doi: 10.1007/s00109-013-1069-2. Epub 2013 Jul 14.

Gebauer F, Wicklein D, Stübke K, Nehmann N, Schmidt A, Salamon J, Peldschus K, Nentwich MF, Adam G, Tolstonog G, Bockhorn M, Izbicki JR, Wagener C, Schumacher U. Selectin binding is essential for peritoneal carcinomatosis in a xenograft model of human pancreatic adenocarcinoma in pfp--/rag2-- mice. *Gut*. 2013 May;62(5):741-50.

Groth M, Much C, Fiehler J. Manifestation of acute Leriche syndrome as cauda equina syndrome. *Rofo*. 2013 Apr;185(4):375-6. doi: 10.1055/s-0032-1330431. Epub 2013 Feb 25.

Helk E, Bernin H, Ernst T, Ittrich H, Jacobs T, Heeren J, Tacke F, Tannich E, Lotter H. TNF#- Mediated Liver Destruction by Kupffer Cells and Ly6Chi Monocytes during Entamoeba histolytica Infection. *PLoS Pathog* 9(1) (2013): e1003096. doi:10.1371/journal.ppat.1003096.

Janning M, Holstein K, Spath B, Schnabel C, Bannas P, Bokemeyer C, Langer F. Relevant bleeding diathesis due to acquired factor XIII deficiency. *Hamostaseologie*. 2013 Oct 30;33 Suppl 1:S50-4.

Janssen T, Bannas P, Herrmann J, Veldhoen S, Busch JD, Treszl A, Münster S, Mester J, Derlin T. Association of linear ¹⁸F-sodium fluoride accumulation in femoral arteries as a measure of diffuse calcification with cardiovascular risk factors: A PET/CT study. *J Nucl Cardiol*. 20 (2013):569-577

Münster S, Zustin J, Derlin T. Atypical mycobacteriosis caused by mycobacterium haemophilum in an immunocompromised patient: diagnosis by (18)F-FDG PET/CT. *Clin Nucl Med*. 38 (2013):e194-195.

Muellerleile K, Groth M, Steven D, Hoffmann BA, Saring D, Radunski UK, Lund GK, Adam G, Rostock T, Willems S. Cardiovascular magnetic resonance demonstrates reversible atrial dysfunction after catheter ablation of persistent atrial fibrillation. *J Cardiovasc Electrophysiol*. (2013) 762-7

Püschel K, Jopp E, Gehl A, Krebs O, Paradowski I, Fuhrmann A, Yamamura J, Karul M, Stöckel U, Bär J, Germer R. "Fake" aus Norddeutschland statt ägyptischer Mumie. *Rechtsmedizin* (2013): DOI 10.1007/s00194-013-0925-2

Schüttertrumpf JP, Behzadi C, Balcarek P, Walde TA, Frosch S, Wachowski MM, Stürmer KM, Frosch KH. Radiologically Hyperdense Zones of the Patella Seem to Be Partial Osteonecroses Subsequent to Fracture Treatment. *J Knee Surg*. 2013 Feb 26 [Epub ahead of print]

Wisotzki C, Friese M, Ehresmann J, Derlin T. Esophageal Metastasis From Papillary Thyroid Cancer: Diagnosis by ¹³¹I SPECT/CT. *Clin Nucl Med*. 39 (2014):e73-74

Wisotzki C, Jacobsen F, Salamon J, Derlin T. Synchronous ileocecal neuroendocrine tumor (NET) and carotid chemodectoma: diagnosis by In-111 pentetreotide SPECT/CT. *Clin Nucl Med*. (2013); [Epub ahead of print]

Editorials

Heindel W, Adam G, Hamm B, Schild HH, Schiller U. [A game without rules: the impact factor system]. *Rofo*. 2013 Aug;185(8):697-8. doi: 10.1055/s-0033-1350348. Epub 2013 Jul 30.

Buchbeiträge

Avanesov M, Karul M, Yamamura J. Radiologische Untersuchung der Knochenfunde aus dem Jahre 1963 im Watt vor Norderoog mittels Computertomografie. In: Püschel K, Jopp E, Schultz M (Hrsg.) *Knochenfunde im Wattenmeer*. Hamburg 2013, Dr. Kovac: 41-44.

Avanesov M. Outcome der MitraClip® Therapie der ersten 104 Patienten am UKE: Evaluation der Sicherheit und Effizienz der neuen Methode anhand klinischer Parameter bei einem 12-monatigen Follow-up, Südwestdeutscher Verlag für Hochschulschriften 2013. ISBN: 978-3-8381-3713-1.

Karul M, Avanesov M, Yamamura J. Radiologische Untersuchung der Knochenfunde aus dem Jahre 1963 im Watt vor Norderoog mittels Computertomografie. In: Püschel K, Jopp E, Schultz M (Hrsg.) *Knochenfunde im Wattenmeer*. Hamburg (2013), Dr. Kovac: 41-44

Peldschus K, Ittrich H. Magnetic Resonance Imaging of Metastases in Xenograft Mouse Models of Cancer. In: Dwreg M, Brooks SA, Schumacher U, eds. *Metastasis Research Protocols Humana Press*, 2013; 250.

Remus C, Milos I, Wedegärtner U. *Ultraschalldiagnostik in Geburtshilfe und Gynäkologie Kap.17: Fetale Magnetresonanztomographie*. Springer Verlag ISBN 978-3-642-29633-8

Remus C, Arck P. The Guide to Investigation of Mouse Pregnancy. Chapter 6: Magnetic Resonance Imaging of the Mouse Placenta. Elsevier, In press

Salamon J, Peldschus K; Ultrasound-guided intracardial injection and in vivo magnetic resonance imaging of single cells in mice as a paradigm for hematogenous metastases. *Methods Mol Biol.* 2014;1070:203-11. doi: 10.1007/978-1-4614-8244-4_15.

Vorträge mit publiziertem Abstract

Bannas P, Kunick V, Lenz A, Haag F, Ittrich H, Adam G, Koch-Nolte F. Vergleich von CD38-spezifischen Nanobodies und konventionellen Antikörpern für die Nah-Infrarot-Fluoreszenz Bildgebung von Lymphomen in vivo. *Fortschr Röntgenstr (Supplement 1) 2013 April; Volume 185*

Bannas P, Lenz A, Kunick A, Well L, Danquah W, Haag F, Trepel M, Adam G, Ittrich H, Nolte F. Comparison of nanobodies and conventional monoclonal antibodies for in vivo fluorescence imaging of lymphomas. *ECR 2013 Book of Abstracts (2013) Insights Imaging 4: Suppl 1.*

Behzadi C, Karul M, Henes FO, Catala-Lehnen P, Lehmann W, Nagel HD, Adam G, Regier M. Comparison of Plain Film Radiography and MDCT in Suspected Fractures of the Scaphoid: Re-evaluation of Imaging Algorithm in Daily Practice. *RSNA 2013*

Busch JD, Treszl A, Säring D, J. Bier, Adam G, Habermann CR. Non-invasive Differenzierung primärer Tumoren der Gl. parotidea: Verbessert die Kombination Perfusions- und Diffusions-gewichteter MR-Sequenzen die diagnostische Genauigkeit? *Fortschr Röntgenstr 2013, 185 Suppl.*

Busch JD, Mahler C, Habermann CR, Koops A, Adam G, Ittrich H. Mechanical failure with a radiologically placed totally implantable central venous arm port system. *RSNA 2013.*

Christiansen S, Kaul MG, Ittrich H, Adam G, Jung C. Quantifying progression and regression of atherosclerosis in ApoE^{-/-} mice using Gadospin F at 7T MRI: Comparison to en face measurements. (WP59) *Molekulare Bildgebung Meeting Programm 2013*

Derlin T, Salamon J, Bannas P, Busch JD, Herrmann J, Hagel C, Friedrich RE, Adam G, Mautner NF. Intratumorale Heterogenität der Traceraufnahme in der F-18 FDG PET/CT als Charakteristikum maligner peripherer Nervenscheidentumore bei Patienten mit Neurofibromatose Typ 1. *Fortschr Röntgenstr. 2013, 185 Suppl*

Derlin T, Salamon J, Bannas P, Busch JD, Münster S, Klutmann S, Herrmann J, Hagel C, Mautner NF. Evaluation der intratumoralen Heterogenität in der F-18 FDG PET/CT zur Charakterisierung peripherer Nervenscheidentumore bei Patienten mit Neurofibromatose Typ 1. *Nuklearmedizin. 2013;53:A67.*

Ernst TM, Raabe N, Schwinge D, Schramm C, Kaul MG, Adam G, Ittrich H. MRCP im Mausmodell bei 7 T - Vergleich von 2D und 3D Spin-Echo-Techniken. *Fortschr Röntgenstr 2013, 185 Suppl*

Ernst TM, Schwinge D, Raabe N, Daubmann A, Kaul MG, Adam G, Schramm C, Ittrich H. Präklinische MRCP bei 7.0 T: Gallengangsdarstellung in einem Mausmodell der primär sklerosierenden Cholangitis (PSC). *Jahrestagung der Deutschen Sektion ISMRM 16 (Konferenzband) (2013): 40 - 41.*

Henes FO, Bannas P, Regier M, Buhk JH, Muellerleile K, Adam G, Groth M. Precision of Pulmonary Vein Diameter Measurements assessed by CE-MRA and Steady-State-Free Precession (SSFP) Imaging. *ESR, Insights into Imaging, March 2013, Volume 4, Issue 1 Supplement, p 230.*

Henes FO, Groth M, Regier M, Adam G, Bannas P. Detektion von Markraumödeme durch Bestimmung der Knochenmarksdichte mittels HU-Messungen in der MDCT zum Nachweis okkulten Wirbelkörperfrakturen. Fortschr Röntgenstr 2013, 185 Suppl, S173.

Henes FO, Groth M, Regier M, Adam G, Bannas P. Detection of occult vertebral fractures by quantitative assessment of bone marrow attenuation values at MDCT. Radiology 263 (Supplements) 2013, 263.

Ittrich H, Bruns O, Bartelt A, Peldschus K, Kaul MG, Adam G, Heeren J. Verteilung und Metabolismus von Triglyzerid-reichen Lipoproteinen: Echtzeit-MR-Bildgebung mittels SPIO-markierter TRL bei 3T. Fortschr Röntgenstr 2013, 185 Suppl - VO306.3

Ittrich H, Heeren J, Herkel J, Merkel M, Peldschus K, Adam G. MR Quantifizierung von Leberlipiden nach partieller Hepatektomie im Mausmodell bei 3T. Fortschr Röntgenstr 2013, 185 Suppl - VO402.2

Ittrich H, Lange C, Tögel F, Dahnke H, Zander AR, Westenfelder C, Adam G, Nolte-Ernsting C. MRI of SPIO-labeled mesenchymal stem cells in an animal model of acute renal failure at a clinical 3T system. Proceedings of the International Workshop on Magnetic Particle Imaging, (2013): ID 45

Ittrich H, Bruns OT, Bartelt A, Peldschus K, Kaul MG, Tromsdorf U, Adam G, Heeren J. In-vivo MR imaging of lipoprotein distribution und metabolism using SPIO-labeled lipoproteins at 3T. Proceedings of the International Workshop on Magnetic Particle Imaging, (2013): ID 44

Jung C, Ittrich H, Kaul MG, Ducic T, Bruns OT, Freund B, Heeren J, Adam G. Multimodal imaging of atherosclerotic plaques by using SPIO and quantum Dot labelled high density lipoproteins in ApoE-/- Mice. DOI: 10.1007/ecr2013/ B-1000

Jung C, Ittrich H, Kaul MG, Heine M, Ducic T, Adam G. Einsatz von Gadospin F zur Diagnose und Monitoring von Atherosklerose mittels MRT in ApoE-/- Mäusen. Fortschr Röntgenstr 2013, 185, Suppl - VO101_4; DOI: 10.1055/s-0033-1346204

Jung C, Christiansen S, Kaul M, Heine M, Ittrich H, Adam G. A volumetric method for quantifying progression and regression of atherosclerosis in ApoE-/- mice using Gadospin F at 7T MRI: Comparison to en face measurements. World Molecular Imaging Congress Meeting Program 2013

Jung C, Freund B, Heine M, Kaul MG, Adam G, Heeren J, Ittrich H. Visualisation and Quantification of brown adipose tissue activity at 7T MRI using ⁵⁹Fe labeled Triglyceride-rich lipoproteins. World Molecular Imaging Congress Meeting Program 2013

Jung C, Freund B, Heine M, Kaul MG, Adam G, Heeren J, Ittrich H. Quantitative activity measurements of brown adipose tissue at 7T MRI by Application of ⁵⁹Fe labeled Triglyceride-rich lipoproteins. (WV60) Molekulare Bildgebung Meeting Programm 2013

Jung C, Freund B, Heine M, Kaul MG, Adam G, Heeren J, Ittrich H. Application of ⁵⁹Fe labeled Triglyceride-rich lipoproteins for quantitative activity measurements of brown adipose tissue at 7T MRI. (abstr). Radiological Society of North America scientific assembly and annual meeting program. Oak Brook, Ill: Radiological Society of North America, 2013.

Karul M, Bannas P, Schoennagel BP, Hoffmann A, Adam G, Yamamura J. Fractures of the thoracic spine in patients with minor trauma: comparison of diagnostic accuracy and dose of biplane radiography and MDCT. DOI 10.1594/ecr2013/ C-0102 (elektronische Lehrausstellung)

Karul M, Bannas P, Schönagel BP, Wedegärtner U, Adam G, Yamamura J. Wertigkeit der MDCT bei der Diagnose einer Appendizitis bei Erwachsenen mit atypischer Klinik. Fortschr Röntgenstr (2013): 185 -VO207_2; DOI 10.1055/s-0033-1346299

Karul M, Bannas P, Schoennagel BP, Hoffmann A, Adam G, Yamamura J. Thoracic spine fractures in patients with minor trauma: is the conventional x-ray necessary? RSNA (2013), Chicago VSER21-04

Kaul MG, Galler S, Habermann CR, Adam G, Hermann J. Influence of the choice of b-values and fitting constrains on the calculation of f-maps by intravoxel incoherent motion in human healthy kidneys. European Congress of Radiology (2013). <http://dx.doi.org/10.1594/ecr2013/C-1927>

Kaul MG, Konietzke P, Adam G. Automatisierung einer Region Of Interest (ROI) basierten Auswerteprozedur von parametrischen Bildern mittels ImageJ und R. Jahrestagung des Interdisziplinären Netzwerkes Molekulare Bildgebung (2013). L15: 32

Kaul MG, Adam G. Quantitative analysis of MRI data with ImageJ. World Molecular Imaging Congress (2013). P267: 71.

Kaul MG, Adam G. Updated qMapIt, an ImageJ-plugin, for quantitative multi-parametric analysis. ESMRMB, 30th Annual Scientific Meeting (2012), Meeting Guide Nr. 703: 148

Kaul MG, Galler S, Habermann C, Adam G, Hermann J. Intravoxel incoherent motion in human healthy kidneys: Influence of the choice of b-values and fitting constrains. ESMRMB, 30th Annual Scientific Meeting (2012), Meeting Guide Nr. 247: 74

Koops A, Bradford BT, Schroeder D, Krautschneider WH, Adam G, Buhk JH: An integrated stentgraft for noninvasive 4-dimensional aneurysm sac pressure monitoring after endovascular aortic aneurysm repair (EVAR): First in vivo results in a porcine model. J Vasc Interv Radiol 24 (Suppl 4S) (2013) S176

Koops A, Simon P, Ittrich H, Fischer L, Klink T, Adam GB: Liver Remnant Regeneration in Donors after Living Donor Liver Transplantation: Long-term Follow-up Using CT and MR Imaging. Radiology 269 (Suppl) (2013) S207

Kording F, Schoennagel B, Much C, Ueberle F, Kooijman H, Yamamura J, Adam G, Wedegaertner U. MRT-Herzbildgebung mit neuem Triggervorverfahren: MR kompatibles Doppler Ultraschall Gerät im Vergleich zum EKG. Fortschr Röntgenstr 2013;185(S 01):VO206_202.

Kording F, Yamamura J, Much C, Adam G, Schoennagel B, Wedegärtner U, Ueberle F. Evaluation of an MR Compatible Doppler-Ultrasound Device as a New Trigger Method in Cardiac MRI: A Quantitative Comparison to ECG. Biomedical Engineering/Biomedizinische Technik 2013;58 DOI: 10.1515/bmt-2013-4267 2013.

Kording F, Wedegaertner U, Forkert N, Sedlacik J, Gerhard A, Much C. Time to Peak Based Differentiation of Functional Placental Compartments in the Mouse Model. Proc 21th Annual Meeting ISMRM, Salt Lake City; 2013 (abstract 3057)

Kording F, Schoennagel B, Much C, Ueberle F, Kooijmann H, Yamamura J, Wedegaertner U. MR Compatible Doppler-Ultrasound Device to Trigger the Heart Frequency in Cardiac MRI: Comparison to ECG. Proc 21th Annual Meeting ISMRM, Salt Lake City; 2013 (abstract 1421)

Kording F, Yamamura J, Much C, Adam G, Schoennagel B, Ueberle F, Wedegaertner U. Evaluation of an MR compatible Doppler ultrasound device as a new trigger method in cardiac MRI: a quantitative comparison. Deutsche Sektion ISMRM, Freiburg (2013)

Koziolek EJ, Apostolova I, Tarkowska A, Brenner W, Schumacher U, Adam G, Kaul, MG In vivo Bildgebung der NIS-Induktion in NIS-negativen extrathyreoidalen Tumoren nach Behandlung mit all-trans Retinolsäure und Dexamethason. Fortschr Röntgenstr 2013, 185: Suppl Seite 150

Kozioliek EJ, Apostolova I, Tarkowska A, Brenner W, Schumacher U, Adam G, Kaul, MG. In vivo Bildgebung der NIS-Induktion in NIS-negativen extrathyreoidalen Tumoren nach Behandlung mit all-trans Retinolsäure und Dexamethason Nuklearmedizin 2013; Vol. 52:2, Seite A25

Kozioliek EJ, Apostolova I, Tarkowska A, Brenner W, Schumacher U, Adam G, Kaul, MG. Improving current preclinical therapy monitoring methods by multiparametric MR using a hNIS-expressing tumour xenograft mouse model. Insights Imaging (2013) 4 (Suppl 1)

Kozioliek EJ, Apostolova I, Tarkowska A, Brenner W, Schumacher U, Adam G, Kaul, MG. Evaluation of preclinical, multimodal therapy monitoring based on multiparametric MR using a hNIS- expressing tumour xenograft mouse model. book of abstracts, 7th Winterkonferenz der European Society for Molecular Imaging

Kozioliek EJ, Apostolova I, Brenner W, Adam G, Kaul, MG, Schumacher U. In vivo monitoring of NIS induction and tumor phenotyping of extrathyroidal tumor models Radiological Society of North America (RSNA) 98th Scientific Assembly and Annual Meeting 2013 Oak Brook, Ill: Radiological Society of North America, 2013

Kozioliek EJ, Apostolova I, Brenner W, Adam G, Kaul, MG, Schumacher U. In vivo monitoring of NIS induction and tumor phenotyping of extrathyroidal tumor models . World Molecular Imaging Congress Meeting Program 2013

Kunick V, Lenz A, Königsdorf J, Ittrich H, Adam G, Haag F, Koch-Nolte F, Bannas P. Comparison of nanobodies and monoclonal antibodies against CD38 for in vivo near-infrared fluorescence imaging of lymphomas. 2013 European Congress of Molecular Imaging (EMIM), Turin, Italien

Laqmani A, Regier M, Veldhoen S, Backhaus A, Wassenberg F, Sehner S, Nagel HD, Adam G, Henes FO. Impact of a hybrid iterative reconstruction technique on image quality of low dose 80 kV CT pulmonary angiography. Radiological Society of North America, 2013. <http://rsna2013.rsna.org>

Laqmani A, Klink T, Quitzke M, Credner D, Adam G, Lund G. Accuracy of coronary plaque detection using an automatic plaque analysis software in coronary CT angiography. Radiological Society of North America, 2013. <http://rsna2013.rsna.org>

Laqmani A, Klink T, Quitzke M, Credner D, Adam G, Lund G. Interobserver variability of coronary plaque quantification using an automatic plaque analysis software. Radiological Society of North America, 2013. <http://rsna2013.rsna.org>

Lund, G. 2D in der klinischen Routine Fortschr Röntgenstr 2013, 185 Suppl

Lund, G; Avanesov, M; Säring, D; Bannas, P; Müllerleile, K; Cürlis, J; Barz, D; Adam, G Evaluation eines neuen Algorithmus zur quantitativen Vermessung von Infarktgrößen bei Patienten mit akutem und chronischem Myokardinfarkt unter Verwendung der kardialen Magnetresonanztomografie. Fortschr Röntgenstr 2013, 185 Suppl

N. Raabe, T. Ernst, B. Freund, S. Salmen, M. Heine, R. Reimer, M. G. Kaul, G. Adam, H. Ittrich Effect of coating material on the biodistribution of USPIO at 7T DSC-MRI: comparison of four diverse coated USPIO with equal hydrodynamic diameters. ECR 2013; DOI: 10.1594/ecr2013/C-1944

N. Raabe, T. Ernst, M. Heine, S. C. Salmen, B. Freund, R. Reimer, M. G. Kaul, G. Adam, H. Ittrich Influence of coating materials of USPIO on biodistribution and particle depletion in vivo - comparison of four different coatings at 7T MRI World Molecular Imaging Congress, Meeting Program 2013 P 136

Regier M, Seiwerts C, Leyh-Bannurah S, Salomon G, Steuber T, Heinzer H, Haese A, Graefen M, Adam G, Budäus L. Diffusion-weighted echo-planar MRI with multiple b-values in primary lung

cancer: a new approach to the non-invasive differentiation of histological subtypes? Insights into Imaging 4 (Supp.1) 2013

Regier M, Henes FO, Novo de Oliveira A, Petersen JP, Lehmann W, Rueger JM, Adam G, Spiro AS. Articular depression assessed by MDCT as a predictor of soft-tissue injuries in tibial plateau fractures: intraindividual correlation to findings at magnetic resonance imaging. Insights into Imaging 4 (Supp.1) 2013

Regier M. MDCT und MRT von Thoraxwand, Skelett und Pleura. Fortschr Röntgenstr 185 (2013)

Regier M, Seiwerts C, Leyh-Bannurah S, Salomon G, Steuber T, Heinzer H, Haese A, Graefen M, Adam G, Budäus L. Identifikation eines Schwellenwertes des Apparenten-Diffusionskoeffizienten (ADC) in der Diffusionsgewichteten MRT (DWI) zur Beurteilung pelviner Lymphknoten (LK) beim histologisch gesicherten Prostata-Ca. Fortschr Röntgenstr 185 (2013)

Regier M, Seiwerts C, Henes FO, Kooijman H, Isbarn H, Graefen M, Sauter G, Adam G, Budäus L. Identification of apparent-diffusion-coefficient (ADC) cut-off-values for the detection of nodal metastasis in high-risk prostate cancer patients: Implication for clinical practice. European Society of Urogenital Radiology Annual Meeting 2013 (P.96)

Regier M, Veldhoen S, Laqmani A, Schultendorff HC, Hammerle D, Buhk JH, Henes FO, Adam G. Impact of 4th generation iterative reconstruction techniques on image quality in ultra low-dose MDCT for suspected urolithiasis. European Society of Urogenital Radiology Annual Meeting 2013 (P.109)

Regier M, Henes FO, Novo de Oliveira A, Petersen JP, Lehmann W, Rueger JM, Adam G, Spiro AS. The degree of articular depression as a predictor of soft-tissue injuries in tibial plateau fracture. Radiology Supplements 2013 VSER21-14

Regier M, Seiwerts C, Leyh-Bannurah S, Salomon G, Steuber T, Heinzer H, Haese A, Graefen M, Adam G, Budäus L. Identification of apparent-diffusion-coefficient (ADC) cut-off values for the detection of lymph node metastasis during DWI-MRI in high-risk prostate cancer patients: Implication for daily clinical practice. Radiology Supplements VSGU31-06

Salamon J, Peldschus K, Wicklein D, Lange C, Ittrich H, Schumacher U, Adam G. Interaction of magnetically labelled multipotent mesenchymal stromal cells and E-/P-selectins monitored by magnetic resonance imaging in mice. ECR 2013, Vienna

Schönnagel BP, Much C, Yamamura J, Adam G, Ueberle G, Tavares de Sousa M, Kooijman H, Wedegärtner U. Antenatal blood flow quantification by phase-contrast MRI using a new triggering method: comparison with Doppler ultrasound in a sheep model. ECR 2013 Book of abstracts (2013) Insights Imaging 4: Suppl. 1, S. 345

Yamamura J, Schoennagel B, Much C, Tavares M, Fische R, Adam G, Wedegaertner U. In-Utero Blood Flow Quantification by Phase-Contrast MRI Using a New Triggering Method: Comparison with Doppler Ultrasound Measurements in a Sheep Model. ISMRM13 (2013) 3689

Yamamura J, Grosse R, Pfeifer C, Schoennagel B, Jarisch A, Janka GE, Nielsen P, Adam G, Fischer R. Pancreatic Iron Measurement using MRI-r2* in patients with iron overload and Thalassemia. ISMRM13 (2013) 3706

Auszeichnungen und Preise

Bannas P. Best Scientific Paper Presentation Award, ECR, Wien

Bannas P. Reisekostenstipendium, Rolf-W. Günther-Stiftung, ECR, Wien

Derlin T. Runner-up Award, Best Clinical Paper 2013 (2nd place), Journal of Nuclear Cardiology

Salamon J. Promotionspreis der deutschen Röntgengesellschaft 2013

Stipendien

Bannas P. Bracco Research Fellowship. 150 000 \$ Personal- und Sachmittel für ein zweijähriges Forschungs-Stipendium an der University of Wisconsin, Madison, USA.

Drittmittel

Adam G, Ittrich H. SFB 841 "Leberentzündung: Infektion, Immunregulation und Konsequenzen". MR-tomographische Darstellung von Lebererkrankungen nicht-invasive Strategien zur Kontrolle von Leberregeneration, Tumorbehandlung und Zelltherapiekonzepten