

Publikationen 2011

Klinik und Poliklinik für diagnostische Radiologie
Univiersitätsklinikum Hamburg-Eppendorf

Originalien

Bannas P, Derlin T, Groth M, Apostolova I, Adam G, Mester J, Klutmann S. Can (18)F-FDG-PET/CT be generally recommended in patients with differentiated thyroid carcinoma and elevated thyroglobulin levels but negative I-131 whole body scan? *Ann Nucl Med*. 2011 Oct 19. [Epub ahead of print]

Bannas P, Habermann CR, Jung C, Bley TA, Ittrich H, Adam G, Koops A. Diagnostic accuracy of state-of-the-art MDCT scanners without gantry tilt in patients with oral and oropharyngeal cancer. *Eur J Radiol*. 2011 Sep 14. [Epub ahead of print]

Bannas P, Scheuplein F, Well L, Hermans-Borgmeyer I, Haag F, Koch-Nolte F. Transgenic overexpression of toxin-related ecto-ADP-ribosyltransferase ART2.2 sensitizes T cells but not B cells to NAD-induced cell death. *Mol Immunol*. 2011 Sep;48(15-16):1762-70.

Bannas P, Finck-Wedel AK, Buhk JH, Bley TA, Koops A, Kooijman H, Beil FU, Adam G, Weber C. Comparison of whole body MR angiography at 1.5 and 3 Tesla in patients with hereditary hyperlipidemia. *Acta Radiol*. 2011 Jun 1;52(5):547-53. Epub 2011 Mar 28.

Buhk JH, Frisch M, Yamamura J, Graessner J, Adam G, Wedegärtner U. High-Resolution In Utero 3D MR Imaging of Inner Ear Microstructures in Fetal Sheep. *AJNR Am J Neuroradiol*. 2011 Dec;32(11):2043-6. Epub 2011 Oct 27. PMID: 22033721[PubMed - in process]

Buhk JH, Ries T, Finck-Wedel AK, Beil FU, Adam G, Weber C. Possibilities and limitations in imaging the intracranial arteries in the context of a contrast-enhanced whole-body magnetic resonance angiographic screening protocol at 1.5 versus 3 Tesla. *J Comput Assist Tomogr*. 2011 Jan-Feb;35(1):4-8.

Buhk JH, Finck-Wedel AK, Buchert R, Bannas P, Schnackenburg B, Beil FU, Adam G, Weber C. Screening for atherosclerotic plaques in the abdominal aorta in high-risk patients with multicontrast-weighted MRI: a prospective study at 3.0 and 1.5 tesla. *Br J Radiol*. 2011 Oct;84(1006):883-9. Epub 2010 Nov 16.

Groth M, Henes FO, Müllerleile K, Bannas P, Adam G, Regier M. Accuracy of thoracic aortic measurements assessed by contrast enhanced and unenhanced magnetic resonance imaging. *Eur J Radiol*. 2011 Feb 8 [Epub ahead of print].

Groth M, Henes FO, Bannas P, Muellerleile K, Adam G, Regier M. Intraindividual comparison of contrast-enhanced MRI and unenhanced SSFP sequences of stenotic and non-stenotic pulmonary artery diameters. *Rofo*. 2011 Jan;183(1):47-53.

Groth M, Henes FO, Mayer U, Regier M, Adam G, Begemann PG. Age-related incidence of pulmonary embolism and additional pathologic findings detected by computed tomography pulmonary angiography. *Eur J Radiol*. 2011 May 3. [Epub ahead of print]

Hahne JD, Schönengel B, Arndt C, Bannas P, Koops A, Adam A, Habermann CR. Einzeitige durchleuchtungsgesteuerte perkutane Gastrostomie (PG): Erste Ergebnisse mit dem Freka GastroTube. *Röfo* 183(7) (2011) 641-644

Hahne JD, Arndt C, Herrmann J, Schönengel B, Adam G, Habermann CR. Follow-up of abdominal

- aortic aneurysm after endovascular aortic repair: Comparison of volumetric and diametric measurement. *Eur J Radiol*. 2011 Apr 12. [Epub ahead of print]
- Henes FO, Nüchtern JV, Groth M, Habermann CR, Regier M, Rueger JM, Adam G, Großerlinden LG. Comparison of diagnostic accuracy of Magnetic Resonance Imaging and Multidetector Computed Tomography in the detection of pelvic fractures. *Eur J Radiol*. 2011 Sep 15 [Epub ahead of print].
- Henes FO, Chen Y, Bley TA, Fabel M, Both M, Herrmann K, Csernok E, Gross WL, Moosig F. Correlation of serum level of high mobility group box 1 with the burden of granulomatous inflammation in granulomatosis with polyangiitis (Wegener's). *Ann Rheum Dis*. 2011 Nov;70(11):1926-9.
- Henes FO, Groth M, Begemann PG, Bley T, Adam G, Regier M. Impact of Tube Current-Time and Tube Voltage Reduction in 64-Detector-row Computed Tomography Pulmonary Angiography for Pulmonary Embolism in a Porcine Model. *J Thorac Imaging*. 2011 Mar 31 [Epub ahead of print].
- Henes FO, Groth M, Begemann PG, Adam G, Regier M. Intraindividual comparison of gadolinium- and iodine-enhanced 64-slice multidetector CT pulmonary angiography for the detection of pulmonary embolism in a porcine model. *Emerg Radiol*. 2011 Jun;18(3):189-95.
- Karul M, Yamamura J. Neues diagnostisches Konzept bei Patienten mit Angina pectoris. *Radiologe* 51 (2011) 1015-1015
- Lorenzen M, Wedegartner U, Weber C, Adam G, Lorenzen J. Postoperative monitoring of distal intraarticular radial fractures treated with osteosynthesis by means of multislice CT. *Rofo*. 2011 Feb;183(2):120-5. Epub 2010 Aug 19.
- Regier M, Derlin T, Schwarz D, Laqmani A, Henes FO, Groth M, Buhk JH, Kooijman H, Adam G. Diffusion weighted MRI and 18F-FDG-PET/CT in non-small cell lung cancer (NSCLC): Does the Apparent Diffusion Coefficient (ADC) correlate with Tracer uptake (SUV)? *Eur J Radiol* 2011 November 14 [Epub ahead of print].
- Regier M, Schwarz D, Henes FO, Groth M, Kooijman H, Begemann PG, Adam G. Diffusion-weighted MR-imaging for the detection of pulmonary nodules at 1.5 Tesla: intraindividual comparison with multidetector computed tomography. *J Med Imaging Radiat Oncol*. 2011 Jun;55(3):266-74
- Schoennagel BP, Habermann CR, Hahne JD, Roesch M, Arndt C, Kleibeler L, Petersen KU, Graessner J, Adam G, Herrmann J. Diffusion-weighted imaging of the normal pancreas: ADC values of the normal Head, body, and tail calculated from different sets of b-values. *J Magn Reson Imaging*. 34 (2011) 861-865
- Weber C, Wedegartner U, Maas LC, Buchert R, Adam G, Maas R. MR imaging of the Achilles tendon: evaluation of criteria for the differentiation of asymptomatic and symptomatic tendons. *Rofo*. 2011 Jul;183(7):631-40.
- Yamamura J, Salomon G, Buchert R, Hohenstein A, Graessner J, Huland H, Graefen M, Adam G, Wedegaetner U. MR Imaging of Prostate Cancer: Diffusion Weighted Imaging and (3D) Hydrogen 1 (H) MR Spectroscopy in Comparison with Histology. *Radiol Res Pract*. 2011;2011:616852. Epub 2010 Jul 20.
- Yamamura J, Grosse R, Jarisch A, Janka GE, Nielsen P, Adam G, Fischer R. Pancreatic exocrine function and cardiac iron in patients with iron overload and with thalassemia. *Pediatr Blood Cancer*. 2011 Oct;57(4):674-6. doi: 10.1002/pbc.22990. Epub 2011 Jun 10.
- Yamamura J, Salomon G, Buchert R, Hohenstein A, Graessner J, Huland H, Graefen M, Adam G, Wedegaetner U. Magnetic resonance imaging of prostate cancer: diffusion-weighted imaging in comparison with sextant biopsy. *J Comput Assist Tomogr*. 2011 Mar-Apr;35(2):223-8.

in Kooperation mit anderen Kliniken

Agarwal-Kozlowski K, Lorke DE, Habermann CR, Schulte am Esch J, Beck H. Interventional Management of Intractable Sympathetically Mediated Pain by Computertomography-guided Catheter Implantation for Block and Neuroablation of the Thoracic Sympathetic Chain: Technical Approach and Review of 322 Procedures. *Anesthesia* 66 (2011) 699-708

Bartelt A, Bruns OT, Reimer R, Hohenberg H, Ittrich H, Peldschus K, Kaul MG, Tromsdorf UI, Weller H, Waurisch C, Eychmüller A, Gordts PL, Rinninger F, Bruegelmann K, Freund B, Nielsen P, Merkel M, Heeren J. Brown adipose tissue activity controls triglyceride clearance. *Nat Med* 2011; 17: 200-205.

Beil FT, Bruns J, Habermann CR, Ruether W, Niemeier A. Osteochondritis dissecans of the tarsal navicular bone - a case report. *Journal of the American Podiatric Medical Association* (accepted 04.2011)

Benten D, Schulze zur Wiesch J, Sydow K, Koops A, Buggisch P, Böger RH, Gaydos CA, Won H, Franco V, Lohse AW, Ray SC, Balagopal A: The transhepatic endotoxin gradient is present despite liver cirrhosis and is attenuated after transjugular portosystemic shunt (TIPS). *BMC Gastroenterology* 11 (2011) 107

Bley TA, Johnson KM, François CJ, Reeder SB, Schiebler ML, R Landgraf B, Consigny D, Grist TM, Wieben O. Noninvasive assessment of transstenotic pressure gradients in porcine renal artery stenoses by using vastly undersampled phase-contrast MR angiography. *Radiology*. 2011 Oct;261(1):266-73

Catala-Lehnen F, Nüchtern JV, Briem D, Klink T, Rueger JM, Lehmann W. Comparison of 2D and 3D navigation techniques for percutaneous screw insertion into the scaphoid: results of an experimental cadaver study. *Computer Aided Surgery* 16 (2011) 280-7

Derlin T, Weber C, Habermann CR, Herrmann J, Wisotzki C, Ayuketang F, Klutmann S, Kroeger N. 18F-FDG PET/CT for Detection and Localization of Residual or Recurrent Disease in Patients With Multiple Myeloma after Stem Cell Transplantation. *Eur J Nucl Med Mol Imaging*. 2011 Nov 24. [Epub ahead of print] DOI 10.1007/s00259-011-1993-8,

Derlin T, Habermann CR, Hahne JD, Apostolova I, Mester J, Klutmann S, Buchert R. Quantification of 18F-FDG and 18F-fluoride uptake in atherosclerotic plaque: the effect of renal function. *Ann Nucl Med* 25(8) (2011) 586-591

Derlin T, Habermann CR, Lengyel Z, Busch JD, Wisotzki C, Mester J, Pávics L. Feasibility of 11C-Acetate PET/CT for Imaging of Fatty Acid Synthesis in the Atherosclerotic Vessel Wall. *JNM* 52(12) (2011) 1848-1854

Derlin T, Tóth Z, Papp L, Wisotzki C, Apostolova I, Habermann CR, Mester J, Klutmann S. Correlation of inflammation as assessed by 18F-FDG PET, active mineral deposition as assessed by 18F-fluoride PET, and vascular calcification in atherosclerotic plaque: a dual tracer PET/CT study. *Journal of Nuclear Medicine* 52 (2011) 1020-1027

Derlin T, Klutmann S, Habermann CR. Münchhausen Syndrome Presenting as Fewer of Unknown Origin - Diagnosis by F-18 FDG PET/CT. *Clin Nucl Med* 36 (2011) 1129-1130

Heine M, Nollau P, Masslo C, Nielsen P, Freund B, Bruns OT, Reimer R, Hohenberg H, Peldschus K, Ittrich H, Schumacher U. Investigations on the Usefulness of CEACAMs as Potential Imaging Targets for Molecular Imaging Purposes. *PLoS One* 2011; 6: e28030.

Herrmann J, Junge CM, Burdelski M, Ganschow R, Scheibner S, Petersen KU, Fischer L, Broering DC, Adam G, Helmke K. Transcapsular arterial neovascularization after liver transplantation in pediatric patients indicates transplant failure. *Radiology*. 2011 Nov;261(2):566-72. Epub 2011 Aug 24.

Laack E, Simon R, Regier M, Andritzky B, Tennstedt P, Habermann CR, Verth CZ, Thöm I, Grob T,

Sauter G, Bokemeyer C. Miliary never-smoking adenocarcinoma of the lung: strong association with epidermal growth factor receptor exon 19 deletion. *J Thorac Oncol.* 6 (2011)199-202

Muellerleile K, Baholli L, Groth M, Koopmann K, Barmeyer A, Gosau N, Ventura R, Rostock T, Koester R, Adam G, Willems S, Lund G. Quantification of Mechanical Ventricular Dyssynchrony: Direct Comparison of Velocity-Encoded and Cine Magnetic Resonance Imaging. *Rofo.* 2011 Jun;183(6):554-60.

Rohsbach D, Trillsch F, Regier M, Choschzick M, Kommos F, Hermsteiner M, Töllner T, Mattner UM, Jaenicke F, Mahner S. Malignant transformation of a serous borderline tumor and early metastasis of associated low-grade serous carcinoma detected on screening mammography. *J Clin Oncol.* 2011 Oct 20;29(30):e763-5.

Sheikhzadeh S, Rybczynski M, Habermann CR, Bernhardt A, Arslan-Kircher M, Keyser B, Kaemmerer H, Mir T, Staebler A, Oezdal N, Robinson PN, Berger J, Meinertz T, von Kodolitsch Y. Dural Ectasia in Individuals with Marfan-like Features but Exclusion of Mutations in the Genes FBN1, TGFBR1 and TGFBR2. *Clinical Genetics* 79 (2011) 568-574

Sheikhzadeh S, Kade C, Keyser B, Stuhmann M, Arslan-Kircher M, Habermann CR, Mir T, Robinson PN, Berger J, Detter C, Reichenspurner H, Blankenberg S, von Kodolitsch Y. Analysis of Phenotype and Genotype Information for the Diagnosis of Marfan Syndrome. *Clinical Genetics* 2011 Aug 26. doi: 10.1111/j.1399-0004.2011.01771.x. [Epub ahead of print]

Stang A, Keles H, Hentschke S, von Seydewitz CU, Dahlke J, Habermann CR, Wessling J. Incidentally Detected Splenic Lesions in Ultrasound: Does Contrast-Enhanced Ultrasonography Improve the Differentiation of Benign Hemangioma/Hamartoma from Malignant Lesions? *Ultraschall Med.* 32 (2011) 582-592

von Renteln D, Inoue H, Minami H, Werner YB, Pace A, Kersten JF, Much CC, Schachschal G, Mann O, Keller J, Fuchs KH, Rösch T. Peroral Endoscopic Myotomy for the Treatment of Achalasia: A Prospective Single Center Study. *Am J Gastroenterol.* 2011 Nov 8. doi: 10.1038/ajg.2011.388. [Epub ahead of print]

Editorials

keine

Buchbeiträge

Thorsten A. Bley, Christopher J. Francois. Role of imaging modalities in inflammatory and infectious disorders. In: *Abbara: Problem Solving in Radiology: Cardiovascular Imaging*, Elsevier Inc., 1600 John F. Kennedy Boulevard, Ste 1800, Philadelphia, PA 19103-2899

Peter Vaith und Thorsten Bley. Primäre systemische Vaskulitiden: Große Gefäße. In: Peter, Pichler, Müller-Ladner (Hrsg.): *Klinische Immunologie*, 3. Auflage; ISBN 978-3-437-23256-5. Elsevier GmbH, Urban & Fischer Verlag, Hackerbrücke 6, 80335 München.

Jan Thoden, Nisl Venhoff, Thorsten Bley, Peter Vaith. Vaskulitis mit Beteiligung der Okzipitalarterie. Riesenzellarteriitis oder Polyarteriitis nodosa? In: Peter, Pichler, Müller-Ladner (Hrsg.): *Klinische Immunologie*, 3. Auflage; ISBN 978-3-437-23256-5. Elsevier GmbH, Urban & Fischer Verlag, Hackerbrücke 6, 80335 München

Thorsten A Bley. Imaging of medium and large vessels (CT / MR / PET). Section II. Primary Autoimmune Vascular Diseases. In: Gary S. Hoffmann, Cornelia M. Weyand, Carol A. Langford, Jörg

J. Goronzy: Inflammatory Diseases of Blood Vessels, 2nd edition, John Wiley & Sons, Ltd., The Atrium, Southern Gate, Chichester, PO19 8SQ, England.

Thorsten A. Bley, Peter J. Kuhlencordt. Vaskuläre Untersuchungsmethoden, Bildgebende Diagnostik. In: Debus/Gross-Fengels: Operative und interventionelle Gefäßmedizin. Springer Verlag

Simon P, Ittrich H. Computer- und MR-tomographische Untersuchung des "Jungen von Kayhausen". Museumsjournal Natur und Mensch. Naturkunde - Kulturkunde - Museumskunde, Bd. 6, 2010 (2011). Isensee-Verlag Oldenburg.

Vorträge mit publiziertem Abstract

Bannas P, Groth G, Adam G, Derlin T, Mester J, Klutmann S 18F-FDG-PET/CT bei Patienten mit differenziertem Schilddrüsenkarzinom und erhöhtem Thyreoglobulin aber negativer I-131 Ganzkörperzintigraphie Fortschr Röntgenstr 183 (Supplements) 2011 146

Bannas P, Derlin T, Klutmann S, Mester J, Adam G, Mester J, Clausen M, Weber C Evaluation and comparison of vascular 18F-sodium fluoride uptake and arterial wall calcifications using PET/CT European Radiology 21 (Supplements) 2011 B-467

Bannas P, Habermann CR, Jung C, Ittrich H, Bley TA, Adam G, Koops A Diagnostic accuracy of untillable MDCT scanners in patients with oral and oropharyngeal cancer Bannas P, Habermann CR, Jung C, Ittrich H, Bley TA, Adam G, Koops A DOI: 10.1594/ecr2011/C-0532

Bannas P, Well L, Michelfelder S, Rissiek B, Haag F, Adam G, Ittrich H, Koch-Nolte F Comparison of nanobodies and conventional monoclonal antibodies for specific in vivo fluorescence imaging of T cells DOI: 10.1594/ecr2011/C-0531

Bley TA, C Hauenstein, T. Reinhard, J Geiger, M. Uhl, M Markl. "Einfluß der Steroidtherapie auf die MRT- und Ultraschallbefunde der oberflächlichen Kopfarterien bei Arteriitis temporalis (Horton)". Fortschr Röntgenstr 2011; 183 DOI: 10.1055/s-0031-1279185

Bley TA, P. Chase, S. Reeder, K. Shinki, C. Francois, G. Tefera, T. Grist, M. Pozniak. "Volumetrisches Nativ-CT zur Detektion von Endoleaks nach EVAR der infrarenalen Aorta". Fortschr Röntgenstr 2011; 183 DOI: 10.1055/s-0031-1279183

Bley TA, C Hauenstein, T. Reinhard, J Geiger, M. Uhl, M Markl. Corticosteroid treatment effects on MRI and Ultrasonography findings in Giant Cell (Temporal) Arteritis. European Radiology 21 (Supplements) 2011 B-688

Buhk JH, Koops A, Bradford BT, Schroeder D, Krautschneider WH, Adam G: Ein integriertes Stent-Graft zur nicht-invasiven vierdimensionalen Druckmessung im Aneurysmasack nach endovaskulärer Aortenaneurysma-Therapie. 92. Deutscher Röntgenkongress. Fortschr Röntgenstr 2011; 183: VO412_2

Buhk JH, Regier M, Laqmani A, von Schultendorff HC, Hammerle D, Groth M, Adam G, Nagel HD, Fiehler J: Der Einfluss eines iterativen Rekonstruktionsverfahrens der 4. Generation auf die Bildqualität der Computertomographie des Neurokraniums. NeuroRad 2011, 46. Jahrestagung der Deutschen Gesellschaft für Neuroradiologie.

Busch JD, Heller F, Herrmann J, Schoennagel B, Habermann CR, Adam G. Follow-up of radiologically totally implanted central venous access ports of the upper arm: Long-term complications in 127750 catheter days. (abstr). Radiological Society of North America scientific assembly and annual meeting program. Oak Brook, Ill: Radiological Society of North America, 2011.

Ernst TM, Helk E, Lotter H, Kaul MG, Ittrich H, Adam G. Nanopartikel-Markierung zur in vivo MR-Darstellung von Entamoeba histolytica in Amöbenleberabszessen. Fortschr Röntgenstr 183 (Supplements) 2011 150

Ernst T, Lotter H, Kaul MG, Ittrich H, Adam G.
Magnetic single cell labelling of pathogens: SPIO-labelled parasitic protozoan *Entamoeba histolytica* in liver abscesses in mice. Radiological Society of North America Annual Meeting 2011. Oak Brook, Ill: Radiological Society of North America, 2011.

Forberich E, Raabe N, Freund B, Nielsen P, Bruns O, Hohenberg H, Kaul MG, Adam G, Ittrich H
Nachweis der Bildung von USPIO-Agglomeraten ausgelöst durch Proteinbindung mittels r_2 und r_2^* Bestimmung am 3T MRT. Fortschr Röntgenstr 183 (Supplements) 2011

Forberich E, Raabe N, Freund B, Bruns O, Kaul MG, Adam G, Ittrich H
C-1353 Changes of r_2 and r_2^* of SPIO caused by protein binding in different biofluids at 3T MRI.
DOI: 10.1594/ecr2011/C-1353

Habermann CR. Suprahyoid Neck- Anatomy-guided differential diagnoses ECR 2011 European Radiology 21 (Supplements) 2011 ISSN: 1869-4101

Habermann CR. Suprahyoid Neck - Anatomy-based diagnoses ECR 2011 European Radiology 21 (Supplements) 2011. ISSN: 1869-4101

Hahne JD, Heller F, Arndt C, Herrmann J, Schönagel B, Habermann CR. Follow-up interventionell radiologisch implantierter zentralvenöser Portkathetersysteme am Oberarm. Fortschr Röntgestr, (Supplements) 2011 183; DOI: 10.1055/s-0031-1279094

Hahne JD, Arndt C, Herrmann J, Schönagel B, Adam G, Habermann, CR. Primäre einzeitige durchleuchtungsgesteuerte perkutane Gastrostomie (PG): Erste Ergebnisse mit dem Freka® GastroTube. Fortschr Röntgestr, (Supplements) 2011 183; DOI: 10.1055/s-0031-1279157

Hahne JD, Arndt C, Herrmann J, , Adam G, Habermann CR. CTA-Follow-up endovaskulär versorgter infrarenaler Aortenaneurysmata: Maximaler Diameter im Vergleich zur Volumetrie. Fortschr Röntgestr, (Supplements) 2011 183; DOI: 10.1055/s-0031-1279416

Henes FO, Püschel K, Adam G, Lorenzen M. Diagnostic accuracy of post-mortem whole-body magnetic resonance imaging in comparison with conventional autopsy European Radiology 21 (Supplements) 2011 S272

Henes FO, Groth M, Regier M, Bley TA, Adam G, Begemann PGC. Impact of tube current-time and tube voltage reduction in 64-detector row CT pulmonary angiography for pulmonary embolism in a porcine model. DOI:10.1594/ecr2011/C-0979.

Henes FO, Groth M, Bley TA, Adam G, Moosig F. Serum level of high mobility group box 1 (HMGB1): biomarker to evaluate the dimension of granulomatous inflammation in Wegener granulomatosis. DOI: 10.1594/ecr2011/C-0986

Henes FO, Groth M, , Adam G, Begemann PGC, Regier M. Intraindividual comparison between Gadolinium- and Iodine- enhanced 64-multislice CT pulmonary angiography for detection of pulmonary embolism in a porcine model. DOI: 10.1594/ecr2011/C-0990

Henes FO, Groth M, Adam G, Habermann CR, Großerlinden L. Diagnosis of acute pelvic fractures: evaluation of diagnostic accuracy and interobserver agreement, comparing CT and MRI in a prospective study. DOI: 10.1594/ecr2011/C-1688

Henes FO, Groth M, Bley T, Adam G, Moosig F. Korrelation der Serumspiegel des high mobility group box 1 (HMGB1) mit dem Ausmaß der granulomatösen Entzündung bei Patienten mit Wegener Granulomatose. Fortschr Röntgenstr 183 (Supplements) 2011 203

Henes FO, Groth M, Adam G, Begemann PG, Regier M. Tierexperimenteller intraindividueller Vergleich von gadolinium- und jodhaltigem Kontrastmittel zu Nachweis von Lungenarterienembolien (LAE). Fortschr Röntgenstr 183 (Supplements) 2011 238

Henes FO, Groth M, Adam G, Habermann CR, Grossterlinden L. Evaluation der diagnostischen Genauigkeit der MRT zur Detektion traumatischer Beckenfrakturen im Vergleich zur Mehrzeilen-Computertomographie (MDCT). *Fortschr Röntgenstr* 183 (Supplements) 2011 256

Henes FO, Regier M, Bannas P, Muellerleile K, Adam G, Groth M. A new Formula for Rapid Assessment of Pericardial Effusion Volume by Multidetector Computed Tomography. *Radiology* 261 (Supplements) 2011 191

Ittrich H, Lange C, Dahnke H, Peldschus K, Zander AR, Adam G, Nolte-Ernsting C. Quantifizierung von SPIO-markierten Stammzellen bei 3T - in-vitro Relaxometrie und in-vivo Bestimmung nach therapeutischer Applikation beim akuten Nierenversagen im Kleintiermodell. *Fortschr Röntgenstr* (Supplements)183 S1 (2011) 193

Ittrich H, Bruns O, Bartelt A, Peldschus K, Kaul MG, Tromsdorf UI, Adam G, Heeren J. MR Real-time Imaging of Endothelial Binding and Endocytosis in Brown Adipose Tissue Using Lipophilic USPIO Nanosomes at 3T. *Proc. Annual Meeting RSNA* (2011) SSE13-02

Ittrich H, Bartelt A, Bruns O, Peldschus K, Kaul MG, Tromsdorf UI, Heeren J, Adam G. Real-time in Vivo MR Imaging of Lipid Metabolism in Brown Adipose Tissue with Triglyceride-Rich Lipoprotein-USPIO Nanosomes. *Proc. Annual Meeting RSNA* (2011) LL-MIS-WE2B

Jung C, Ittrich H, Kaul M, Bruns O, Heeren J, Beisiegel U, Adam G. Using nanosomes for ex vivo detection of atherosclerotic lesions in apolipoprotein E knockout mice by fluorescence imaging. *European Radiology* DOI:10.1594/ecr2011/C-1930

Jung C, Ittrich H, Kaul M, Bruns O, Heeren J, Beisiegel U, Adam G. Using High-Density Lipoproteins for ex vivo Detection of Atherosclerotic Plaques in Apo E -/- Mice by Fluorescence Imaging. *Radiological Society of North America (RSNA) 97th Scientific Assembly and Annual Meeting* (2011).

Kaul MG, Ernst T, Adam G. DicomSort´n´Select, an ImageJ-plugin, for sorting, selecting of DICOM images and providing a technical data interface. *European Society for Magnetic Resonance in Medicine and Biology (ESMRMB), 28th Annual Scientific Meeting, 6.-8. October 2011, Leipzig, Germany* (2011). Meeting Guide, p. 142, Nr. 766, DOI: 10.1007/s10334-011-0268-5;

Kaul MG, Jung C, AdamG. "Whole body magnetic resonance angiography in mouse in a clinical system with high isotropic resolution using parallel image acquisition. ; *European Society for Magnetic Resonance in Medicine and Biology (ESMRMB), 28th Annual Scientific Meeting, 6.-8. October 2011, Leipzig, Germany* (2011). Meeting Guide, p. 126, Nr. 661, DOI: 10.1007/s10334-011-0267-6

Kaul MG, Ernst T, Adam G. DicomSort´n´Select: An ImageJ Plugin for Sorting, Selecting of DICOM Images Providing a Technical Data Interface for Other ImageJ Plugins. *Radiological Society of North America (RSNA) 97th Scientific Assembly and Annual Meeting* (2011).

Kaul MG, Jung C, AdamG. Isotropic, Parallel Image Acquisition in Mouse for Whole Body Magnetic Resonance Angiography. *Radiological Society of North America (RSNA) 97th Scientific Assembly and Annual Meeting, (2011)*. <http://rsna2011.rsna.org/search>

Koops A, Ramcic E, Habermann C, Krupski G, Adam G: Percutaneous portal vein embolisation for extended hepatic resection: volume gain and achievement of operability in 85 patients. *Cardiovasc Intervent Radiol* 34 (Suppl 3) (2011) 642

Laqmani A , G. Adam, M. Regier. Initial CT and thoracic radiographic findings of H1N1 influenza virus infection in immunocompromised patients. *European Radiology* 21 (Supplement) 2011, B-623

Lund GK, Groth M, Müllerleile K, Klinik T, Halaj S, Folwarski G, Säring D, Adam G. Improved reproducibility of LV volumetry and infarct size measurement using a standardized evaluation protocol for cardiac magnetic resonance imaging *Journal of Cardiovascular Magnetic Resonance* 2011, 13(Suppl 1):P160

Much CC, Yamamura J, Schoennagel B, Kopp I, Greassner J, Hecher K, Adam G, Wedegaertner U.A

Novel Technique for Cardiac MRI of the Fetal Heart: MR Compatible Doppler Ultrasound (CTG) for Cardiac Triggering. *Advances in Fetal Imaging* 28.-29.10.2011 Paris

Much CC, Schoennagel B, Yamamura J, Adam G, Wedegaertner U. Diffusion Weighted Imaging of Fetal Lung Maturation in Sheep. Effect of Prenatal Cortisone Administration on ADC Values. *Advances in Fetal Imaging* 28.-29.10.2011 Paris

Raabe N, Laatsch A, Toedter K, Adam G, Wedegärtner U, Yamamura J
Bestimmung mehrfach ungesättigter Fettsäuren in Fisch mittels MR Spektroskopie an einem klinischen 3T MRT. *Fortschr Röntgenstr* 183 (Supplements) 2011 241

Raabe N, Forberich E, Freund B, Bruns O, Adam G, Ittrich H
Evaluation of newly designed, high-grade monodisperse USPIO in MRI; biodistribution and dose optimization study for in vivo application with real-time DSC-MRI and relaxometry at 3T
Radiology 261 (Supplements) 2011 213.

Raabe N, Forberich E, Freund B, Bruns O, Heine M, Kaul MG, Adam G, Ittrich H
Quantification of R_2^* in vivo at 3# R using ^{59}Fe -SPIO* DOI: 10.1594/ecr2011/C-0418

Raabe N, Laatsch A, Toedter K, Adam G, Wedegärtner U, Yamamura J
Measurement of polyunsaturated fatty acids in fish using 3T MR spectroscopy: options for metabolic MRS? DOI: 10.1594/ecr2011/C-1998

Raabe N, Forberich E, Heine M, Habermann CR, Adam G, Ittrich H
In vivo ADC measurements as a prognostic marker for SPIO uptake into different human xenograft tumor models *Radiology* 261 (Supplements) 2011 323.

Regier M. MR and CT in Bladder cancer. Erasmus Course on abdominal MRI 2011

Regier M. MRU and CTU in the Diagnostic Work-Up of Hematuria. Erasmus Course on abdominal MRI 2011

Regier M, Laqmani A, Schultendorff HC, Hammerle D, Henes FO, Groth M, Nagel HD, Adam G, Buhk JH. Impact of 4th generation iterative reconstruction technique (iDoseT) on image quality in ultra low-dose MDCT of the lungs. *Radiology Supplements* 2011 - 282

Salamon J, Ramos-Leal N, Peldschus K, Ittrich H, Schumacher U, Adam G, Ullrich S, Wicklein D. Sequentielle MRT-Untersuchungen und Durchflusszytometrie zur Kontrolle der Therapie mit Imatinib in einem neuen Xenograft-Modell der humanen Chronischen Eosinophilen Leukämie (CEL) *Fortschr Röntgenstr* 183 (Supplements) 2011 S240

Schoennagel BP, Much C, Fischer R, Harmatz P, Adam G, Wedegaertner U, Yamamura J. Antenatal liver and spleen iron quantification in a sheep model. *Radiology* 261 (Supplements) 2011 S. 87

Schoennagel BP, Habermann C, Busch J, Roesch M, Arndt C, Adam G, Herrmann J. Diffusion-weighted imaging of the normal pancreas: ADC values of the normal head, body, and tail calculated from different sets of b-values. *Radiology* 261 (Supplements) 2011 S. 180

Schoennagel BP, Grosse R, Fischer R, Kurio G, Adam G, Yamamura J. Insights into ventricular cardiac function by MRI in patients with iron overload. *Radiology* 261 (Supplements) 2011 S. 53

Schoennagel BP, Yamamura J, Schulz A, Nielsen P, Fischer R, Janka GE, Adam G. Cardiac iron and function by MRI in patients with Friedreich Ataxia: a pilot study. DOI: 10.1594/ecr2011/C-0823

Weber C, Hentschel H, Derlin T, Kröger N, Adam G, Bannas P
Whole-body MRI for Staging of Patients with Multiple Myeloma in Complete or Partial Remission after Stem Cell Transplantation" *Radiology* 261 (Supplements) 2011 214

Wedegärtner U, Frisch M, Kopp I, Grässner J, Hecher K, Adam G, Yamamura J. Cardiales MRT des fetalen Herzens: Triggerung der fetalen Herzfrequenz mit einem MR kompatiblen Doppler-Ultraschall. Fortschr Röntgenstr 183 (2011) S194.

Wedegärtner U, Frisch M, Kopp I, Grässner J, Hecher K, Adam G, Yamamura J. A Novel Technique for Cardiac MRI of the Fetal Heart: MR compatible Doppler Ultrasound (CTG) for Cardiac Triggering. ISMRM 11 (2011) 16.

Yamamura J, Schönengel B, Grosse R, Graessner J, Nielsen P, Janka GE, Adam G, Fischer R. Cardiac iron distribution within myocardium measured by MRI-R2* in patients with thalassemia. European Radiology (Supplements) 2011 S181

Yamamura J, Frisch M, Kopp I, Graessner J, Hecher K, Adam G, Wedegärtner U. Cardiac MRI of the foetal heart using a MR compatible Doppler ultrasound (CTG) for cardiac triggering. European Radiology (Supplements) 2011 S181

Yamamura, J; Grosse, R; Pfeifer, C; Schönengel, B; Jarisch, A; Janka, GE; Nielsen, P; Adam, G; Fischer, R. Exokrine Pankreasfunktion prognostiziert die kardiale Eisenkonzentration bei Patienten mit Thalassämie. Fortschr Röntgenstr 183 (2011) 2011 S214

Yamamura, J; Valett, K; Fischer, R; Adam, G; Wedegärtner, U. Kardiale Triggerung mittels Doppler-Ultraschall am 1,5 T MRT im Vergleich zur Pulswellen -triggerung: Eine Vergleichsstudie für zukünftige fetale Herzbildgebung. Fortschr Röntgenstr 183 (2011) S107

Yamamura J, Valett K, Fischer R, Adam G, Wedegaertner U. MRI Triggering by a Doppler Ultrasound at 1.5 T for Future Fetal Cardiac Function Investigation. ISMRM 11 (2011) 3689

Yamamura J, Grosse R, Jarisch A, Janka GE, Nielsen P, Adam G, Fischer R. Pancreatic Exocrine Function and Cardiac Iron in Patients with Iron Overload and with Thalassemia. ISMRM 11 (2011) 3706.

Yamamura J, Grosse R, Graessner J, Janka GE, Adam G, Fischer R. Distribution of Cardiac Iron measured by MRI-R2*. ISMRM 11 (2011) 6541.

Yamamura J, Schoennengel B, Grosse R, Graessner J, Nielsse P, Adam G, Wedegaertner U. Distribution of Cardiac Iron Measured by MRI-R2*. Radiology 261 (Supplements) 2011. 152

Auszeichnungen und Preise

Bley T: Röntgenring der Deutschen Röntgengesellschaft 2011

Well L, Lenz A, Riessiek B, Itrich H, Adam G, Koch-Nolte F, Bannas P. Characterization of Inflammation by monitoring ADP-Ribosyltransferase ART2 on T cells. Kongress für Molekulare Bildgebung (MOBI), Göttingen, 1. Posterpreis:

Wedegärtner U: Auszeichnung von der Fraunhofer Gesellschaft: German High Tech Champion 2011. Easy Trigger for Cardiovascular MR Imaging

Yamamura J. Fellowship program of the Japanese Radiology Society 2011

Yamamura J. Teacher of the Year 2011 - Block 6, Medizinische Fakultät Hamburg

Stipendien

keine

Drittmittel

Bley TA. DFG-Einzelverfahren, BL 1132/1-1: "Systemische Vaskulitits Diagnostik mit Moving Table MRT"

Wedegärtner U, Much C. Forschungs- und Wissenschaftsstiftung Hamburg
Verbundprojekt Feto-Maternal Immune Cross Talk Förderungsbeitrag für die Core Facility MRI:
131.600 €